arXiv:1412.3275v1 [math.DS] 10 Dec 2014

LIMIT CYCLES BIFURCATING FROM A DEGENERATE CENTER

JAUME LLIBRE[1] AND CHARA PANTAZI[2]

Abstract. We study the maximum number of limit cycles that can bifurcate from a degenerate center of a cubic homogeneous polynomial differential system. Using the averaging method of second order and perturbing inside the class of all cubic polynomial differential systems we prove that at most three limit cycles can bifurcate from the degenerate center. As far as we know this is the first time that a complete study up to second order in the small parameter of the perturbation is done for studying the limit cycles which bifurcate from the periodic orbits surrounding a degenerate center (a center whose linear part is identically zero) having neither a Hamiltonian first integral nor a rational one. This study needs many computations, which have been verified with the help of the algebraic manipulator Maple.

1. Introduction

Hilbert in [16] asked for the maximum number of limit cycles which real polynomial differential systems in the plane of a given degree can have. This is actually the well known *16th Hilbert Problem*, see for example the surveys [17, 18] and references therein. Recall that a *limit cycle* of a planar polynomial differential system is a periodic orbit of the system isolated in the set of all periodic orbits of the system.

Poincaré in [22] was the first to introduce the notion of a center for a vector field defined on the real plane. So according to Poincaré a *center* is a singular point surrounded by a neighborhood filled of periodic orbits with the unique exception of the singular point.

Consider the polynomial differential system

$$\dot{x} = P(x, y), \qquad \dot{y} = Q(x, y), \tag{1}$$

and as usually we denote by $\dot{} = d/dt$. Assume that system (1) has a center located at the origin. Then after a linear change of variables and a possible scaling of time system (1) can be written in one of the following forms

$$(A)\quad \begin{aligned}\dot{x} &= -y + F_1(x, y),\\ \dot{y} &= x + F_2(x, y),\end{aligned} \qquad (B)\quad \begin{aligned}\dot{x} &= y + F_1(x, y),\\ \dot{y} &= F_2(x, y),\end{aligned} \qquad (C)\quad \begin{aligned}\dot{x} &= F_1(x, y),\\ \dot{y} &= F_2(x, y),\end{aligned}$$

with F_1 and F_2 polynomials without constant and linear terms. When system (1) can be written into the form (A) we say that the center is of *linear type*. When system (1) can take the form (B) the center is *nilpotent*, and when system (1) can be transformed into the form (C) the center is *degenerate*.

Due to the difficulty of this problem mathematicians have consider simpler versions. Thus Arnold [1] considered the *weakened 16th Hilbert Problem*, which consists in determining an upper bound for the number of limit cycles which can bifurcate from the periodic orbits of a polynomial Hamiltonian center when it is perturbed inside a class of polynomial differential

2010 *Mathematics Subject Classification.* Primary 37G15, 34C07 Secondary 37C10, 34C05, 34A34.
Key words and phrases. polynomial differential systems, centers, limit cycles, averaging theory.

systems, see for instance [9] and the hundred of references quoted therein. It is known that in a neighborhood of a center always there is a first integral, see [21]. When this first integral is not polynomial the computations become more difficult. Moreover, if the center is degenerate the computations become even harder.

In the literature we can basically find the following methods for studying the limit cycles that bifurcate from a center:

- The method that uses the Poincaré return map, like the articles [4, 8].
- The one that uses the Abelian integrals or Melnikov integrals (note that for systems in the plane the two notions are equivalent), see for example section 5 of Chapter 6 of [2] and section 6 of Chapter 4 of [15].
- The one that uses the inverse integrating factor, see [11, 12, 13, 25].
- The averaging theory [6, 14, 19, 23, 24].

The first two methods provide information about the number of limit cycles whereas the last two methods additionally give the shape of the bifurcated limit cycle up to any order in the perturbation parameter.

Almost all the papers studying how many limit cycles can bifurcate from the periodic orbits of a center, work with centers of linear type. There are very few papers studying this problem for nilpotent or degenerate centers. In fact, for degenerate centers as far as we known the bifurcation of limit cycles from the periodic orbits of a degenerate center only have been studying completely using formulas of first order in the small parameter of the perturbation. Here we will provide a complete study of this problem using formulas of second order, and as it occurs with the formulas of second order applied to linear centers that they provide in general more limit cycles than the formulas of first order, the same occurs for the formulas of second order applied to degenerate centers. Of course, the computations from first order to second order increases almost exponentially.

This paper deals with the weakened 16th Hilbert's problem but perturbing non–Hamiltonian degenerate centers using the technique of the averaging method of second order, see [14], and Section 2 for a summary of the results that we need here.

Since we want to study the perturbation of a degenerate center with averaging of second order, from the homogeneous centers the first ones that are degenerate, are the cubic homogeneous centers, see for instance [7]. In this class in [20] the authors studied the perturbation of the following cubic homogeneous center

$$\dot{x} = -y(3x^2 + y^2), \qquad \dot{y} = x(x^2 - y^2), \tag{2}$$

inside the class of all cubic polynomial differential systems, using averaging theory of first order. Here we study this problem but using averaging theory of second order.

System (2) has a global center at the origin (i.e. all the orbits contained in $\mathbb{R}^2 \setminus \{(0,0)\}$ are periodic), and it admits the non–rational first integral

$$H(x,y) = (x^2 + y^2) \exp\left(-\frac{2x^2}{x^2 + y^2}\right).$$

The limit cycles bifurcating from the periodic orbits of the global center (2) have already been studied in the following two results, see [20] and [5], respectively.

Theorem 1. *We deal with differential system* (2). *Then the polynomial differential system*

$$\begin{aligned}\dot{x} &= -y(3x^2+y^2)+\varepsilon\left(\sum_{0\le i+j\le 3} a_{ij}x^i y^j\right),\\ \dot{y} &= x(x^2-y^2)+\varepsilon\left(\sum_{0\le i+j\le 3} b_{ij}x^i y^j\right),\end{aligned}$$

has at most one limit cycle bifurcating from the periodic orbits of the center of system (2) *using averaging theory of first order. Moreover, there are examples with 1 and 0 limit cycles.*

Proposition 2. *We consider the homogeneous polynomial differential system* (2). *Let* $P_i(x,y)$ *and* $Q_i(x,y)$ *for* $i=1,2$ *be polynomials of degree at most 3. Then for convenient polynomials* P_i *and* Q_i, *the polynomial differential system*

$$\begin{aligned}\dot{x} &= -y(3x^2+y^2)+\varepsilon P_1(x,y)+\varepsilon^2 P_2(x,y),\\ \dot{y} &= x(x^2-y^2)+\varepsilon Q_1(x,y)+\varepsilon^2 Q_2(x,y),\end{aligned}$$

has at first order averaging one limit cycle, and at second order averaging two limit cycles bifurcating from the periodic solutions of the global center (2).

Our main result is the following one and it do by first time the complete study of the averaging method of second order for a degenerate center having neither a Hamiltonian first integral nor a rational one.

Theorem 3. *We consider the cubic homogeneous differential system* (2). *Then the perturbation of system* (2) *inside the class of all cubic polynomial systems*

$$\begin{aligned}\dot{x} &= -y(3x^2+y^2)+\varepsilon\left(\sum_{0\le i+j\le 3} a_{ij}x^i y^j\right)+\varepsilon^2\left(\sum_{0\le i+j\le 3} b_{ij}x^i y^j\right),\\ \dot{y} &= x(x^2-y^2)+\varepsilon\left(\sum_{0\le i+j\le 3} c_{ij}x^i y^j\right)+\varepsilon^2\left(\sum_{0\le i+j\le 3} d_{ij}x^i y^j\right),\end{aligned} \tag{3}$$

has at most three limit cycles bifurcating from the periodic orbits of the center of system (2) *using averaging theory of second order. Moreover, there are examples with 3, 2, 1 and 0 limit cycles.*

The paper is organized as follows: In section 2 we present a summary of the averaging method of second order following [14]. Next in section 3 we provide the proof of our main Theorem 3. In section 4 we provide three examples, of systems (3) with 0, 1, 2 and 3 limit cycles bifurcating from the degenerate center. At the end we present the Appendices A, B and C.

2. The averaging method of second order

In this section we present the averaging method of second order following [14]. In that paper the averaging theory for differential equations of one variable is done up to any order in the small parameter of the perturbation. We consider the analytic differential equation

$$\frac{dr}{d\theta} = G_0(\theta,r)+\sum_{k\ge 1}\varepsilon^k G_k(\theta,r), \tag{4}$$

with $r\in\mathbb{R}$, $\theta\in\mathbb{S}^1$ and $\varepsilon\in(-\varepsilon_0,\varepsilon_0)$ with ε_0 a small positive real value, and the functions $G_k(\theta,r)$ are 2π–periodic in the variable θ. Note that for $\varepsilon=0$ system (4) is unperturbed.

Let $r_s(\theta,r_0)$ be the solution of system (4) with $\varepsilon=0$ satisfying $r_s(0,r_0)=r_0$ and $r_s(\theta,r_0)$ is 2π periodic for $r_0\in\mathcal{I}$ with $\mathcal{I}$ a real open interval. We are interested in the limit cycles of equation (4) which bifurcate from the periodic orbits of the unperturbed system with initial condition $r_0\in\mathcal{I}$. So, we define by $r_\varepsilon(\theta,r_0)$ the solution of equation (4) satisfying $r_\varepsilon(0,r_0)=r_0$.

In what follows we denote by $u=u(\theta,r_0)$ the solution of the variational equation

$$\frac{\partial u}{\partial\theta}=\frac{\partial G_0}{\partial r}(\theta,r_s(\theta,r_0))u,$$

satisfying $u(0,r_0)=1$.

We define

$$\begin{aligned}
u_1(\theta,r_0) &= \int_0^\theta \frac{G_1(\phi,\ r_s(\phi,r_0))}{u(\phi,r_0)}d\phi=\int_0^\theta \frac{G_1(w,\ r_s(w,r_0))}{u(w,r_0)}dw,\\
G_{10}(r_0) &= \int_0^{2\pi} \frac{G_1(\theta,\ r_s(\theta,r_0))}{u(\theta,r_0)}d\theta,\\
G_{20}(r_0) &= \int_0^{2\pi} \left(\frac{G_2(\theta,\ r_s(\theta,r_0))}{u(\theta,r_0)}+\frac{\partial G_1}{\partial r}(\theta,\ r_s(\theta,r_0))\ u_1(\theta,r_0)\right.\\
&\qquad \left.+\frac{1}{2}\frac{\partial^2 G_0}{\partial r^2}(\theta,\ r_s(\theta,r_0))\ u_1(\theta,r_0)^2\right)d\theta.
\end{aligned}\tag{5}$$

In statement (b) of Corollary 5 of [14] it is proved the following result.

Theorem 4. *Assume that the solution $r_s(\theta,r_0)$ of the unperturbed equation (4) such that $r_s(0,r_0)=r_0$ is 2π–periodic for $r_0\in\mathcal{I}$ with $\mathcal{I}$ a real open interval. If $G_{10}(r_0)$ is identically zero in $\mathcal{I}$ and $G_{20}(r_0)$ is not identically zero in $\mathcal{I}$, then for each simple zero $r^*\in\mathcal{I}$ of $G_{20}(r_0)=0$ there exists a periodic solution $r_\varepsilon(\theta,r_0)$ of (4) such that $r_\varepsilon(0,r_0)\to r^*$ when $\varepsilon\to 0$.*

3. Proof of Theorem 3

System (2) in polar coordinates becomes

$$\dot r=-2r^3\cos\theta\sin\theta,\qquad \dot\theta=r^2,\tag{6}$$

or equivalently,

$$\frac{dr}{d\theta}=-2r\cos\theta\sin\theta,$$

and it has the solution $r_s(\theta,r_0)=r_0\exp(-\sin^2\theta)$ satisfying that $r_s(0,r_0)=r_0$.

Now we perturb system (2) inside the class of all cubic polynomial differential systems as in (3). System (3) in polar coordinates give rise to the differential equation

$$\frac{d\,r}{d\,\theta}=G_0(\theta,r)+\varepsilon G_1(\theta,r)+\varepsilon^2G_2(\theta,r)+O(\varepsilon^3),$$

with

$$G_0(\theta,r) = -2\,r\cos\theta\sin\theta,$$

$$G_1(\theta,r) = g_{1,1}(\theta)\,\frac{1}{r^2} + g_{1,2}(\theta)\,\frac{1}{r} + g_{1,3}(\theta) + g_{1,4}(\theta)\,r,$$

$$G_2(\theta,r) = g_{2,1}(\theta)\,\frac{1}{r^5} + g_{2,2}(\theta)\,\frac{1}{r^4} + g_{2,3}(\theta)\,\frac{1}{r^3} + g_{2,4}(\theta)\,\frac{1}{r^2} + g_{2,5}(\theta)\,\frac{1}{r} + g_{2,6}(\theta) + g_{2,7}(\theta)\,r,$$

where the expressions of the coefficients $g_{1,i}(\theta)$ for $i = 1,2,3,4$ and $g_{2,j}(\theta)$ for $j = 1,2,\cdots,7$ are given in the Appendix A.

Additionally, we consider the variational equation

$$\frac{\partial u}{\partial \theta} = \frac{\partial G_0}{\partial r}(\theta, r_s(\theta,r_0)),$$

and its solution $u(\theta,r_0)$ satisfying $u(0,r_0)=1$, namely $u_s(\theta) = \exp(-\sin^2\theta)$.

We define

$$\begin{aligned} I_1 &= \int_0^{2\pi} \exp(2\sin^2\theta)\ \cos^4\theta\ d\theta = 3.572403292..., \\ I_2 &= \int_0^{2\pi} \exp(2\sin^2\theta)\ \cos^2\theta\ d\theta = 5.985557563..., \\ I_3 &= \int_0^{2\pi} \exp(2\sin^2\theta)\ d\theta = 21.62373221... \end{aligned} \tag{7}$$

Lemma 5. *Consider I_1, I_2, I_3 defined in (7). Then for $a_{10} = -(I_3 - 2I_1 + I_2)/(2I_1 - I_2)c_{01}$ and $a_{30} = -2c_{03} - c_{21}$ we have that the function $G_{10}(r_0)$ defined in (5) is identically zero.*

Proof. We have

$$\frac{G_1(\theta, r_s(\theta,r_0))}{u(\theta,r_0)} = A(\theta)\,\frac{1}{r_0^2} + B(\theta)\,\frac{1}{r_0} + C(\theta) + D(\theta)\,r_0,$$

with

$$\begin{aligned} A(\theta) &= \left[\sin\theta\left(2\cos^2\theta+1\right)c_{00} + \cos\theta\left(-1+2\cos^2\theta\right)a_{00}\right]\mathrm{e}^{3\sin^2\theta}, \\ B(\theta) &= \left[\cos\theta\sin\theta\left(-1+2\cos^2\theta\right)a_{01} + \cos^2\theta\left(-1+2\cos^2\theta\right)a_{10}\right. \\ &\quad \left. -\left(-\cos^2\theta+2\cos^4\theta-1\right)c_{01} + \cos\theta\sin\theta\left(2\cos^2\theta+1\right)c_{10}\right]\mathrm{e}^{2\sin^2\theta}, \\ C(\theta) &= \left[-\cos\theta\left(-3\cos^2\theta+1+2\cos^4\theta\right)a_{02} + \cos^3\theta\left(-1+2\cos^2\theta\right)a_{20}\right. \\ &\quad + \cos^2\theta\sin\theta\left(-1+2\cos^2\theta\right)a_{11} + \sin^3\theta\left(2\cos^2\theta+1\right)c_{02} \\ &\quad \left. + \cos^2\theta\sin\theta\left(2\cos^2\theta+1\right)c_{20} - \cos\theta\left(-\cos^2\theta+2\cos^4\theta-1\right)c_{11}\right]\mathrm{e}^{\sin^2\theta}, \\ D(\theta) &= \cos\theta\sin^3\theta\left(-1+2\cos^2\theta\right)a_{03} + \cos^4\theta\left(-1+2\cos^2\theta\right)a_{30} \\ &\quad + \cos^3\theta\sin\theta\left(-1+2\cos^2\theta\right)a_{21} - \cos^2\theta\left(-3\cos^2\theta+1+2\cos^4\theta\right)a_{12} \\ &\quad + \left(1-3\cos^4\theta+2\cos^6\theta\right)c_{03} + \cos^3\theta\sin\theta\left(2\cos^2\theta+1\right)c_{30} \\ &\quad - \cos^2\theta\left(-\cos^2\theta+2\cos^4\theta-1\right)c_{21} + \cos\theta\sin^3\theta\left(2\cos^2\theta+1\right)c_{12}. \end{aligned}$$

Now

$$G_{10}(r_0)=\int_0^{2\pi}\frac{G_1(\theta,r_s(\theta,r_0))}{u(\theta,r_0)}d\theta=\int_0^{2\pi}\left(A(\theta)\,\frac{1}{r_0^2}+B(\theta)\,\frac{1}{r_0}+C(\theta)\,+D(\theta)\,r_0\right)d\theta,$$

and considering the change of coordinates $\theta=\phi+\pi$ in the interval $[0,2\pi]$ and the symmetries

$$\sin(\theta+\pi)=-\sin\theta,\qquad \cos(\theta+\pi)=-\cos\theta, \tag{8}$$

we have that

$$\int_0^{2\pi}A(\theta)d\theta=\int_{-\pi}^{\pi}A(\phi)d\phi=0,\qquad \int_0^{2\pi}C(\theta)d\theta=\int_{-\pi}^{\pi}C(\phi)d\phi=0.$$

So we have

$$\begin{aligned}G_{10}(r_0) &= \int_0^{2\pi}\frac{B(\theta)}{r_0}d\theta+\int_0^{2\pi}D(\theta)\,r_0d\theta\\ &= [(2a_{10}-2c_{01})I_1+(c_{01}-a_{10})I_2+c_{01}I_3]\,\frac{1}{r_0}+\frac{\pi}{2}\,(2c_{03}+a_{30}+c_{21})\,r_0,\end{aligned}$$

and therefore $G_{10}\equiv 0$ if

$$a_{10}=-\frac{I_3-2I_1+I_2}{2I_1-I_2}c_{01}=-17.65322447\ldots c_{01},\qquad a_{30}=-2c_{03}-c_{21}.$$

This completes the proof of the lemma. □

Now we have

$$\frac{G_2(\theta,r_s(\theta,r_0))}{u(\theta,r_0)}=A_5(\theta)\,\frac{1}{r_0^5}+A_4(\theta)\,\frac{1}{r_0^4}+A_3(\theta)\,\frac{1}{r_0^3}+A_2(\theta)\,\frac{1}{r_0^2}+A_1(\theta)\,\frac{1}{r_0}+A_0(\theta)\,+\tilde{A}_1(\theta)\,r_0,$$

with $A_5(\theta)\,,A_4(\theta)\,,A_3(\theta)\,,A_2(\theta)\,,A_1(\theta)\,,A_0(\theta)\,,\tilde{A}_1(\theta)$ are given in the Appendix B.

We note that

$$\int_0^{2\pi}A_4(\theta)\,d\theta=0,\qquad \int_0^{2\pi}A_2(\theta)\,d\theta=0,\qquad \int_0^{2\pi}A_0(\theta)\,d\theta=0,$$

because of the symmetries (8). So we have

$$\int_0^{2\pi}\frac{G_2(\theta,r_s(\theta,r_0))}{u(\theta,r_0)}d\theta=\frac{1}{r_0^5}\int_0^{2\pi}A_5(\theta)\,d\theta+\frac{1}{r_0^3}\int_0^{2\pi}A_3(\theta)\,d\theta+\frac{1}{r_0}\int_0^{2\pi}A_1(\theta)\,d\theta+\left(\int_0^{2\pi}\tilde{A}_1(\theta)\,d\theta\right)r_0, \tag{9}$$

and we recall that the expressions of $A_5(\theta)\,, A_3(\theta)\,, A_1(\theta)\,, \tilde{A}_1(\theta)$ are given in the Appendix B. We have

$$\begin{aligned}
\int_0^{2\pi} A_5(\theta)\,d\theta &= \left(-4\int_0^{2\,\pi} \mathrm{e}^{6\,\sin^2\theta}\cos^4\theta d\theta + 2\int_0^{2\,\pi} \mathrm{e}^{6\,\sin^2\theta}\cos^2\theta d\theta + \int_0^{2\,\pi} \mathrm{e}^{6\,\sin^2\theta} d\theta\right) a_{00}c_{00} \\
&= 665.2264930\ldots\, a_{00}c_{00}, \\
\int_0^{2\pi} A_3(\theta)\,d\theta &= 239.0000390\ldots\, a_{01}c_{01} + 97.83745135\ldots\, a_{00}c_{02} + 97.83745135\ldots\, a_{02}c_{00} \\
&\quad -257.2692783\ldots\, c_{01}c_{10} + 12.93483815\ldots\, a_{00}c_{20} - 7.99641945\ldots\, a_{00}a_{11} \\
&\quad +12.93483815\ldots\, a_{20}c_{00} - 28.92767705\ldots\, c_{00}c_{11}, \\
\int_0^{2\pi} A_1(\theta)\,d\theta &= 1.159249021\ldots\, b_{10} + 20.46448319\ldots\, d_{01} + 2.318498043\ldots\, a_{11}c_{11} - 4.73165232\ldots\, c_{02}c_{11} \\
&\quad +2.318498043\ldots\, a_{20}c_{0,2} + 2.318498045\ldots\, a_{02}c_{20} - 3.761715750\ldots\, c_{11}c_{20} \\
&\quad +14.47892563\ldots\, a_{02}c_{02} - 1.253905250\ldots\, a_{02}a_{11} + 0.189312456\ldots\, a_{20}c_{20} \\
&\quad +0.094656226\ldots\, a_{11}a_{20} + 0.647510463\ldots\, a_{21}c_{01} - 5.110277230\ldots\, c_{03}c_{10} \\
&\quad +2.318498043\ldots\, a_{12}c_{10} + 2.22384182\ldots\, a_{01}c_{21} + 36.6143963\ldots\, a_{03}c_{01} \\
&\quad -3.95102821\ldots\, c_{10}c_{21} - 1.25390525\ldots\, a_{01}a_{12} - 45.6606188\ldots\, c_{01}c_{12} \\
&\quad -7.1036910\ldots\, c_{01}c_{30} + 14.28961317\ldots\, a_{01}c_{03}, \\
\int_0^{2\pi} \tilde{A}_1(\theta)\,d\theta &= -0.3926990817\ldots\, c_{30}c_{21} + 0.1963495408\ldots\, c_{30}a_{12} + 2.159844949\ldots\, a_{03}c_{03} \\
&\quad -0.1963495408\ldots\, a_{03}a_{12} - 0.7853981634\ldots\, c_{12}c_{21} + 0.3926990817\ldots\, a_{03}c_{21} \\
&\quad -1.178097245\ldots\, c_{03}c_{12} + 0.3926990817\ldots\, c_{12}a_{12} + 0.9817477042\ldots\, c_{03}c_{30} \\
&\quad +1.570796327\ldots\, d_{21} + 3.141592654\ldots\, d_{03} + 1.570796327\ldots\, b_{30}.
\end{aligned}$$

Remark 6. *(a) Looking at the expressions of $A_3, A_1, \tilde{A}_1$ in the Appendix B we can have the exact definition for the numerical coefficients which appear in the previous integrals. Thus for instance*

$$239.0000390\cdots = -\int_0^{2\pi} \frac{\mathrm{e}^{4\,\sin^2\theta}\left(\cos^2\theta - 1\right)\left(2\,I_1 - 4I_3\,\cos^4\theta + 2I_3\,\cos^2\theta - I_2\right)}{2\,I_1 - I_2} d\theta,$$

and I_1, I_2, I_3 satisfying relations (7).

(b) All the computations of this paper have been verified with the algebraic manipulator Maple [26].

We additionally have

$$\frac{\partial G_1}{\partial r}(\theta,\ r_s(\theta, r_0)) = B_0(\theta) + \frac{B_1(\theta)}{r_0^2} + \frac{B_2(\theta)}{r_0^3},$$

with

$$\begin{aligned}
B_0(\theta) \;=\;& \cos^2\theta\left(1+2\,\cos^2\theta-4\,\cos^4\theta\right)\,c_{21}\\
&+\left(-2\,\cos^6\theta+1-\cos^4\theta\right)c_{03}\\
&+\cos\theta\left(\sin\theta\cos^2\theta-2\,\cos^4\theta\sin\theta+\,\sin\theta\right)c_{12}\\
&+\cos^3\theta\left(\sin\theta+2\,\cos^2\theta\sin\theta\right)c_{30}\\
&+\sin\theta\,\cos\theta\left(3\,\cos^2\theta-1-2\,\cos^4\theta\right)a_{03}\\
&+\cos^2\theta\left(-1\,+3\,\cos^2\theta-2\,\cos^4\theta\right)a_{12}\\
&+\,\sin\theta\cos^3\theta\left(-1+2\,\cos^2\theta\right)a_{21},
\end{aligned}$$

$$\begin{aligned}
B_1(\theta) \;=\;& \left(-1-18.65322447...\,\cos^2\theta+37.30644894...\,\cos^4\theta\right)\mathrm{e}^{2\sin^2\theta}c_{01}\\
&-\sin\theta\cos\theta\left(2\,\cos^2\theta+1\right)\mathrm{e}^{2\sin^2\theta}c_{10}\\
&+\sin\theta\,\cos\theta\left(-2\,\cos^2\theta+1\right)\mathrm{e}^{2\sin^2\theta}a_{01},
\end{aligned}$$

$$B_2(\theta) \;=\; -2\,\sin\theta\left(2\,\cos^2\theta+1\right)c_{00}+2\left(-2\,+\,\mathrm{e}^{3\sin^2\theta}\cos\theta\right)a_{00}.$$

Now we have

$$\frac{G_1(w,\;r_s(w,r_0))}{u(w,r_0)}=\frac{C_2(w)}{r_0^2}+\frac{C_1(w)}{r_0}+C_0(w)\;+\tilde{C}_1(w)\,r_0,$$

with

$$C_2(w) \;=\; \mathrm{e}^{3\sin^2 w}\left[\cos w\left(2\,\cos^2 w-1\right)a_{00}+\sin w\left(1+2\,\cos^2 w\right)c_{00}\right],$$

$$\begin{aligned}
C_1(w) \;=\;& \Big[\cos w\sin w\left(-1+2\,\cos^2 w\right)a_{01}\\
&+\left(1+\frac{I_3}{2I_1-I_2}(\cos^2 w-2\cos^4 w)\right)c_{01}\\
&+\cos w\sin w\;\left(1+2\,\cos^2 w\right)c_{10}\Big]\mathrm{e}^{2\sin^2 w},
\end{aligned}$$

$$\begin{aligned}
C_0(w) \;=\;& \left[\cos^3 w\left(2\,\cos^2 w-1\right)a_{20}-\cos w\left(-3\,\cos^2 w+2\,\cos^4 w+1\right)a_{02}\right.\\
&+\sin w\cos^2 w\left(2\,\cos^2 w-1\right)a_{11}+\sin w\cos^2 w\left(1+2\,\cos^2 w\right)c_{20}\\
&\left.+c_{02}\sin^3 w\left(1+2\,\cos^2 w\right)\,-\cos w\left(2\,\cos^4 w-1-\cos^2 w\right)c_{11}\right]\mathrm{e}^{\sin^2 w},
\end{aligned}$$

$$\begin{aligned}
\tilde{C}_1(w) \;=\;& -\left(\cos^4 w+2\,\cos^6 w-1\right)c_{03}+\sin^3 w\cos w\left(1+2\,\cos^2 w\right)c_{12}\\
&-\cos^2 w\left(-1-2\,\cos^2 w+4\,\cos^4 w\right)c_{21}+\cos^3 w\sin w\left(1+2\,\cos^2 w\right)c_{30}\\
&+\sin^3 w\cos w\left(2\,\cos^2 w-1\right)a_{03}+\sin^2 w\cos^2 w\left(2\,\cos^2 w-1\right)a_{12}\\
&+\cos^3 w\sin w\left(2\,\cos^2 w-1\right)a_{21}.
\end{aligned}$$

Additionally, from (5) we obtain

$$u_1(\theta,r_0)=\frac{1}{r_0^2}\int_0^\theta C_2(w)\,dw+\frac{1}{r_0}\int_0^\theta C_1(w)\,dw+\int_0^\theta C_0(w)\,dw+r_0\int_0^\theta\tilde{C}_1(w)\,dw,$$

and so

$$\frac{\partial G_1}{\partial r}(\theta,\;r_s(\theta,r_0))\;u_1(\theta,r_0)=s_5(\theta)\,\frac{1}{r_0^5}+s_4(\theta)\,\frac{1}{r_0^4}+s_3(\theta)\,\frac{1}{r_0^3}+s_2(\theta)\,\frac{1}{r_0^2}+s_1(\theta)\,\frac{1}{r_0}+s_0(\theta)+\tilde{s}_1(\theta)\,r_0,\tag{10}$$

and the explicit expressions of $s_i(\theta)$ for $i=0,1,\cdots,5$ and $\tilde{s}_1(\theta)$ are given in the Appendix C.

Since $\dfrac{\partial^2 G_0}{\partial r^2} = 0$ from (5) we have that

$$G_{20}(r_0) = \int_0^{2\pi} \left(\frac{G_2(\theta,\ r_s(\theta,r_0))}{u(\theta,r_0)} + \frac{\partial G_1}{\partial r}(\theta,\ r_s(\theta,r_0))\ u_1(\theta,r_0) \right) d\theta,$$

and we obtain

$$r_0^5 G_{20}(r_0) = v_6 r_0^6 + v_4 r_0^4 + v_2 r_0^2 + v_0,$$

with

$$\begin{aligned}
v_6 = \ & -0.3926990800\cdots\ c_{21}c_{30} + 0.1963495397\cdots\ a_{12}c_{30} + 2.159844949\cdots\ a_{03}c_{03} \\
& -0.1963495365\cdots\ a_{03}a_{12} - 0.7853981634\cdots\ c_{12}c_{21} + 0.3926990817\cdots\ a_{03}c_{21} \\
& -1.178097245\cdots\ c_{03}c_{12} + 0.3926990817\cdots\ a_{12}c_{12} + 0.9817477042\cdots\ c_{03}c_{30} \\
& +1.570796327\cdots\ d_{21} + 3.141592654\cdots\ d_{03} + 1.570796327\cdots\ b_{30},
\end{aligned}$$

$$\begin{aligned}
v_4 = \ & -3.155691751\cdots\ a_{21}c_{01} + 6.612510180\cdots\ c_{03}c_{10} + 1.786201647\cdots\ a_{12}c_{10} \\
& +2.413154277\cdots\ a_{01}c_{21} + 38.88726613\cdots\ a_{03}c_{01} - 1.253905255\cdots\ c_{10}c_{21} \\
& -1.206577137\cdots\ a_{01}a_{12} - 68.30745733\cdots\ c_{01}c_{12} - 38.88726635\cdots\ c_{01}c_{30} \\
& +13.27234849\cdots\ a_{01}c_{03} + 2.318498043\cdots\ a_{11}c_{11} - 4.73165232\cdots\ c_{02}c_{11} \\
& +2.318498043\cdots\ a_{20}c_{02} + 2.318498045\cdots\ a_{02}c_{20} - 3.761715750\cdots\ c_{11}c_{20} \\
& +14.47892563\cdots\ a_{02}c_{02} - 1.253905250\cdots\ a_{02}a_{11} + 0.189312456\cdots\ a_{20}c_{20} \\
& +0.094656226\cdots\ a_{11}a_{20} + 1.159249021\cdots\ b_{10} + 20.46448319\cdots\ d_{01},
\end{aligned}$$

$$\begin{aligned}
v_2 = \ & 95.95703341\cdots\ a_{00}c_{02} + 105.7377762\cdots\ a_{02}c_{00} + 239.0000390\cdots\ a_{01}c_{01} \\
& -7.649140220\cdots\ a_{00}a_{11} + 16.68739736\cdots\ a_{00}c_{20} - 110.9164314\cdots\ c_{00}c_{11} \\
& -257.2692783\cdots\ c_{01}c_{10} - 0.000001\cdots\ {c_{01}}^2 - 31.79348852\cdots\ a_{20}c_{00},
\end{aligned}$$

$$v_0 = \ 665.2264933\cdots\ a_{00}c_{00}.$$

We have that the coefficients v_6, v_4, v_2, v_0 are independent because d_{03} only appears in v_6, b_{10} only appears in v_4, $a_{00}c_{02}$ only appears in v_2, and $a_{00}c_{00}$ only appears in v_0.

Now we are going to use Descartes Theorem:

Theorem 7 (Descartes Theorem)**.** *Consider the real polynomial $p(x) = a_{i_1}x^{i_1} + a_{i_2}x^{i_2}\cdots + a_{i_r}x^{i_r}$ with $0 \le i_1 < i_2 < \cdots < i_r$ and $a_{i_j} \neq 0$ real constants for $j \in \{1, 2, \cdots, r\}$. When $a_{i_j}a_{i_{j+1}} < 0$, we say that a_{i_j} and $a_{i_{j+1}}$ have a variation of sign. If the number of variations of signs is m, then $p(x)$ has at most m positive real roots. Moreover, it is always possible to choose the coefficients of $p(x)$ in such a way that $p(x)$ has exactly $r-1$ positive real roots.*

For a proof of Descartes Theorem see pages 82–83 of [3].

So from Descartes Theorem we can choose v_6, v_4, v_2, v_0 in order that the G_{20} has 3,2,1 or 0 real positive roots. This completes the proof of the first part of Theorem 3.

Remark 8. *Again the exact definition for the numerical coefficients which appear in v_6, v_4, v_2 and v_0 are given in Appendices B and C. For instance*

$$v_0 = \int_0^{2\pi} A_5 d\theta + \int_0^{2\pi} s_{5,3} d\theta = \int_0^{2\pi} A_5 d\theta = 665.2264933...$$

For completing the proof of Theorem 3 we shall provide examples of system (3) with 3, 2, 1 and 0 limit cycles. In fact, strictly speaking it is not necessary to provide examples with 3, 2, 1 and 0 limit cycles but we want to provide such examples.

4. Examples

Example with 3 limit cycles
In Figure 1 we see that for $\varepsilon = 0.001$ the system

$$\begin{aligned} \dot{x} = & -y(3x^2+y^2)+\varepsilon+\varepsilon^2(3570.576292x-752.8823806x^3) \\ & = y(3x^2+y^2)+0.001+0.003570576292x-0.0007528823806x^3, \\ \dot{y} = & x(x^2-y^2)+\varepsilon(1-37.74385845y^2) \\ & = x(x^2-y^2)+0.001-0.03774385845y^2, \end{aligned} \tag{11}$$

has three limit cycles, since for system (11) we have

$$G_{20}(r_0) = -1182.624878\, r_0 + 4139.187071\, \frac{1}{r_0} - 3621.788686\, \frac{1}{r_0^3} + 665.2264933\, \frac{1}{r_0^5},$$

and from $G_{20}(r_0) = 0$ we obtain the three positive roots near to $r_0 = 0.5, 1, 1.5$.



Figure 1. For $\varepsilon = 0$ we have the degenerate center of system (2), and for $\varepsilon = 0.001$ the perturbed system (11) has three limit cycles.

We have used the program P4 described in Chapters 9 and 10 of [10] for doing the phase portraits in the Poincaré disc which appear in this paper.

Example with 2 limit cycles
For $\varepsilon = 0.001$ the system

$$\begin{aligned} \dot{x} = & -y(3x^2+y^2)+\varepsilon(1+y+x^2y)+\varepsilon^2(-856.6373973x+y^3) \\ & = -y(3x^2+y^2)+0.001+0.001y+0.001x^2y-0.0008566373973x+0.000001y^3, \\ \dot{y} = & x(x^2-y^2)+\varepsilon(1+y^2)+\varepsilon^2(x+73.80732101y^3) \\ & = x(x^2-y^2)+0.001+0.001y^2+0.000001x+0.00007380732101y^3, \end{aligned} \tag{12}$$

gives

$$G_{20}(r_0) = 231.8725375\, r_0 - 993.0560642\, \frac{1}{r_0} + 95.95703341\, \frac{1}{r_0^3} + 665.2264933\, \frac{1}{r_0^5},$$

and $G_{20}(r_0) = 0$ has the two positive zeros $r_0 = 1$ and $r_0 = 2$. In Figure 2 we see the two limit cycles bifurcated from the degenerate center of the unperturbed system (12).



$\varepsilon = 0.001$

FIGURE 2. Two limit cycles bifurcate from the degenerate center of the unperturbed system (12).

Example with 1 limit cycle
For $\varepsilon = 0.001$ the system

$$\begin{aligned} \dot{x} &= -y(3x^2 + y^2) + \varepsilon(1 - 176.5322447x) + \varepsilon^2(x + x^3) \\ &= -y\left(3\,x^2 + y^2\right) + 0.001 - 0.1765312447\,x + 0.000001\,x^3, \\ \dot{y} &= x(x^2 - y^2) + \varepsilon(10 + 10y + 5xy) + \varepsilon^2(y - y^3) \\ &= x\left(x^2 - y^2\right) + 0.010 + 0.010001\,y + 0.005\,xy - 0.000001\,y^3, \end{aligned} \tag{13}$$

has

$$G_{20}(r_0) = -1.570796327 r_0 + 21.62373221 \frac{1}{r_0} - 5545.821670 \frac{1}{r_0^3} + 6652.264933 \frac{1}{r_0^5}.$$

From relation $G_{20}(r_0) = 0$ we obtain -1.097575824, 1.097575824, $-5.725902515 - 5.148324797i$, $5.725902515 + 5.148324797i$,$-5.725902515 + 5.148324797i$,$5.725902515 - 5.148324797i$. So only one limit cycle can bifurcate from a periodic orbit of the center of the unperturbed system (13), as we can see in Figure 3.

Example with zero limit cycles
Now for $\varepsilon = 0.001$ we consider system

$$\begin{aligned} \dot{x} &= -y(3x^2 + y^2) + \varepsilon + \varepsilon^2 x \\ &= -y\left(3\,x^2 + y^2\right) + 0.001 + 0.000001\,x, \\ \dot{y} &= x(x^2 - y^2) + \varepsilon(1 + y^2) + \varepsilon^2 y^3 \\ &= x\left(x^2 - y^2\right) + 0.001 + 0.001\,y^2 + 0.000001\,y^3, \end{aligned} \tag{14}$$



$\varepsilon = 0.001$

FIGURE 3. The limit cycle bifurcated from the degenerate center of the unperturbed system (13).

with

$$G_{20}(r_0) = 3.141592654r_0 + 1.159249021\frac{1}{r_0} + 95.95703341\frac{1}{r_0^3} + 665.2264933\frac{1}{r_0^5}.$$

We have that $G_{20}(r0) = 0$ has solutions $-2.116012294 - 1.570359831i, 2.116012294 + 1.570359831i, -2.095699520i, 2.095699520i, -2.116012294+1.570359831i, 2.116012294-1.570359831i$. So no limit cycles can bifurcate from the degenerate center, see also Figure 4.



$\varepsilon = 0.001$

FIGURE 4. No limit cycle bifurcates from the degenerate center of the unperturbed system (14).

REFERENCES

[1] V.I. ARNOLD, *Loss of stability of self–oscillation close to resonance and versal deformations of equivariant vector fields*, Funct. Anal. Appl. **11** (1977), 1–10.

[2] V.I. ARNOLD AND YU. IL'YASHENKO, *Dynamical systems I. Ordinary differential equations,* in Encyclopaedia Math. Sci., **1**, Springer, Berlin, 1988.

[3] I.S. BEREZIN AND N.P. ZHIDKOV, Computing Methods, vol. II. Pergamon Press, Oxford (1964).

[4] T.R. BLOWS, L.M. PERKO, *Bifurcation of limit cycles from centers and separatrix cycles of planar analytic systems,* SIAM Rev. 36 (1994), 341–376.

[5] A. Buică, J. Giné and L. Llibre, *A second order analysis of the periodic solutions for nonlinear periodic differential systems with a smaller parameter*, Physica D **241** (2012) 528–533.
[6] A. Buică and L. Llibre, *Averaging methods for finding periodic orbits via Brouwer degree*, Bull. Sci. Math. **128** (2004), 7–22.
[7] A. Cima and J. Llibre, *Algebraic and topological classification of the homogeneous cubic systems in the plane,* J. Math. Anal. Appl. **147** (1990), 420–448.
[8] C. Chicone and M. Jacobs, *Bifurcation of limit cycles from quadratic isochrones,* J. Differential Equations **91** (1991), 268–326.
[9] C. Christopher and C. Li, *limit cycles of differential equations,* Advanced Courses in Mathematics, CRM Barcelona, Birkhäuser Verlag, Basel, 2007.
[10] F. Dumortier, J. Llibre and J. C. Artés, *Qualitative theory of planar polynomial systems*, Springer, 2006.
[11] H. Giacomini, J. Llibre and M. Viano, *On the nonexistence, existence and uniqueness of limit cycles,* Nonlinearity **9** (1996), 501–516.
[12] H. Giacomini, J. Llibre and M. Viano, *On the shape of limit cycles that bifurcate from Hamiltonian centers*, Nonlinear Anal. **41** (2000), 523–537.
[13] H. Giacomini, J. Llibre and M. Viano, *On the shape of limit cycles that bifurcate from non–Hamiltonian centers*, Nonlinear Anal. **43** (2001), 837–859.
[14] J. Giné, M. Grau and J. Llibre, *Averaging theory at any order for computing periodic orbits*, Physica D **250** (2013), 58–65.
[15] J. Guckenheimer and P. Holmes, *Nonlinear Oscillations, dynamical systems and bifurcations of vector fields*, Applied Mathematical Sciences, **42**, Springer–Verlag, New York, 1986.
[16] D. Hilbert, *Mthematische Probleme,* Lecture at the Second International Congress of Mathematicians, Paris 1900; reprinted in Mathematical Developments Arising from Hilbert Problems (ed. F.E. Browder), Proc.Symp. Pure Math. **28**, Amer.Math.Soc., Providence, RI, 1976, 1–34.
[17] Yu. Il'yashenko, *Centennial History of Hilbert's 16th Problem,* Bull.Amer.Math.Soc. **39**(2002), 301–354.
[18] J. Li, *Hilbert's 16th problem and bifurcations of planar polynomial vector fields*, Internat. J. Bifur.Chaos **13** (2003), 47–106.
[19] J. Llibre, *Averaging theory and limit cycles for quadratic systems*, Rad.Mat. **11** (2002/3) 215–228.
[20] J. Llibre, M.A. Teixeira and J. Torregrosa, *Limit cycles bifurcating from a k–dimensional isochronous center contained in $\mathbb{R}^n$ with $k \leq n$*, Math. Phys. Anal. Geom. **10** (2007), 237–249.
[21] L. Mazzi and M.A. Sabatini, *Characterization of centres via first integrals. Advanced topics in the theory of dynamical systems*, (Trento, 1987), 165177, Notes Rep. Math. Sci. Engrg. **6** Academic Press, Boston, MA, (1989).
[22] H. Poincaré, *Mémoire sur les courbes définies par les équation différentielles*, in: Oeuvreus de Henri Poincaré, Vol. I, Gauthier-Villars, Paris, (1951), 95–114. 161–191.
[23] J.A. Sanders and F. Verhulst, *Averaging methods in nonlinear dynamical systems*, Appl. Math. Sci. **59** Springer-Verlag, New York - Berlin - Heidelberg - Tokyo, 1985.
[24] F. Verhulst, *Nonlinear Differential Equations and Dynamical systems*, Universitext, Springer, Berlin Heidelberg, New York, 1991.
[25] M. Viano, J. Llibre and H. Giacomini, *Arbitrary order bifurcation for perturbed Hamiltonian planar systems via the reciprocal of an integrating factor*, Nonlinear Anal. **48** (2002), 117–136.
[26] http://www.maplesoft.com/

5. Appendix A

$$
\begin{aligned}
g_{1,1}(\theta) = \;& \cos\theta\left(2\cos^5\theta-1\right)a_{00}+\sin\theta\left(1+2\cos^2\theta\right)^2 c_{00},\\[2ex]
g_{1,2}(\theta) = \;& \sin^2\theta\left(1+2\cos^2\theta\right)c_{01}+\sin\theta\cos\theta\left(1+2\cos^2\theta\right)c_{10}\\
&+\sin\theta\cos\theta\left(2\cos^2\theta-1\right)a_{01}+\cos^2\theta\left(2\cos^2\theta-1\right)a_{10},\\[2ex]
g_{1,3}(\theta) = \;& \sin^3\theta\left(1+2\cos^2\theta\right)c_{02}+\left(-2\cos^5\theta+\cos^3\theta+\cos\theta\right)c_{11}\\
&+\cos^2\theta\sin\theta\left(1+2\cos^2\theta\right)c_{20}+\left(-2\cos^5\theta+3\cos^3\theta-\cos\theta\right)a_{02}+\\
&\cos^2\theta\sin\theta\left(2\cos^2\theta-1\right)a_{11}+\cos^3\theta\left(2\cos^2\theta-1\right)a_{20},\\[2ex]
g_{1,4}(\theta) = \;& \sin^4\theta\left(1+2\cos^2\theta\right)c_{03}+\sin^3\theta\cos\theta\left(1+2\cos^2\theta\right)c_{12}\\
&+\sin^2\theta\cos^2\theta\left(1+2\cos^2\theta\right)c_{21}+\sin\theta\cos^3\theta\left(1+2\cos^2\theta\right)c_{30}\\
&+\sin^3\theta\cos\theta\left(2\cos^2\theta-1\right)a_{03}+\sin^2\theta\cos^2\theta\left(2\cos^2\theta-1\right)a_{12}\\
&+\sin\theta\cos^3\theta\left(2\cos^2\theta-1\right)a_{21}+\cos^4\theta\left(2\cos^2\theta-1\right)a_{30},\\[2ex]
g_{2,1}(\theta) = \;& \left(2\cos^2\theta+1-4\cos^4\theta\right)a_{00}c_{00}-{c_{00}}^2\sin\theta\cos\theta\left(2\cos^2\theta+1\right){c_{00}}^2\\
&+\sin\theta\cos\theta\left(2\cos^2\theta-1\right){a_{00}}^2,\\[2ex]
g_{2,2}(\theta) = \;& -\cos\theta\left(-2\cos^2\theta-1+4\cos^4\theta\right)c_{10}a_{00}-2\cos^2\theta\sin\theta\left(2\cos^2\theta+1\right)c_{10}c_{00}\\
&+2\cos^2\theta\sin\theta\left(2\cos^2\theta-1\right)a_{10}a_{00}-\sin\theta\left(-2\cos^2\theta-1+4\cos^4\theta\right)c_{01}a_{00}\\
&-\sin\theta\left(-2\cos^2\theta-1+4\cos^4\theta\right)c_{00}a_{01}-\cos\theta\left(-2\cos^2\theta-1+4\cos^4\theta\right)c_{00}a_{10}\\
&+\left(4\cos^5\theta-2\cos\theta-2\cos^3\theta\right)c_{01}c_{00}+\left(6\cos^3\theta-4\cos^5\theta-2\cos\theta\right)a_{01}a_{00},\\[2ex]
g_{2,3}(\theta) = \;& \left(\cos^2\theta+4\cos^6\theta-6\cos^4\theta+1\right)a_{01}c_{01}+\left(\cos^2\theta+4\cos^6\theta-6\cos^4\theta+1\right)a_{00}c_{02}\\
&+\left(\cos^2\theta+4\cos^6\theta-6\cos^4\theta+1\right)a_{02}c_{00}-c_{11}a_{00}\sin\theta\cos\theta\left(-2\cos^2\theta-1+4\cos^4\theta\right)\\
&-c_{00}a_{11}\sin\theta\cos\theta\left(-2\cos^2\theta-1+4\cos^4\theta\right)-2\,c_{20}c_{00}\sin\theta\cos^3\theta\left(2\cos^2\theta+1\right)\\
&+2\,a_{20}a_{00}\sin\theta\cos^3\theta\left(2\cos^2\theta-1\right)+2\,a_{02}a_{00}\sin^3\theta\cos\theta\left(2\cos^2\theta-1\right)\\
&-2\,c_{02}c_{00}\sin^3\theta\cos\theta\left(2\cos^2\theta+1\right)-c_{10}a_{01}\sin\theta\cos\theta\left(-2\cos^2\theta-1+4\cos^4\theta\right)\\
&-c_{01}a_{10}\sin\theta\cos\theta\left(-2\cos^2\theta-1+4\cos^4\theta\right)-c_{20}a_{00}\cos^2\theta\left(-2\cos^2\theta-1+4\cos^4\theta\right)\\
&-c_{00}a_{20}\cos^2\theta\left(-2\cos^2\theta-1+4\cos^4\theta\right)+\left(-4\cos^6\theta+6\cos^4\theta-2\cos^2\theta\right)a_{11}a_{00}\\
&+\left(4\cos^6\theta-2\cos^2\theta-2\cos^4\theta\right)c_{11}c_{00}-c_{10}a_{10}\cos^2\theta\left(-2\cos^2\theta-1+4\cos^4\theta\right)\\
&+\left(-4\cos^6\theta+6\cos^4\theta-2\cos^2\theta\right)a_{10}a_{01}+\left(4\cos^6\theta-2\cos^2\theta-2\cos^4\theta\right)c_{10}c_{01}\\
&+{a_{10}}^2\sin\theta\cos^3\theta\left(2\cos^2\theta-1\right)-{c_{01}}^2\sin^3\theta\cos\theta\left(2\cos^2\theta+1\right)\\
&+{a_{01}}^2\sin^3\theta\cos\theta\left(2\cos^2\theta-1\right)-{c_{10}}^2\sin\theta\cos^3\theta\left(2\cos^2\theta+1\right),\\[2ex]
g_{2,4}(\theta) = \;& -c_{03}a_{00}\sin^3\theta\left(-2\cos^2\theta-1+4\cos^4\theta\right)-c_{00}a_{03}\sin^3\theta\left(-2\cos^2\theta-1+4\cos^4\theta\right)\\
&-c_{30}a_{00}\cos^3\theta\left(-2\cos^2\theta-1+4\cos^4\theta\right)-c_{00}a_{30}\cos^3\theta\left(-2\cos^2\theta-1+4\cos^4\theta\right)\\
&+d_{00}\sin\theta\left(2\cos^2\theta+1\right)+b_{00}\cos\theta\left(2\cos^2\theta-1\right)-c_{20}a_{10}\cos^3\theta\left(-2\cos^2\theta-1+4\cos^4\theta\right)\\
&-c_{10}a_{20}\cos^3\theta\left(-2\cos^2\theta-1+4\cos^4\theta\right)-c_{02}a_{01}\sin^3\theta\left(-2\cos^2\theta-1+4\cos^4\theta\right)\\
&-c_{01}a_{02}\sin^3\theta\left(-2\cos^2\theta-1+4\cos^4\theta\right)-c_{21}a_{00}\cos^2\theta\sin\theta\left(-2\cos^2\theta-1+4\cos^4\theta\right)\\
&-c_{00}a_{21}\cos^2\theta\sin\theta\left(-2\cos^2\theta-1+4\cos^4\theta\right)-2\,c_{12}c_{00}\sin^3\theta\cos^2\theta\left(2\cos^2\theta+1\right)\\
&-2\,c_{30}c_{00}\cos^4\theta\sin\theta\left(2\cos^2\theta+1\right)+2\,a_{12}a_{00}\sin^3\theta\cos^2\theta\left(2\cos^2\theta-1\right)\\
&+2\,a_{03}a_{00}\sin^4\theta\cos\theta\left(2\cos^2\theta-1\right)+2\,a_{30}a_{00}\cos^4\theta\sin\theta\left(2\cos^2\theta-1\right)\\
&+2\,a_{02}a_{01}\sin^4\theta\cos\theta\left(2\cos^2\theta-1\right)\\
&-2\,c_{10}c_{02}\sin^3\theta\cos^2\theta\left(2\cos^2\theta+1\right)-2\,c_{20}c_{10}\cos^4\theta\sin\theta\left(2\cos^2\theta+1\right)\\
&+2\,a_{11}a_{01}\sin^3\theta\cos^2\theta\left(2\cos^2\theta-1\right)-c_{20}a_{01}\cos^2\theta\sin\theta\left(-2\cos^2\theta-1+4\cos^4\theta\right)\\
&+2\,a_{10}a_{02}\sin^3\theta\cos^2\theta\left(2\cos^2\theta-1\right)+2\,a_{20}a_{10}\cos^4\theta\sin\theta\left(2\cos^2\theta-1\right)\\
&-c_{11}a_{10}\cos^2\theta\sin\theta\left(-2\cos^2\theta-1+4\cos^4\theta\right)-c_{10}a_{11}\cos^2\theta\sin\theta\left(-2\cos^2\theta-1+4\cos^4\theta\right)\\
&-c_{01}a_{20}\cos^2\theta\sin\theta\left(-2\cos^2\theta-1+4\cos^4\theta\right)-2\,c_{11}c_{01}\sin^3\theta\cos^2\theta\left(2\cos^2\theta+1\right)\\
&+\left(4\cos^7\theta-6\cos^5\theta+\cos^3\theta+\cos\theta\right)c_{12}a_{00}+\left(4\cos^7\theta-6\cos^5\theta+\cos^3\theta+\cos\theta\right)c_{00}a_{12}
\end{aligned}
$$

$$
\begin{aligned}
&+\left(-4\cos^7\theta-2\cos^3\theta+6\cos^5\theta\right)a_{21}a_{00}+\left(-2\cos^5\theta-2\cos^3\theta+4\cos^7\theta\right)c_{21}c_{00}\\
&+\left(-2\cos\theta+6\cos^5\theta-4\cos^7\theta\right)c_{03}c_{00}+\left(4\cos^7\theta-6\cos^5\theta+\cos^3\theta+\cos\theta\right)c_{11}a_{01}\\
&+\left(4\cos^7\theta-6\cos^5\theta+\cos^3\theta+\cos\theta\right)c_{10}a_{02}+\left(4\cos^7\theta-6\cos^5\theta+\cos^3\theta+\cos\theta\right)c_{02}a_{10}\\
&+\left(4\cos^7\theta-6\cos^5\theta+\cos^3\theta+\cos\theta\right)c_{01}a_{11}+\left(-2\cos\theta+6\cos^5\theta-4\cos^7\theta\right)c_{02}c_{01}\\
&+\left(-4\cos^7\theta-2\cos^3\theta+6\cos^5\theta\right)a_{20}a_{01}+\left(-4\cos^7\theta-2\cos^3\theta+6\cos^5\theta\right)a_{11}a_{10}\\
&+\left(-2\cos^5\theta-2\cos^3\theta+4\cos^7\theta\right)c_{20}c_{01}+\left(-2\cos^5\theta-2\cos^3\theta+4\cos^7\theta\right)c_{11}c_{10},
\end{aligned}
$$

$$
\begin{aligned}
g_{2,5}(\theta)=\;&-c_{10}a_{30}\cos^4\theta\left(-2\cos^2\theta-1+4\cos^4\theta\right)-c_{30}a_{10}\cos^4\theta\left(-2\cos^2\theta-1+4\cos^4\theta\right),\\
&-{c_{02}}^2\sin^5\theta\cos\theta\left(2\cos^2\theta+1\right)-{c_{11}}^2\sin^3\theta\cos^3\theta\left(2\cos^2\theta+1\right)\\
&-{c_{20}}^2\cos^5\theta\sin\theta\left(2\cos^2\theta+1\right)+{a_{02}}^2\sin^5\theta\cos\theta\left(2\cos^2\theta-1\right)\\
&+\left(-7\cos^4\theta+1-4\cos^8\theta+10\cos^6\theta\right)a_{01}c_{03}+\left(-7\cos^4\theta+1-4\cos^8\theta+10\cos^6\theta\right)a_{03}c_{01}\\
&+\left(-7\cos^4\theta+1-4\cos^8\theta+10\cos^6\theta\right)a_{02}c_{02}+d_{10}\sin\theta\cos\theta\left(2\cos^2\theta+1\right)\\
&+b_{10}\cos^2\theta\left(2\cos^2\theta-1\right)+d_{01}\sin^2\theta^2\left(2\cos^2\theta+1\right)+{a_{11}}^2\sin^3\theta\cos^3\theta\left(2\cos^2\theta-1\right)\\
&-c_{01}a_{12}\sin^3\theta\cos\theta\left(-2\cos^2\theta-1+4\cos^4\theta\right)-c_{30}a_{01}\sin\theta\cos^3\theta\left(-2\cos^2\theta-1+4\cos^4\theta\right)\\
&-c_{21}a_{10}\sin\theta\cos^3\theta\left(-2\cos^2\theta-1+4\cos^4\theta\right)-c_{20}a_{11}\sin\theta\cos^3\theta\left(-2\cos^2\theta-1+4\cos^4\theta\right)\\
&-c_{11}a_{20}\sin\theta\cos^3\theta\left(-2\cos^2\theta-1+4\cos^4\theta\right)+2\,a_{10}a_{03}\sin^4\theta\cos^2\theta\left(2\cos^2\theta-1\right)\\
&-c_{10}a_{21}\sin\theta\cos^3\theta\left(-2\cos^2\theta-1+4\cos^4\theta\right)-c_{01}a_{30}\sin\theta\cos^3\theta\left(-2\cos^2\theta-1+4\cos^4\theta\right)\\
&-c_{12}a_{01}\sin^3\theta\cos\theta\left(-2\cos^2\theta-1+4\cos^4\theta\right)-c_{11}a_{02}\sin^3\theta\cos\theta\left(-2\cos^2\theta-1+4\cos^4\theta\right)\\
&-c_{10}a_{03}\sin^3\theta\cos\theta\left(-2\cos^2\theta-1+4\cos^4\theta\right)-c_{03}a_{10}\sin^3\theta\cos\theta\left(-2\cos^2\theta-1+4\cos^4\theta\right)\\
&-c_{02}a_{11}\sin^3\theta\cos\theta\left(-2\cos^2\theta-1+4\cos^4\theta\right)+2\,a_{12}a_{01}\sin^4\theta\cos^2\theta\left(2\cos^2\theta-1\right)\\
&+2\,a_{11}a_{02}\sin^4\theta\cos^2\theta\left(2\cos^2\theta-1\right)+{a_{20}}^2\cos^5\theta\sin\theta\left(2\cos^2\theta-1\right)\\
&+2\,a_{21}a_{01}\sin^3\theta\cos^3\theta\left(2\cos^2\theta-1\right)+2\,a_{20}a_{02}\sin^3\theta\cos^3\theta\left(2\cos^2\theta-1\right)\\
&+2\,a_{30}a_{10}\cos^5\theta\sin\theta\left(2\cos^2\theta-1\right)-2\,c_{30}c_{10}\cos^5\theta\sin\theta\left(2\cos^2\theta+1\right)\\
&-2\,c_{03}c_{01}\sin^5\theta\cos\theta\left(2\cos^2\theta+1\right)-c_{20}a_{20}\cos^4\theta\left(-2\cos^2\theta-1+4\cos^4\theta\right)\\
&-2\,c_{21}c_{01}\sin^3\theta\cos^3\theta\left(2\cos^2\theta+1\right)-2\,c_{20}c_{02}\sin^3\theta\cos^3\theta\left(2\cos^2\theta+1\right)\\
&-2\,c_{12}c_{10}\sin^3\theta\cos^3\theta\left(2\cos^2\theta+1\right)+2\,a_{12}a_{10}\sin^3\theta\cos^3\theta\left(2\cos^2\theta-1\right)\\
&+2\,a_{03}a_{01}\sin^5\theta\cos\theta\left(2\cos^2\theta-1\right)+\left(6\cos^6\theta-4\cos^8\theta-2\cos^2\theta\right)c_{10}c_{03}\\
&+\left(-4\cos^8\theta-2\cos^4\theta+6\cos^6\theta\right)a_{30}a_{01}+\left(-4\cos^8\theta-2\cos^4\theta+6\cos^6\theta\right)a_{21}a_{10}\\
&+\left(-4\cos^8\theta-2\cos^4\theta+6\cos^6\theta\right)a_{20}a_{11}+\left(\cos^2\theta-6\cos^6\theta+\cos^4\theta+4\cos^8\theta\right)c_{11}a_{11}\\
&+\left(\cos^2\theta-6\cos^6\theta+\cos^4\theta+4\cos^8\theta\right)c_{01}a_{21}+\left(-2\cos^6\theta-2\cos^4\theta+4\cos^8\theta\right)c_{30}c_{01}\\
&+\left(-2\cos^6\theta-2\cos^4\theta+4\cos^8\theta\right)c_{21}c_{10}+\left(-2\cos^6\theta-2\cos^4\theta+4\cos^8\theta\right)c_{20}c_{11}\\
&+\left(\cos^2\theta-6\cos^6\theta+\cos^4\theta+4\cos^8\theta\right)c_{20}a_{02}+\left(\cos^2\theta-6\cos^6\theta+\cos^4\theta+4\cos^8\theta\right)c_{12}a_{10}\\
&+\left(\cos^2\theta-6\cos^6\theta+\cos^4\theta+4\cos^8\theta\right)c_{10}a_{12}+\left(\cos^2\theta-6\cos^6\theta+\cos^4\theta+4\cos^8\theta\right)c_{02}a_{20}\\
&+\left(\cos^2\theta-6\cos^6\theta+\cos^4\theta+4\cos^8\theta\right)c_{21}a_{01}+\left(6\cos^6\theta-4\cos^8\theta-2\cos^2\theta\right)c_{12}c_{01}\\
&+\left(6\cos^6\theta-4\cos^8\theta-2\cos^2\theta\right)c_{11}c_{02}+b_{01}\sin\theta\cos\theta\left(2\cos^2\theta-1\right),
\end{aligned}
$$

$$
\begin{aligned}
g_{2,6}(\theta)=\;&-2\,c_{21}c_{11}\sin^3\theta\cos^4\theta\left(2\cos^2\theta+1\right)-2\,c_{20}c_{12}\sin^3\theta\cos^4\theta\left(2\cos^2\theta+1\right)\\
&-2\,c_{30}c_{20}\cos^6\theta\sin\theta\left(2\cos^2\theta+1\right)-c_{20}a_{03}\sin^3\theta\cos^2\theta\left(-2\cos^2\theta-1+4\cos^4\theta\right)\\
&+2\,a_{21}a_{11}\sin^3\theta\cos^4\theta\left(2\cos^2\theta-1\right)\\
&+2\,a_{20}a_{12}\sin^3\theta\cos^4\theta\left(2\cos^2\theta-1\right)-c_{30}a_{20}\cos^5\theta\left(-2\cos^2\theta-1+4\cos^4\theta\right)\\
&-c_{20}a_{30}\cos^5\theta\left(-2\cos^2\theta-1+4\cos^4\theta\right)+\left(\cos^3\theta+\cos\theta-2\cos^5\theta\right)d_{11}\\
&+\left(-\cos\theta+3\cos^3\theta-2\cos^5\theta\right)b_{02}+d_{02}\sin^3\theta\left(2\cos^2\theta+1\right)\\
&-c_{20}a_{21}\cos^4\theta\sin\theta\left(-2\cos^2\theta-1+4\cos^4\theta\right)+2\,a_{21}a_{02}\sin^4\theta\cos^3\theta\left(2\cos^2\theta-1\right)\\
&+2\,a_{20}a_{03}\sin^4\theta\cos^3\theta\left(2\cos^2\theta-1\right)+2\,a_{12}a_{11}\sin^4\theta\cos^3\theta\left(2\cos^2\theta-1\right)\\
&+2\,a_{03}a_{02}\sin^6\theta\cos\theta\left(2\cos^2\theta-1\right)-2\,c_{03}c_{02}\sin^6\theta\cos\theta\left(2\cos^2\theta+1\right)\\
&+2\,a_{11}a_{03}\sin^5\theta\cos^2\theta\left(2\cos^2\theta-1\right)-2\,c_{11}c_{03}\sin^5\theta\cos^2\theta\left(2\cos^2\theta+1\right)\\
&-2\,c_{30}c_{02}\sin^3\theta\cos^4\theta\left(2\cos^2\theta+1\right)+2\,a_{12}a_{02}\sin^5\theta\cos^2\theta\left(2\cos^2\theta-1\right)\\
&-c_{11}a_{30}\cos^4\theta\sin\theta\left(-2\cos^2\theta-1+4\cos^4\theta\right)\\
&-c_{11}a_{12}\sin^3\theta\cos^2\theta\left(-2\cos^2\theta-1+4\cos^4\theta\right)-c_{21}a_{02}\sin^3\theta\cos^2\theta\left(-2\cos^2\theta-1+4\cos^4\theta\right)
\end{aligned}
$$

$$
\begin{aligned}
&+b_{20}\cos^3\theta\left(2\cos^2\theta-1\right)-2\,c_{12}c_{02}\sin^5\theta\cos^2\theta\left(2\cos^2\theta+1\right)\\
&-c_{12}a_{11}\sin^3\theta\cos^2\theta\left(-2\cos^2\theta-1+4\cos^4\theta\right)-c_{30}a_{11}\cos^4\theta\sin\theta\left(-2\cos^2\theta-1+4\cos^4\theta\right)\\
&-c_{21}a_{20}\cos^4\theta\sin\theta\left(-2\cos^2\theta-1+4\cos^4\theta\right)+2\,a_{30}a_{20}\cos^6\theta\sin\theta\left(2\cos^2\theta-1\right)\\
&-c_{03}a_{20}\sin^3\theta\cos^2\theta\left(-2\cos^2\theta-1+4\cos^4\theta\right)-c_{02}a_{21}\sin^3\theta\cos^2\theta\left(-2\cos^2\theta-1+4\cos^4\theta\right)\\
&+2\,a_{30}a_{02}\sin^3\theta\cos^4\theta\left(2\cos^2\theta-1\right)-c_{03}a_{02}\sin^5\theta\left(-2\cos^2\theta-1+4\cos^4\theta\right)\\
&+d_{20}\cos^2\theta\sin\theta\left(2\cos^2\theta+1\right)+b_{11}\cos^2\theta\sin\theta\left(2\cos^2\theta-1\right)\\
&-c_{02}a_{03}\sin^5\theta\left(-2\cos^2\theta-1+4\cos^4\theta\right)+\left(\cos\theta+10\cos^7\theta-7\cos^5\theta-4\cos^9\theta\right)c_{11}a_{03}\\
&+\left(\cos\theta+10\cos^7\theta-7\cos^5\theta-4\cos^9\theta\right)c_{03}a_{11}+\left(\cos^5\theta-6\cos^7\theta+4\cos^9\theta+\cos^3\theta\right)c_{21}a_{11}\\
&+\left(\cos^5\theta-6\cos^7\theta+4\cos^9\theta+\cos^3\theta\right)c_{11}a_{21}+\left(\cos^5\theta-6\cos^7\theta+4\cos^9\theta+\cos^3\theta\right)c_{20}a_{12}\\
&+\left(\cos^5\theta-6\cos^7\theta+4\cos^9\theta+\cos^3\theta\right)c_{12}a_{20}+\left(\cos^5\theta-6\cos^7\theta+4\cos^9\theta+\cos^3\theta\right)c_{02}a_{30}\\
&+\left(\cos\theta+10\cos^7\theta-7\cos^5\theta-4\cos^9\theta\right)c_{12}a_{02}+\left(\cos\theta+10\cos^7\theta-7\cos^5\theta-4\cos^9\theta\right)c_{02}a_{12}\\
&+\left(\cos^5\theta-6\cos^7\theta+4\cos^9\theta+\cos^3\theta\right)c_{30}a_{02}+\left(-2\cos^3\theta+6\cos^7\theta-4\cos^9\theta\right)c_{21}c_{02}\\
&+\left(-2\cos^3\theta+6\cos^7\theta-4\cos^9\theta\right)c_{20}c_{03}+\left(-2\cos^3\theta+6\cos^7\theta-4\cos^9\theta\right)c_{12}c_{11}\\
&+\left(-4\cos^9\theta+6\cos^7\theta-2\cos^5\theta\right)a_{30}a_{11}+\left(-4\cos^9\theta+6\cos^7\theta-2\cos^5\theta\right)a_{21}a_{20}\\
&+\left(4\cos^9\theta-2\cos^5\theta-2\cos^7\theta\right)c_{30}c_{11}+\left(4\cos^9\theta-2\cos^5\theta-2\cos^7\theta\right)c_{21}c_{20},
\end{aligned}
$$

$$
\begin{aligned}
g_{2,7}(\theta)=\;&-{c_{21}}^2\sin^3\theta\cos^5\theta\left(2\cos^2\theta+1\right)+{a_{12}}^2\sin^5\theta\cos^3\theta\left(-1+2\cos^2\theta\right)\\
&-{c_{03}}^2\sin^7\theta\cos\theta\left(2\cos^2\theta+1\right)+{a_{03}}^2\sin^7\theta\cos\theta\left(-1+2\cos^2\theta\right)\\
&+{a_{21}}^2\sin^3\theta\cos^5\theta\left(-1+2\cos^2\theta\right)-{c_{12}}^2\sin^5\theta\cos^3\theta\left(2\cos^2\theta+1\right)-{c_{30}}^2\\
&\cos^7\theta\sin\theta\left(2\cos^2\theta+1\right)+2\,a_{30}a_{12}\sin^3\theta\cos^5\theta\left(-1+2\cos^2\theta\right)\\
&-c_{03}a_{12}\sin^5\theta\cos\theta\left(4\cos^4\theta-2\cos^2\theta-1\right)-c_{30}a_{21}\cos^5\theta\sin\theta\left(4\cos^4\theta-2\cos^2\theta-1\right)\\
&-c_{12}a_{21}\sin^3\theta\cos^3\theta\left(4\cos^4\theta-2\cos^2\theta-1\right)-c_{30}a_{03}\sin^3\theta\cos^3\theta\left(4\cos^4\theta-2\cos^2\theta-1\right)\\
&-2\,c_{21}c_{03}\sin^5\theta\cos^3\theta\left(2\cos^2\theta+1\right)-2\,c_{12}c_{03}\sin^6\theta\cos^2\theta\left(2\cos^2\theta+1\right)\\
&+2\,a_{30}a_{03}\sin^4\theta\cos^4\theta\left(-1+2\cos^2\theta\right)+2\,a_{12}a_{03}\left(\sin\theta\right)^6\cos^2\theta\left(-1+2\cos^2\theta\right)\\
&+2\,a_{21}a_{12}\sin^4\theta\cos^4\theta\left(-1+2\cos^2\theta\right)-c_{21}a_{30}\cos^5\theta\sin\theta\left(4\cos^4\theta-2\cos^2\theta-1\right)\\
&-c_{03}a_{30}\sin^3\theta\cos^3\theta\left(4\cos^4\theta-2\cos^2\theta-1\right)-c_{21}a_{12}\sin^3\theta\cos^3\theta\left(4\cos^4\theta-2\cos^2\theta-1\right)\\
&+b_{03}\sin^3\theta\cos\theta\left(-1+2\cos^2\theta\right)+b_{12}\sin^2\theta\cos^2\theta\left(-1+2\cos^2\theta\right)\\
&-c_{30}a_{30}\cos^6\theta\left(4\cos^4\theta-2\cos^2\theta-1\right)-a_{03}c_{03}\sin^6\theta\left(4\cos^4\theta-2\cos^2\theta-1\right)\\
&+d_{12}\sin^3\theta\cos\theta\left(2\cos^2\theta+1\right)+d_{21}\sin^2\theta\cos^2\theta\left(2\cos^2\theta+1\right)\\
&+d_{30}\sin\theta\cos^3\theta\left(2\cos^2\theta+1\right)-2\,c_{30}c_{12}\sin^3\theta\cos^5\theta\left(2\cos^2\theta+1\right)\\
&+2\,a_{21}a_{03}\sin^5\theta\cos^3\theta\left(-1+2\cos^2\theta\right)-c_{12}a_{03}\sin^5\theta\cos\theta\left(4\cos^4\theta-2\cos^2\theta-1\right)\\
&+d_{03}\sin^4\theta\left(2\cos^2\theta+1\right)+b_{30}\cos^4\theta\left(-1+2\cos^2\theta\right)+{a_{30}}^2\cos^7\theta\sin\theta\left(-1+2\cos^2\theta\right)\\
&+\left(6\cos^8\theta-4\cos^{10}\theta-2\cos^4\theta\right)c_{30}c_{03}+\left(6\cos^8\theta-4\cos^{10}\theta-2\cos^4\theta\right)c_{21}c_{12}\\
&+\left(4\cos^{10}\theta-2\cos^8\theta-2\cos^6\theta\right)c_{30}c_{21}+b_{21}\sin\theta\cos^3\theta\left(-1+2\cos^2\theta\right)\\
&+\left(-6\cos^8\theta+\cos^4\theta+\cos^6\theta+4\cos^{10}\theta\right)c_{21}a_{21}+\left(-4\cos^{10}\theta-2\cos^6\theta+6\cos^8\theta\right)a_{30}a_{21}\\
&+\left(\cos^2\theta-7\cos^6\theta+10\cos^8\theta-4\cos^{10}\theta\right)c_{03}a_{21}+\left(-6\cos^8\theta+\cos^4\theta+\cos^6\theta+4\cos^{10}\theta\right)c_{12}a_{30}\\
&+\left(\cos^2\theta-7\cos^6\theta+10\cos^8\theta-4\cos^{10}\theta\right)c_{12}a_{12}+\left(-6\cos^8\theta+\cos^4\theta+\cos^6\theta+4\cos^{10}\theta\right)c_{30}a_{12}\\
&+\left(\cos^2\theta-7\cos^6\theta+10\cos^8\theta-4\cos^{10}\theta\right)c_{21}a_{03}.
\end{aligned}
$$

6. Appendix B

Here we present the expressions of $A_4, A_2, A_0, A_5, A_3, A_1, \tilde{A}_1$ that appear in equation (9).

$$
\begin{aligned}
A_4(\theta) = \; & \mathrm{e}^{5\sin^2\theta}\left[\left[-\frac{(4\,a_{01}c_{00}I_2-8\,I_1\,a_{01}c_{00}-8\,I_1\,c_{00}c_{10}-4\,a_{00}c_{01}I_3+4\,c_{00}c_{10}I_2)\cos^4\theta}{I_2-2\,I_1}\right.\right.\\
& -\frac{(-4\,I_1\,c_{00}c_{10}+2\,a_{00}c_{01}I_3-2\,a_{01}c_{00}I_2+2\,c_{00}c_{10}I_2+4\,I_1\,a_{01}c_{00})\cos^2\theta}{I_2-2\,I_1}\\
& \left.\left.-\frac{(-a_{01}c_{00}I_2+2\,I_1\,a_{01}c_{00}+2\,I_1\,a_{00}c_{01}-a_{00}c_{01}I_2)}{I_2-2\,I_1}\right]\sin\theta\right.\\
& -\frac{(4\,c_{00}c_{01}I_3+4\,a_{00}c_{10}I_2-8\,I_1\,a_{00}a_{01}-8\,I_1\,a_{00}c_{10}+4\,a_{00}a_{01}I_2)\,(\cos\theta)^5}{I_2-2\,I_1}\\
& -\frac{(12\,I_1\,a_{00}a_{01}+4\,I_1\,a_{00}c_{10}-2\,c_{00}c_{01}I_3-2\,a_{00}c_{10}I_2-6\,a_{00}a_{01}I_2)\,(\cos\theta)^3}{I_2-2\,I_1}\\
& \left.-\frac{(-2\,c_{00}c_{01}I_1+c_{00}c_{01}I_2-4\,I_1\,a_{00}a_{01}+2\,a_{00}a_{01}I_2+2\,I_1\,a_{00}c_{10}-c_{00}c_{01}I_3-a_{00}c_{10}I_2)\cos\theta}{I_2-2\,I_1}\right],
\end{aligned}
$$

$$
\begin{aligned}
A_2(\theta) = \; & \left[A_{2,7}\cos^7\theta+A_{2,6}\cos^6\theta\sin\theta+A_{2,5}\cos^5\theta+A_{2,4}\cos^4\theta\sin\theta+A_{2,3}\cos^3\theta+A_{2,2}\cos^2\theta\sin\theta\right.\\
& \left.+A_{2,1}\cos\theta+A_{2,0}\theta\sin\theta\right]\exp(3\sin^2\theta),
\end{aligned}
$$

$$
\begin{aligned}
A_{2,7} = \; & 4\,a_{03}a_{00}-4\,a_{21}a_{00}-4\,c_{30}a_{00}+4\,c_{12}a_{00}-4\,a_{20}a_{01}+4\,a_{02}a_{01}+4\,c_{11}a_{01}-4\,c_{10}a_{20}\\
& +4\,c_{10}a_{02}+4\,\frac{a_{11}c_{01}I_3}{2\,I_1-I_2}+4\,c_{00}a_{12}+4\,c_{03}c_{00}+8\,c_{21}c_{00}+4\,\frac{c_{01}c_{20}I_3}{2\,I_1-I_2}\\
& -4\,\frac{c_{01}c_{02}I_3}{2\,I_1-I_2}+4\,c_{11}c_{10},
\end{aligned}
$$

$$
\begin{aligned}
A_{2,6} = \; & -4\,a_{12}a_{00}-4\,c_{03}a_{00}-8\,c_{21}a_{00}-4\,a_{11}a_{01}-4\,c_{20}a_{01}+4\,c_{02}a_{01}-4\,\frac{a_{20}c_{01}I_3}{2\,I_1-I_2}\\
& +4\,\frac{a_{02}c_{01}I_3}{2\,I_1-I_2}-4\,a_{11}c_{10}+4\,a_{03}c_{00}-4\,a_{21}c_{00}-4\,c_{30}c_{00}+4\,c_{12}c_{00}\\
& +4\,\frac{c_{01}c_{11}I_3}{2\,I_1-I_2}-4\,c_{20}c_{10}+4\,c_{10}c_{02},
\end{aligned}
$$

$$
\begin{aligned}
A_{2,5} = \; & -10\,a_{03}a_{00}+6\,a_{21}a_{00}+2\,c_{30}a_{00}-6\,c_{12}a_{00}+6\,a_{20}a_{01}-10\,a_{02}a_{01}-6\,c_{11}a_{01}+2\,c_{10}a_{20}\\
& -6\,c_{10}a_{02}-6\,\frac{a_{11}c_{01}I_3}{2\,I_1-I_2}-6\,c_{00}a_{12}+2\,c_{03}c_{00}-4\,c_{21}c_{00}-2\,\frac{c_{01}c_{20}I_3}{2\,I_1-I_2}\\
& +6\,\frac{c_{01}c_{02}I_3}{2\,I_1-I_2}-2\,c_{11}c_{10},
\end{aligned}
$$

$$
\begin{aligned}
A_{2,4} = \; & 6\,a_{00}a_{12}-2\,a_{00}c_{03}+4\,a_{00}c_{21}+6\,a_{01}a_{11}+2\,a_{01}c_{20}-6\,a_{01}c_{02}+2\,\frac{a_{20}c_{01}I_3}{2\,I_1-I_2}\\
& -6\,\frac{a_{02}c_{01}I_3}{2\,I_1-I_2}+2\,a_{11}c_{10}-6\,a_{03}c_{00}+2\,a_{21}c_{00}-2\,c_{00}c_{30}-2\,c_{00}c_{12}-2\,\frac{c_{01}c_{11}I_3}{2\,I_1-I_2}\\
& -2\,c_{10}c_{20}-2\,c_{02}c_{10},
\end{aligned}
$$

$$
\begin{aligned}
A_{2,3} = \; & 2\,b_{00}+8\,a_{00}a_{03}-2\,a_{00}a_{21}+a_{00}c_{30}+a_{00}c_{12}-2\,a_{01}a_{20}+8\,a_{01}a_{02}+a_{01}c_{11}+a_{20}c_{10}\\
& +a_{02}c_{10}-\frac{(-2\,I_3-I_2+2\,I_1)\,c_{01}a_{11}}{2\,I_1-I_2}+a_{12}c_{00}-2\,c_{00}c_{03}-3\,c_{00}c_{21}\\
& -\frac{(-I_2+2\,I_1+I_3)\,c_{01}c_{20}}{2\,I_1-I_2}+\frac{(2\,I_1-I_3-I_2)\,c_{02}c_{01}}{-I_2+2\,I_1}-2\,c_{10}c_{11},
\end{aligned}
$$

$$
\begin{aligned}
A_{2,2} = \; & 2\,d_{00}-2\,a_{00}a_{12}+a_{00}c_{03}+a_{00}c_{21}-2\,a_{01}a_{11}+a_{01}c_{20}+a_{01}c_{02}+a_{20}c_{01}\\
& -\frac{(-2\,I_3-I_2+2\,I_1)\,c_{01}a_{02}}{2\,I_1-I_2}+a_{11}c_{10}+a_{03}c_{00}+a_{21}c_{00}-2\,c_{00}c_{12}\\
& -\frac{(-I_2+2\,I_1+I_3)\,c_{11}c_{01}}{2\,I_1-I_2}-2\,c_{02}c_{10},
\end{aligned}
$$

$$
\begin{aligned}
A_{2,1} = \; & -b_{00}-2\,a_{00}a_{03}+a_{00}c_{12}-2\,a_{01}a_{02}+a_{01}c_{11}+a_{02}c_{10}+a_{11}c_{01}+a_{12}c_{00}-2\,c_{00}c_{03}\\
& -\frac{(-I_2+2\,I_1+I_3)\,c_{01}c_{02}}{2\,I_1-I_2},
\end{aligned}
$$

$$
A_{2,0} = \; a_{03}c_{00}+d_{00}+a_{00}c_{03}+a_{01}c_{02}+a_{02}c_{01}.
$$

Now we have

$$A_0(\theta) = A_{0,9}\cos^9\theta + A_{0,8}\cos^8\theta + A_{0,7}\cos^7\theta + A_{0,6}\cos^6\theta + A_{0,5}\cos^5\theta + A_{0,4}\cos^4\theta + A_{0,3}\cos^3\theta + A_{0,2}\cos^2\theta + A_{0,1}\cos\theta + A_{0,0},$$

with

$$\begin{aligned}
A_{0,9}(\theta) = & -(-4\,a_{21}c_{11} + 4\,c_{02}c_{03} + 8\,c_{02}c_{21} - 4\,c_{03}c_{20} + 4\,c_{11}c_{12} - 4\,c_{11}c_{30} - 8\,c_{20}c_{21} \\
& -8\,a_{11}c_{21} + 4\,a_{12}c_{02} - 4\,a_{12}c_{20} + 4\,a_{20}a_{21} - 4\,a_{20}c_{12} + 4\,a_{20}c_{30} + 4\,a_{02}a_{03} - 4\,a_{02}a_{21} \\
& +4\,a_{02}c_{12} - 4\,a_{02}c_{30} - 4\,a_{03}a_{20} + 4\,a_{03}c_{11} - 4\,a_{11}a_{12} - 4\,a_{11}c_{03})\,\mathrm{e}^{\sin^2\theta}, \\
A_{0,8}(\theta) = & -(-4\,a_{03}c_{20} + 4\,a_{11}a_{21} - 4\,a_{11}c_{12} + 4\,a_{12}a_{20} - 4\,a_{02}c_{03} - 8\,a_{02}c_{21} - 4\,a_{03}a_{11} \\
& +4\,a_{03}c_{02} - 8\,c_{11}c_{21} - 4\,c_{12}c_{20} + 4\,c_{20}c_{30} + 4\,a_{11}c_{30} - 4\,a_{02}a_{12} - 4\,a_{12}c_{11} \\
& +4\,a_{20}c_{03} + 8\,a_{20}c_{21} - 4\,a_{21}c_{02} + 4\,a_{21}c_{20} + 4\,c_{02}c_{12} - 4\,c_{02}c_{30} - 4\,c_{03}c_{11})\,\mathrm{e}^{\sin^2\theta}\sin\theta, \\
A_{0,7}(\theta) = & -(2\,c_{11}c_{30} + 4\,c_{20}c_{21} - 14\,a_{02}a_{03} + 10\,a_{02}a_{21} - 10\,a_{02}c_{12} + 6\,a_{02}c_{30} + 10\,a_{03}a_{20} \\
& -10\,a_{03}c_{11} + 10\,a_{11}a_{12} + 2\,a_{11}c_{03} + 12\,a_{11}c_{21} - 10\,a_{12}c_{02} + 6\,a_{12}c_{20} - 6\,a_{20}a_{21} + 6\,a_{20}c_{12} \\
& -2\,a_{20}c_{30} + 6\,a_{21}c_{11} - 2\,c_{02}c_{03} - 12\,c_{02}c_{21} - 2\,c_{03}c_{20} - 6\,c_{11}c_{12})\,\mathrm{e}^{\sin^2\theta}, \\
A_{0,6}(\theta) = & -(2\,c_{20}c_{30} + 2\,a_{02}c_{03} + 6\,a_{12}c_{11} + 2\,a_{20}c_{03} - 4\,a_{20}c_{21} + 6\,a_{21}c_{02} - 2\,a_{21}c_{20} - 6\,c_{02}c_{12} \\
& +2\,c_{02}c_{30} - 2\,c_{03}c_{11} + 4\,c_{11}c_{21} + 2\,c_{12}c_{20} - 6\,a_{11}a_{21} + 6\,a_{11}c_{12} - 2\,a_{11}c_{30} - 6\,a_{12}a_{20} \\
& +6\,a_{03}c_{20} + 12\,a_{02}c_{21} + 10\,a_{03}a_{11} + 10\,a_{02}a_{12} - 10\,a_{03}c_{02})\,\mathrm{e}^{\sin^2\theta}\sin\theta, \\
A_{0,5}(\theta) = & -[-2\,b_{20} + 18\,a_{02}a_{03} - 8\,a_{11}a_{12} + 2\,b_{02} - a_{20}c_{12} - a_{20}c_{30} - a_{21}c_{11} - 4\,c_{02}c_{03} + c_{02}c_{21} \\
& +2\,c_{03}c_{20} + 2\,c_{1,1}c_{30} + 3\,c_{20}c_{21} + 3\,a_{11}c_{03} - 3\,a_{11}c_{21} + 7\,a_{12}c_{02} - a_{12}c_{20} + 2\,a_{20}a_{21} \\
& +7\,a_{02}c_{12} - a_{02}c_{30} + 2\,d_{11} - 8\,a_{02}a_{21} - 8\,a_{03}a_{20} + 7\,a_{03}c_{11}]\,\mathrm{e}^{\sin^2\theta}, \\
A_{0,4}(\theta) = & -[7\,a_{03}c_{02} - a_{03}c_{20} - 8\,a_{03}a_{11} - a_{11}c_{30} + 2\,a_{12}a_{20} - a_{12}c_{11} - a_{11}c_{12} - a_{20}c_{21} \\
& -8\,a_{02}a_{12} + 3\,a_{02}c_{0,3} - 3\,a_{02}c_{21} + 2\,c_{03}c_{11} + 3\,c_{11}c_{21} + 2\,c_{12}c_{20} + 2\,a_{11}a_{21} - a_{20}c_{03} \\
& -2\,b_{11} + 2\,d_{02} - 2\,d_{2,0} + 2\,c_{02}c_{30} - a_{21}c_{02} - a_{21}c_{20})\,\mathrm{e}^{\sin^2\theta}\sin\theta, \\
A_{0,3}(\theta) = & -[-a_{11}c_{21} - d_{11} - a_{12}c_{20} - 3\,b_{02} + b_{20} + 2\,a_{11}a_{12} + 3\,c_{02}c_{21} + 2\,c_{03}c_{20} - a_{20}c_{12} \\
& -a_{21}c_{11} - 10\,a_{02}a_{03} + 2\,a_{02}a_{21} + 2\,c_{11}c_{12} + 2\,a_{03}a_{20} - a_{02}c_{30}]\,\mathrm{e}^{\sin^2\theta}, \\
A_{0,2}(\theta) = & -[2\,a_{03}a_{11} - a_{03}c_{20} - a_{02}c_{21} - a_{20}c_{03} - a_{21}c_{02} - a_{11}c_{12} - a_{12}c_{11} - d_{02} - d_{20} \\
& +2\,c_{02}c_{12} + 2\,c_{03}c_{11} + b_{11} + 2\,a_{02}a_{12}]\,\mathrm{e}^{\sin^2\theta}\sin\theta, \\
A_{0,1}(\theta) = & -(2\,c_{02}c_{03} - a_{02}c_{12} + b_{02} - d_{11} + 2\,a_{02}a_{03} - a_{03}c_{11} - a_{11}c_{03} - a_{12}c_{02})\,\mathrm{e}^{\sin^2\theta}, \\
A_{0,0}(\theta) = & -[-d_{02} - a_{02}c_{03} - a_{03}c_{02}]\,\mathrm{e}^{\sin^2\theta}\sin\theta.
\end{aligned}$$

Additionally, we have

$$\begin{aligned}
A_5(\theta) = & \left[\sin\theta\cos\theta\left(-1 + 2\,\cos^2\theta\right)a_{00}{}^2 + \left(-4\,\cos^4\theta + 2\,\cos^2\theta + 1\right)c_{00}a_{00}\right. \\
& \left. -\sin\theta\cos\theta\left(2\,\cos^2\theta + 1\right)c_{00}{}^2\right]\mathrm{e}^{6\,\sin^2\theta},
\end{aligned}$$

$$
\begin{aligned}
A_3(\theta) = \;& 2\cos^3\theta\sin\theta\left(-1+2\cos^2\theta\right)a_{00}a_{20} - 2\cos\theta\sin\theta\left(\cos^2\theta-1\right)\left(-1+2\cos^2\theta\right)a_{00}a_{02}\\
&-2\cos^2\theta\left(\cos^2\theta-1\right)\left(-1+2\cos^2\theta\right)a_{00}a_{11} - \cos^2\theta\left(4\cos^4\theta-1-2\cos^2\theta\right)a_{00}c_{20}\\
&+\left(\cos^2\theta-1\right)\left(4\cos^4\theta-1-2\cos^2\theta\right)a_{00}c_{02} - \cos\theta\sin\theta\left(4\cos^4\theta-1-2\cos^2\theta\right)c_{11}a_{00}\\
&-\cos\theta\sin\theta\left(\cos^2\theta-1\right)\left(-1+2\cos^2\theta\right){a_{01}}^2 - \left(\cos^2\theta-1\right)\tfrac{2I_1-4\cos^4\theta I_3+2\cos^2\theta I_3-I_2}{2I_1-I_2}a_{01}c_{01}\\
&-\cos\theta\sin\theta\left(4\cos^4\theta-1-2\cos^2\theta\right)c_{10}a_{01} - \cos^2\theta\left(4\cos^4\theta-1-2\cos^2\theta\right)c_{00}a_{20}\\
&+\left(\cos^2\theta-1\right)\left(4\cos^4\theta-1-2\cos^2\theta\right)c_{00}a_{02} - \cos\theta\sin\theta\left(4\cos^4\theta-1-2\cos^2\theta\right)c_{00}a_{11}\\
&-2\cos^3\theta\sin\theta\left(2\cos^2\theta+1\right)c_{00}c_{20} + 2\cos\theta\sin\theta\left(\cos^2\theta-1\right)\left(2\cos^2\theta+1\right)c_{00}c_{02}\\
&+2\cos^2\theta\left(\cos^2\theta-1\right)\left(2\cos^2\theta+1\right)c_{11}c_{00} - \cos\theta\sin\theta\,I_3\,\tfrac{2I_1-I_2+\cos^2\theta I_3-2\cos^4\theta I_3}{2I_1-I_2}{c_{01}}^2\\
&-\cos^2\theta\,\tfrac{2I_1+I_3+2\cos^2\theta I_3-I_2-4\cos^4\theta I_3}{2I_1-I_2}c_{10}c_{01} - \cos^3\theta\sin\theta\left(2\cos^2\theta+1\right){c_{10}}^2\big]\exp(4\sin^2\theta),
\end{aligned}
$$

$$
\begin{aligned}
A_1(\theta) = \;& \Big[-\cos^4\theta\tfrac{2I_1+I_3+2\cos^2\theta I_3-I_2-4\cos^4\theta I_3}{2I_1-I_2}c_{01}c_{30} + \cos^4\theta\left(8\cos^4\theta-3-4\cos^2\theta\right)c_{10}c_{21}\\
&+2\cos^2\theta\left(-1+2\cos^2\theta\right)\left(\cos^2\theta-1\right)^2a_{02}a_{11} + \cos^2\theta\left(\cos^2\theta-1\right)\left(4\cos^4\theta-1-2\cos^2\theta\right)a_{20}c_{02}\\
&+\sin\theta\cos\theta\left(-1+2\cos^2\theta\right)\left(\cos^2\theta-1\right)^2{a_{02}}^2 - \sin\theta\cos^3\theta\left(\cos^2\theta-1\right)\left(-1+2\cos^2\theta\right){a_{11}}^2\\
&-2\cos^4\theta\left(\cos^2\theta-1\right)\left(-1+2\cos^2\theta\right)a_{11}a_{20} + \mathrm{e}^{2\sin^2\theta}\cos^2\theta\left(\cos^2\theta-1\right)\left(8\cos^4\theta-4\cos^2\theta-1\right)a_{01}c_{21}\\
&+2\cos^2\theta\left(-1+2\cos^2\theta\right)\left(\cos^2\theta-1\right)^2a_{01}a_{12} + \cos^2\theta\left(-1+2\cos^2\theta\right)b_{10}\\
&+\cos^2\theta\left(\cos^2\theta-1\right)\left(4\cos^4\theta-1-2\cos^2\theta\right)c_{10}a_{12} + 2\cos^4\theta\left(\cos^2\theta-1\right)\left(2\cos^2\theta+1\right)c_{11}c_{20}\\
&-\sin\theta\cos\theta\left(2\cos^2\theta+1\right)\left(\cos^2\theta-1\right)^2{c_{02}}^2 - 2\cos^2\theta\left(2\cos^2\theta+1\right)\left(\cos^2\theta-1\right)^2c_{11}c_{02}\\
&+\sin\theta\cos^3\theta\left(\cos^2\theta-1\right)\left(2\cos^2\theta+1\right){c_{11}}^2 + \cos^2\theta\left(\cos^2\theta-1\right)\left(4\cos^4\theta-1-2\cos^2\theta\right)c_{11}a_{11}\\
&+\cos^2\theta\left(\cos^2\theta-1\right)\left(4\cos^4\theta-1-2\cos^2\theta\right)a_{02}c_{20}\\
&-\sin\theta\cos\theta\left(\cos^2\theta-1\right)\tfrac{2I_1-4\cos^4\theta I_3+2\cos^2\theta I_3-I_2}{2I_1-I_2}a_{12}c_{01}\\
&-\sin\theta\cos\theta\tfrac{-4\cos^6\theta I_3-I_2+2I_1+2\cos^2\theta I_1+\cos^2\theta I_3+I_3-2\cos^4\theta I_3-\cos^2\theta I_2}{2I_1-I_2}c_{01}c_{03}\\
&-\sin\theta\cos^5\theta\left(2\cos^2\theta+1\right){c_{20}}^2 - \sin\theta\cos^3\theta\tfrac{4\cos^2\theta I_3+4I_1-8\cos^4\theta I_3+I_3-2I_2}{2I_1-I_2}c_{01}c_{21}\\
&+2\cos^2\theta\left(\cos^4\theta-\cos^2\theta-1+2\cos^6\theta\right)c_{03}c_{10} + \sin\theta\cos^5\theta\left(-1+2\cos^2\theta\right){a_{20}}^2\\
&-\cos^4\theta\left(4\cos^4\theta-1-2\cos^2\theta\right)a_{20}c_{20} + \left(\cos^2\theta-1\right)^2\tfrac{2I_1-4\cos^4\theta I_3+2\cos^2\theta I_3-I_2}{2I_1-I_2}a_{03}c_{01}\\
&-\left(\cos^2\theta-1\right)\left(2\cos^2\theta+1\right)d_{01} + \sin\theta\cos\theta\left(2\cos^2\theta+1\right)d_{10} + \sin\theta\cos\theta\left(-1+2\cos^2\theta\right)b_{01}\\
&-\sin\theta\cos^3\theta\left(4\cos^4\theta-1-2\cos^2\theta\right)a_{11}c_{20} - \sin\theta\cos^3\theta\left(4\cos^4\theta-1-2\cos^2\theta\right)a_{01}c_{30}\\
&+\left(\cos^2\theta-1\right)\left(4\cos^6\theta+2\cos^4\theta-(\cos\theta)^2-1\right)a_{01}c_{03}\\
&-\cos^2\theta\left(\cos^2\theta-1\right)\tfrac{2I_1-4\cos^4\theta I_3+2\cos^2\theta I_3-I_2}{2I_1-I_2}a_{21}c_{01}\\
&-\left(4\cos^4\theta-1-2\cos^2\theta\right)\left(\cos^2\theta-1\right)^2a_{02}c_{02} - \sin\theta\cos^3\theta\left(4\cos^4\theta-1-2\cos^2\theta\right)c_{11}a_{20}\\
&+\cos^2\theta\left(\cos^2\theta-1\right)\tfrac{2I_1+I_3+2\cos^2\theta I_3-I_2-4\cos^4\theta I_3}{2I_1-I_2}c_{12}c_{01}\\
&-\sin\theta\cos^3\theta\left(4\cos^4\theta-1-2\cos^2\theta\right)c_{10}a_{21} - 2\sin\theta\cos^5\theta\left(2\cos^2\theta+1\right)c_{10}c_{30}\\
&+\sin\theta\cos\theta\left(\cos^2\theta-1\right)\left(4\cos^4\theta-1-2\cos^2\theta\right)c_{12}a_{01} - 2\sin\theta\cos^3\theta\left(\cos^2\theta-1\right)\left(-1+2\cos^2\theta\right)a_{01}a_{21}\\
&+2\sin\theta\cos\theta\left(-1+2\cos^2\theta\right)\left(\cos^2\theta-1\right)^2a_{01}a_{03} - 2\sin\theta\cos^3\theta\left(\cos^2\theta-1\right)\left(-1+2\cos^2\theta\right)a_{02}a_{20}\\
&+\sin\theta\cos\theta\left(\cos^2\theta-1\right)\left(4\cos^4\theta-1-2\cos^2\theta\right)c_{11}a_{02}\\
&+\sin\theta\cos\theta\left(\cos^2\theta-1\right)\left(4\cos^4\theta-1-2\cos^2\theta\right)a_{11}c_{02}\\
&+\sin\theta\cos\theta\left(\cos^2\theta-1\right)\left(4\cos^4\theta-1-2\cos^2\theta\right)c_{10}a_{03} + 2\sin\theta\cos^3\theta\left(\cos^2\theta-1\right)\left(2\cos^2\theta+1\right)c_{12}c_{10}\\
&+2\sin\theta\cos^3\theta\left(\cos^2\theta-1\right)\left(2\cos^2\theta+1\right)c_{02}c_{20}\big]\,\mathrm{e}^{2\sin^2\theta},
\end{aligned}
$$

$$
\begin{aligned}
\tilde{A}_1(\theta) = \;& \cos\theta\sin\theta\left(\cos^4\theta-\cos^2\theta+2\,\cos^8\theta+3\,\cos^6\theta-1\right){c_{03}}^2\\
&-\left(4\,\cos^6\theta+2\,\cos^4\theta-\cos^2\theta-1\right)\left(\cos^2\theta-1\right)^2 a_{03}c_{03}\\
&-\cos^5\theta\sin\theta\left(4\,\cos^4\theta-1-2\,\cos^2\theta\right)a_{21}c_{30}+\cos^6\theta\left(8\,\cos^4\theta-3-4\,\cos^2\theta\right)c_{21}c_{30}\\
&+2\,\cos^4\theta\left(\cos^4\theta-\cos^2\theta-1+2\,\cos^6\theta\right)c_{03}c_{30}\\
&+\cos^3\theta\sin\theta\left(2\,\cos^2\theta+1\right)d_{30}+\cos^3\theta\sin\theta\left(-1+2\,\cos^2\theta\right)b_{21}\\
&+2\,{c_{21}}^2\cos^5\theta\sin\theta\left(4\,\cos^4\theta-1-2\,\cos^2\theta\right)+{a_{12}}^2\sin^5\theta\cos^3\theta\left(-1+2\,\cos^2\theta\right)\\
&-\cos^7\theta\sin\theta\left(2\,\cos^2\theta+1\right){c_{30}}^2+\left(2\,\cos^2\theta+1\right)\left(\cos^2\theta-1\right)^2 d_{03}\\
&+\cos^3\theta\sin\theta\left(4\,\cos^4\theta+8\,\cos^6\theta-3-3\,\cos^2\theta\right)c_{03}c_{21}-\cos^2\theta\left(\cos^2\theta-1\right)\left(2\,\cos^2\theta+1\right)d_{21}\\
&-\cos^2\theta\left(\cos^2\theta-1\right)\left(-1+2\,\cos^2\theta\right)b_{12}+\cos^4\theta\left(-1+2\,\cos^2\theta\right)b_{30}\\
&-\cos\theta\sin\theta\left(-1+2\,\cos^2\theta\right)\left(\cos^2\theta-1\right)^3{a_{03}}^2+\cos^4\theta\left(\cos^2\theta-1\right)\left(4\,\cos^4\theta-1-2\,\cos^2\theta\right)a_{12}c_{30}\\
&-2\,\cos^2\theta\left(\cos^2\theta-1\right)\left(\cos^4\theta-\cos^2\theta-1+2\,\cos^6\theta\right)c_{03}c_{12}-\cos\theta\sin\theta\left(\cos^2\theta-1\right)\left(2\,\cos^2\theta+1\right)d_{12}\\
&-\cos\theta\sin\theta\left(\cos^2\theta-1\right)\left(-1+2\,\cos^2\theta\right)b_{03}+2\,\cos^4\theta\left(-1+2\,\cos^2\theta\right)\left(\cos^2\theta-1\right)^2 a_{12}a_{21}\\
&+\cos^4\theta\left(\cos^2\theta-1\right)\left(8\,\cos^4\theta-4\,\cos^2\theta-1\right)a_{21}c_{21}\\
&-\cos^4\theta\left(\cos^2\theta-1\right)\left(8\,\cos^4\theta-3-4\,\cos^2\theta\right)c_{12}c_{21}\\
&-2\,\cos^2\theta\left(-1+2\,\cos^2\theta\right)\left(\cos^2\theta-1\right)^3 a_{03}a_{12}-\cos^2\theta\left(8\,\cos^4\theta-4\,\cos^2\theta-1\right)\left(\cos^2\theta-1\right)^2 a_{03}c_{21}\\
&-\cos^2\theta\left(4\,\cos^4\theta-1-2\,\cos^2\theta\right)\left(\cos^2\theta-1\right)^2 a_{12}c_{12}\\
&+\cos^2\theta\left(\cos^2\theta-1\right)\left(4\,\cos^6\theta+2\,\cos^4\theta-\cos^2\theta-1\right)a_{21}c_{03}\\
&-\cos^5\theta\sin\theta\left(\cos^2\theta-1\right)\left(-1+2\,\cos^2\theta\right){a_{21}}^2\\
&-\cos^3\theta\sin\theta\left(2\,\cos^2\theta+1\right)\left(\cos^2\theta-1\right)^2{c_{12}}^2+2\,\cos^5\theta\sin\theta\left(\cos^2\theta-1\right)\left(2\,\cos^2\theta+1\right)c_{12}c_{30}\\
&+2\,\cos^3\theta\sin\theta\left(-1+2\,\cos^2\theta\right)\left(\cos^2\theta-1\right)^2 a_{03}a_{21}\\
&+\cos^3\theta\sin\theta\left(\cos^2\theta-1\right)\left(4\,\cos^4\theta-1-2\,\cos^2\theta\right)a_{03}c_{30}\\
&+\cos^3\theta\sin\theta\left(\cos^2\theta-1\right)\left(8\,\cos^4\theta-4\,\cos^2\theta-1\right)a_{12}c_{21}\\
&+\cos^3\theta\sin\theta\left(\cos^2\theta-1\right)\left(4\,\cos^4\theta-1-2\,\cos^2\theta\right)a_{21}c_{12}\\
&-\cos\theta\sin\theta\left(4\,\cos^4\theta-1-2\,\cos^2\theta\right)\left(\cos^2\theta-1\right)^2 a_{03}c_{12}\\
&+\cos\theta\sin\theta\left(\cos^2\theta-1\right)\left(4\,\cos^6\theta+2\,\cos^4\theta-\cos^2\theta-1\right)a_{12}c_{03}.
\end{aligned}
$$

7. Appendix C

Here we present the explicit expressions of $s_5(\theta), s_4(\theta), s_3(\theta), s_2(\theta), s_1(\theta), \tilde{s}_1(\theta)$ that appear in relation (10).

$$s_5(\theta) = s_{5,1}(\theta)c_{00}^2 + s_{5,2}(\theta)a_{00}^2 + s_{5,3}(\theta)a_{00}c_{00},$$

with

$$
\begin{aligned}
s_{5,1}(\theta) = \;& -2\,\mathrm{e}^{3\,\sin^2\theta}\left(\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\sin w dw + 2\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\sin w\cos^2 w dw\right)\\
&\left(\sin\theta+2\,\sin\theta\cos^2\theta\right),
\end{aligned}
$$

$$
\begin{aligned}
s_{5,2}(\theta) = \;& -2\,\mathrm{e}^{3\,\sin^2\theta}\left(-\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\cos w dw + 2\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\cos^3 w dw\right)\\
&\left(-\cos\theta+2\,\cos^3\theta\right),
\end{aligned}
$$

$$
\begin{aligned}
s_{5,3}(\theta) = \;& -2\,\mathrm{e}^{3\,\sin^2\theta}\left(\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\sin w dw + 2\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\sin w\cos^2 w dw\right)\\
&\left(-\cos\theta+2\,\cos^3\theta\right)\\
&-2\,\mathrm{e}^{3\,\sin^2\theta}\left(-\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\cos w dw + 2\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\cos^3 w dw\right)\\
&\left(\sin\theta+2\,\sin\theta\cos^2\theta\right).
\end{aligned}
$$

Additionally, we have

$$s_4(\theta) = s_{4,1}(\theta)a_{00}c_{10} - s_{4,2}(\theta)a_{00}a_{01} - s_{4,3}(\theta)c_{00}c_{01} - s_{4,4}(\theta)c_{00}c_{10} - s_{4,5}(\theta)a_{00}c_{01} - s_{4,6}(\theta)a_{01}c_{00},$$

and $s_{4,i}(\theta)$ for $i = 1 \cdots, 6$ are the following:

$$\begin{aligned}
s_{4,1}(\theta) = \; & -\Bigg(-\sin\theta \mathrm{e}^{-\sin^2\theta}\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\cos w dw + 4\,\cos^2\theta\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\sin w\cos w dw \\
& +2\,\sin\theta \mathrm{e}^{-\sin^2\theta}\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\cos^3 w dw + 4\,\cos^2\theta\sin\theta \mathrm{e}^{-\sin^2\theta}\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\cos^3 w dw \\
& +8\,\cos^2\theta\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^3 w\sin w dw - 2\,\cos^2\theta\sin\theta \mathrm{e}^{-\sin^2\theta}\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\cos w dw \\
& -4\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^3 w\sin w dw - 2\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\sin w\cos w dw\Bigg)\mathrm{e}^{3\,\sin^2\theta}\cos\theta, \\
s_{4,2}(\theta) = \; & -\Bigg(\sin\theta \mathrm{e}^{-\sin^2\theta}\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\cos w dw - 2\,\sin\theta \mathrm{e}^{-\sin^2\theta}\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\cos^3 w dw \\
& -4\,\cos^2\theta\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\sin w\cos w dw - 4\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^3 w\sin w dw \\
& -2\,\cos^2\theta\sin\theta \mathrm{e}^{-\sin^2\theta}\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\cos w dw \\
& +4\,\cos^2\theta\sin\theta \mathrm{e}^{-\sin^2\theta}\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\cos^3 w dw + 2\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\sin w\cos w dw \\
& +8\,\cos^2\theta\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^3 w\sin w dw\Bigg)\mathrm{e}^{3\,\sin^2\theta}\cos\theta,
\end{aligned}$$

$$\begin{aligned}
s_{4,3}(\theta) = \; & -\mathrm{e}^{2\,\sin^2\theta}\Bigg(8\,\mathrm{e}^{\sin^2\theta}I_1\,\cos^2\theta\sin\theta\int_0^\theta \mathrm{e}^{2\,\sin^2 w}dw \\
& -2\,I_2\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\sin w\cos^2 w dw + 2\,I_1\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\sin w dw \\
& -2\,\mathrm{e}^{\sin^2\theta}I_2\,\sin\theta\int_0^\theta \mathrm{e}^{2\,\sin^2 w}dw - 2\,\cos^4\theta I_3\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\sin w dw \\
& -4\,\mathrm{e}^{\sin^2\theta}I_2\,\cos^2\theta\sin\theta\int_0^\theta \mathrm{e}^{2\,\sin^2 w}dw + 2\,\mathrm{e}^{\sin^2\theta}I_3\,\sin\theta\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^2 w dw \\
& +4\,I_1\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\sin w\cos^2 w dw - 4\,\mathrm{e}^{\sin^2\theta}I_3\,\sin\theta\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^4 w dw \\
& +2\,\cos^2\theta I_3\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\sin w\cos^2 w dw + 4\,\mathrm{e}^{\sin^2\theta}I_3\,\cos^2\theta\sin\theta\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^2 w dw \\
& +4\,\mathrm{e}^{\sin^2\theta}I_1\,\sin\theta\int_0^\theta \mathrm{e}^{2\,\sin^2 w}dw + \cos^2\theta I_3\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\sin w dw \\
& -I_2\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\sin w dw - 4\,\cos^4\theta I_3\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\sin w\cos^2 w dw \\
& -8\,\mathrm{e}^{\sin^2\theta}I_3\,\cos^2\theta\sin\theta\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^4 w dw\Bigg)\frac{1}{2\,I_1 - I_2},
\end{aligned}$$

$$
\begin{aligned}
s_{4,4}(\theta) = \quad & -\left(8\,\mathrm{e}^{\sin^2\theta}\cos^2\theta\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^3 w\sin w dw\right.\\
& +4\,\mathrm{e}^{\sin^2\theta}\cos^2\theta\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\sin w\cos w dw + 2\left(\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\sin w\cos^2 w dw\right)\cos\theta\\
& +\left(\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\sin w dw\right)\cos\theta + 2\,\mathrm{e}^{\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\sin w\cos w dw\\
& +4\left(\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\sin w\cos^2 w dw\right)\cos^3\theta + 4\,\mathrm{e}^{\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^3 w\sin w dw\\
& \left.+2\left(\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\sin w dw\right)\cos^3 w\right)\mathrm{e}^{2\,\sin^2\theta}\sin\theta,
\end{aligned}
$$

$$
\begin{aligned}
s_{4,5}(\theta) = \quad & -\mathrm{e}^{2\,\sin^2\theta}\left(-2\,I_1\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\cos w dw + 2\,\cos^4\theta I_3\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\cos w dw\right.\\
& -2\,I_2\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\cos^3 w dw + 4\,\mathrm{e}^{\sin^2\theta}I_3\,\cos\theta\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^4 w dw\\
& -2\,\mathrm{e}^{\sin^2\theta}I_3\,\cos\theta\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^2 w dw - 4\,\cos^4\theta I_3\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\cos^3 w dw\\
& +2\,\mathrm{e}^{\sin^2\theta}I_2\,\cos\theta\int_0^\theta \mathrm{e}^{2\,\sin^2 w}dw + I_2\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\cos w dw\\
& -4\,\mathrm{e}^{\sin^2\theta}I_2\,\cos^3 w\int_0^\theta \mathrm{e}^{2\,\sin^2 w}dw - 8\,\mathrm{e}^{\sin^2\theta}I_3\,\cos^3 w\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^4 w dw\\
& +4\,\mathrm{e}^{\sin^2\theta}I_3\,\cos^3 w\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^2 w dw + 4\,I_1\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\cos^3 w dw\\
& +8\,\mathrm{e}^{\sin^2\theta}I_1\,\cos^3 w\int_0^\theta \mathrm{e}^{2\,\sin^2 w}dw + 2\,\cos^2\theta I_3\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\cos^3 w dw\\
& \left.-\cos^2\theta I_3\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\cos w dw - 4\,\mathrm{e}^{\sin^2\theta}I_1\,\cos\theta\int_0^\theta \mathrm{e}^{2\,\sin^2 w}dw\right)\frac{1}{2\,I_1 - I_2},
\end{aligned}
$$

$$
\begin{aligned}
s_{4,6}(\theta) = \quad & -\left(4\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^3 w\sin w dw + 4\,\cos^3 w\mathrm{e}^{-\sin^2\theta}\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\sin w\cos^2 w dw\right.\\
& +8\,\cos^2\theta\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^3 w\sin w dw - 4\,\cos^2\theta\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\sin w\cos w dw\\
& +2\,\cos^3 w\mathrm{e}^{-\sin^2\theta}\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\sin w dw - \cos\theta\mathrm{e}^{-\sin^2\theta}\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\sin w dw\\
& \left.-2\,\cos\theta\mathrm{e}^{-\sin^2\theta}\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\sin w\cos^2 w dw - 2\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\sin w\cos w dw\right)\mathrm{e}^{3\,\sin^2\theta}\sin\theta.
\end{aligned}
$$

Now we have

$$
\begin{aligned}
& s_3(\theta) = s_{3,1}(\theta)a_{00}c_{02} + s_{3,2}(\theta)a_{02}c_{00} + s_{3,3}(\theta)a_{01}c_{01} + s_{3,4}(\theta)a_{00}a_{11} + s_{3,5}(\theta)a_{00}c_{20}\\
& +s_{3,6}(\theta)c_{00}c_{11} + s_{3,7}(\theta)c_{01}c_{10} + s_{3,8}(\theta)a_{00}a_{02} + s_{3,9}(\theta)a_{00}a_{20}\\
& +s_{3,10}(\theta)a_{00}c_{11} + s_{3,11}(\theta)a_{01}c_{10} + s_{3,12}(\theta)a_{11}c_{00} + s_{3,13}(\theta)c_{00}c_{02} + s_{3,14}(\theta)c_{00}c_{20}\\
& +s_{3,15}(\theta)a_{01}^2 + s_{3,16}(\theta)c_{10}^2 + s_{3,17}(\theta)c_{01}^2 + s_{3,18}(\theta)a_{20}c_{00},
\end{aligned}
$$

and $s_{3,i}(\theta)$ for $i = 1\cdots,18$ satisfying the following expressions:

$$
\begin{aligned}
s_{3,1}(\theta) = \; & -2\,\mathrm{e}^{3\,\sin^2\theta}\cos\theta\left[\left(4\int_0^\theta \mathrm{e}^{\sin^2 w}\sin^3 w\cos^2 w dw\right)\cos^2\theta\right. \\
& \left.-2\int_0^\theta \mathrm{e}^{\sin^2 w}\sin^3 w\cos^2 w dw + 2\left(\int_0^\theta \mathrm{e}^{\sin^2 w}\sin^3 w dw\right)\cos^2\theta - \int_0^\theta \mathrm{e}^{\sin^2 w}\sin^3 w dw\right], \\
s_{3,2}(\theta) = \; & 2\,\mathrm{e}^{3\,\sin^2\theta}\sin\theta\left[2\left(\int_0^\theta \mathrm{e}^{\sin^2 w}\cos w dw\right)\cos^2\theta\right. \\
& +2\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^5 w dw + 4\left(\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^5 w dw\right)\cos^2\theta + \int_0^\theta \mathrm{e}^{\sin^2 w^2}\cos w dw \\
& \left.-\,6\left(\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^3 w dw\right)\cos^2\theta - 3\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^3 w dw\right), \\
s_{3,3}(\theta) = \; & -\mathrm{e}^{2\,\sin^2\theta}\left[-2\,I_1\,\cos\theta\sin\theta\int_0^\theta \mathrm{e}^{2\,\sin^2 w}dw + 4\,I_1\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^3 w\sin w dw\right. \\
& -2\,I_1\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\sin w\cos w dw + 4\,I_1\,\sin\theta\left(\int_0^\theta \mathrm{e}^{2\,\sin^2 w}dw\right)\cos^3\theta \\
& +2\,I_3\,\cos\theta\sin\theta\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^4 w dw \\
& +2\,I_3\,\sin\theta\left(\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^2 w dw\right)\cos^3\theta + 2\,I_3\left(\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^3 w\sin w dw\right)\cos^2\theta \\
& -2\,I_2\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^3 w\sin w dw + I_2\,\cos\theta\sin\theta\int_0^\theta \mathrm{e}^{2\,\sin^2 w}dw \\
& -4\,I_3\,\sin\theta\left(\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^4 w dw\right)\cos^3\theta - I_3\,\cos\theta\sin\theta\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^2 w dw \\
& +2\,I_3\left(\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\sin w\cos w dw\right)\cos^4\theta - 2\,I_2\,\sin\theta\left(\int_0^\theta \mathrm{e}^{2\,\sin^2 w}dw\right)\cos^3\theta \\
& -4\,I_3\left(\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^3 w\sin w dw\right)\cos^3 w\cos^4\theta - I_3\left(\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\sin w\cos w dw\right)\cos^2\theta \\
& \left.+I_2\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\sin w\cos w dw\right]\frac{1}{2\,I_1 - I_2}, \\
s_{3,4}(\theta) = \; & 2\,\mathrm{e}^{3\,\sin^2\theta}\cos\theta\left[\left(2\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^2 w\sin w dw\right)\cos^2\theta\right. \\
& -\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^2 w\sin w dw + 2\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^4 w\sin w dw \\
& \left.-4\left(\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^4 w\sin w dw\right)\cos^2\theta\right],
\end{aligned}
$$

$$
\begin{aligned}
s_{3,5}(\theta) = \; & -2\,\mathrm{e}^{3\,\sin^2\theta}\cos\theta\left[2\left(\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^2 w\sin w dw\right)\cos^2\theta\right.\\
& +4\left(\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^4 w\sin w dw\right)\cos^2\theta\\
& \left.-\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^2 w\sin w dw - 2\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^4 w\sin w dw\right],
\end{aligned}
$$

$$
\begin{aligned}
s_{3,6}(\theta) = \; & -2\,\mathrm{e}^{3\,\sin^2\theta}\sin\theta\left[\int_0^\theta \mathrm{e}^{\sin^2 w}\cos w dw - 2\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^5 w dw\right.\\
& +\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^3 w dw + 2\left(\int_0^\theta \mathrm{e}^{\sin^2 w}\cos w dw\right)\cos^2\theta\\
& \left.+\,2\left(\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^3 w dw\right)\cos^2\theta - 4\left(\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^5 w dw\right)\cos^2\theta\right],
\end{aligned}
$$

$$
\begin{aligned}
s_{3,7}(\theta) = \; & -\mathrm{e}^{2\,\sin^2\theta}\left[2\,I_1\,\cos\theta\sin\theta\int_0^\theta \mathrm{e}^{2\,\sin^2 w}dw + 4\,I_1\,\sin\theta\left(\int_0^\theta \mathrm{e}^{2\,\sin^2 w}dw\right)\cos^3\theta\right.\\
& +2\,I_1\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\sin w\cos w dw + 4\,I_1\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^3 w\sin w dw\\
& +I_3\,\cos\theta\sin\theta\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^2 w dw - I_2\,\cos\theta\sin\theta\int_0^\theta \mathrm{e}^{2\,\sin^2 w}dw\\
& -2\,I_3\,\cos\theta\sin\theta\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^4 w dw - I_2\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\sin w\cos w dw\\
& +I_3\left(\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\sin w\cos w dw\right)\cos^2\theta - 2\,I_2\,\sin\theta\left(\int_0^\theta \mathrm{e}^{2\,\sin^2 w}dw\right)\cos^3\theta\\
& -2\,I_2\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^3 w\sin w dw - 4\,I_3\,\sin\theta\left(\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^4 w dw\right)\cos^3\theta\\
& +2\,I_3\,\sin\theta\left(\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^2 w dw\right)\cos^3\theta + 2\,I_3\left(\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^3 w\sin w dw\right)\cos^2\theta\\
& \left.-4\,I_3\left(\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^3 w\sin w dw\right)\cos^4\theta - 2\,I_3\left(\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\sin w\cos w dw\right)\cos^4\theta\right]\frac{1}{2\,I_1 - I_2},
\end{aligned}
$$

$$
\begin{aligned}
s_{3,8}(\theta) \; & = -2\,\mathrm{e}^{3\,\sin^2\theta}\cos\theta\left[-3\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^3 w dw - 2\left(\int_0^\theta \mathrm{e}^{\sin^2 w}\cos w dw\right)\cos^2\theta\right.\\
& +6\left(\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^2 w dw\right)\cos^2\theta + 2\int_0^\theta \mathrm{e}^{\sin^2 w^2}\cos^5 w dw\\
& \left.+\int_0^\theta \mathrm{e}^{\sin^2 w}\cos w dw - 4\left(\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^5 w dw\right)\cos^2\theta\right],
\end{aligned}
$$

$$
\begin{aligned}
s_{3,9}(\theta) &= 2\,\mathrm{e}^{3\,\sin^2\theta}\cos\theta\left[2\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^5 w dw - 4\left(\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^5 w dw\right)\cos^2\theta\right.\\
&\left. - \int_0^\theta \mathrm{e}^{\sin^2 w}\cos^3 w dw + 2\left(\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^3 w dw\right)\cos^2\theta\right],\\
s_{3,10}(\theta) &= -2\,\mathrm{e}^{3\,\sin^2\theta}\cos\theta\left[2\left(\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^3 w dw\right)\cos^2\theta\right.\\
&+2\left(\int_0^\theta \mathrm{e}^{\sin w^2}\cos w dw\right)\cos^2\theta - \int_0^\theta \mathrm{e}^{\sin^2 w}\cos^3 w dw\\
&\left. -4\left(\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^5 w dw\right)\cos^2\theta - \int_0^\theta \mathrm{e}^{\sin^2 w}\cos w dw + 2\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^5 w dw\right],\\
s_{3,11}(\theta) &= 2\,\mathrm{e}^{2\,\sin^2\theta}\sin\theta\cos\theta\left[-4\left(\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^3 w\sin w dw\right)\cos^2\theta\right.\\
&\left. + \int_0^\theta \mathrm{e}^{2\,\sin^2 w}\sin w\cos w dw\right],\\
s_{3,12}(\theta) &= 2\,\mathrm{e}^{3\,\sin^2\theta}\sin\theta\left[2\left(\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^2 w\sin w dw\right)\cos^2\theta\right.\\
&+\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^2 w\sin w dw - 2\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^4 w\sin w dw\\
&\left. -4\left(\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^4 w\sin w dw\right)\cos^2\theta\right],\\
s_{3,13}(\theta) &= -2\,\mathrm{e}^{3\,\sin^2\theta}\sin\theta\left[2\int_0^\theta \mathrm{e}^{\sin^2 w}\sin^3 w\cos^2 w dw\right.\\
&+\int_0^\theta \mathrm{e}^{\sin^2 w}\sin^3 w dw + 4\left(\int_0^\theta \mathrm{e}^{\sin^2 w}\sin^3 w\cos^2 w dw\right)\cos^2\theta\\
&\left. + 2\left(\int_0^\theta \mathrm{e}^{\sin^2 w}\sin^3 w dw\right)\cos^2\theta\right],\\
s_{3,14}(\theta) &= -2\,\mathrm{e}^{3\,\sin^2\theta}\sin\theta\left[2\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^4 w\sin w dw\right.\\
&+4\left(\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^4 w\sin w dw\right)\cos^2\theta + \int_0^\theta \mathrm{e}^{\sin^2 w}\cos^2 w\sin w dw\\
&\left. + 2\left(\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^2 w\sin w dw\right)\cos^2\theta\right],
\end{aligned}
$$

$$
\begin{aligned}
s_{3,15}(\theta) = \; & \mathrm{e}^{2\,\sin^2\theta}\sin\theta\cos\theta\left[\left(-4\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^3 w\sin w dw\right)\cos^2\theta\right. \\
& -\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\sin w\cos w dw + 2\left(\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\sin w\cos w dw\right)\cos^2\theta \\
& \left.+\,2\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^3 w\sin w dw\right),
\end{aligned}
$$

$$
\begin{aligned}
s_{3,16}(\theta) = \; & -\mathrm{e}^{2\,\sin^2\theta}\sin\theta\cos\theta\left[4\left(\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^3 w\sin w dw\right)\cos^2\theta\right. \\
& +\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\sin w\cos w dw + 2\left(\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\sin w\cos w dw\right)\cos^2\theta \\
& \left.+\,2\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^3 w\sin w dw\right],
\end{aligned}
$$

$$
\begin{aligned}
s_{3,17}(\theta) = \; & -\mathrm{e}^{2\,\sin^2\theta}\left[-4\,I_1\,I_2\int_0^\theta \mathrm{e}^{2\,\sin^2 w}dw - 2\,{I_3}^2\left(\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^4 w dw\right)\cos^2\theta\right. \\
& -I_2\,I_3\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^2 w dw + {I_2}^2\int_0^\theta \mathrm{e}^{2\,\sin^2 w}dw \\
& +2\,I_1\,I_3\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^2 w dw + 2\,I_2\,I_3\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^4 w dw \\
& +2\,I_1\,I_3\left(\int_0^\theta \mathrm{e}^{2\,\sin^2 w}dw\right)\cos^2\theta + {I_3}^2\left(\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^2 w dw\right)\cos^2\theta \\
& -I_2\,I_3\left(\int_0^\theta \mathrm{e}^{2\,\sin^2 w}dw\right)\cos^2\theta + 4\,{I_1}^2\int_0^\theta \mathrm{e}^{2\,\sin^2 w}dw - 4\,I_1\,I_3\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^4 w dw \\
& -2\,{I_3}^2\left(\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^2 w dw\right)\cos^4\theta + 2\,I_2\,I_3\left(\int_0^\theta \mathrm{e}^{2\,\sin^2 w}dw\right)\cos^4\theta \\
& \left.-4\,I_1\,I_3\left(\int_0^\theta \mathrm{e}^{2\,\sin^2 w}dw\right)\cos^4\theta + 4\,{I_3}^2\left(\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^4 w dw\right)\cos^4\theta\right]\frac{1}{\left(-I_2+2\,I_1\right)^2},
\end{aligned}
$$

$$
\begin{aligned}
s_{3,18}(\theta) = \; & 2\,\mathrm{e}^{3\,\sin^2\theta}\sin\theta\left[-2\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^5 w dw + \int_0^\theta \mathrm{e}^{\sin^2 w}\cos^3 w dw\right. \\
& \left.+2\left(\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^3 w dw\right)\cos^2\theta - 4\left(\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^5 w dw\right)\cos^2\theta\right].
\end{aligned}
$$

Now we have

$$
\begin{aligned}
s_2(\theta) = \; & s_{2,1}(\theta)\,a_{00}c_{30} + s_{2,2}(\theta)\,a_{20}c_{10} + s_{2,3}(\theta)\,a_{00}c_{12} + s_{2,4}(\theta)\,a_{02}c_{10} + s_{2,5}(\theta)\,a_{12}c_{0,0} + s_{2,6}(\theta)\,a_{00}a_{21} \\
& +s_{2,7}(\theta)\,a_{01}a_{20} + s_{2,8}(\theta)\,a_{01}c_{11} + s_{2,9}(\theta)\,a_{11}c_{01} + s_{2,10}(\theta)\,c_{00}c_{21} + s_{2,11}(\theta)\,c_{01}c_{20} + s_{2,12}(\theta)\,c_{10}c_{11} \\
& +s_{2,13}(\theta)\,a_{00}a_{03} + s_{2,14}(\theta)\,a_{01}a_{02} + s_{2,15}(\theta)\,c_{00}c_{03} + s_{2,16}(\theta)\,c_{01}c_{02} + s_{2,17}(\theta)\,a_{00}a_{12} + s_{2,18}(\theta)\,a_{03}c_{00} \\
& +s_{2,19}(\theta)\,a_{11}c_{10} + s_{2,20}(\theta)\,a_{01}c_{02} + s_{2,21}(\theta)\,a_{01}c_{20} + s_{2,22}(\theta)\,a_{01}a_{11} + s_{2,23}(\theta)\,a_{00}c_{03} \\
& +s_{2,24}(\theta)\,a_{00}c_{21} + s_{2,25}(\theta)\,a_{02}c_{01} + s_{2,26}(\theta)\,a_{20}c_{01} + s_{2,27}(\theta)\,a_{21}c_{00} \\
& +s_{2,28}(\theta)\,c_{00}c_{12} + s_{2,29}(\theta)\,c_{00}c_{30} + s_{2,30}(\theta)\,c_{01}c_{11} + s_{2,31}(\theta)\,c_{02}c_{10} + s_{2,32}(\theta)\,c_{10}c_{20},
\end{aligned}
$$

and $s_{2,i}(\theta)$ for $i = 1, \cdots, 32$ satisfying the following expressions:

$$\begin{aligned}
s_{2,1}(\theta) = \; & \frac{1}{6}\left(12\cos^2\theta\sin\theta \mathrm{e}^{-3\sin^2\theta}\int_0^\theta \mathrm{e}^{3\sin^2 w}\cos^3 w dw - 12\cos^4\theta\sin\theta\left(\int_0^\theta \mathrm{e}^{3\sin^2 w}\cos w dw\right)\mathrm{e}^{-3\sin^2\theta}\right.\\
& +2\cos^6\theta - 14\cos^2\theta - 6\cos^2\theta\sin\theta\left(\int_0^\theta \mathrm{e}^{3\sin^2 w}\cos w dw\right)\mathrm{e}^{-3\sin^2\theta}\\
& \left.+24\cos^4\theta\sin\theta \mathrm{e}^{-3\sin^2\theta}\int_0^\theta \mathrm{e}^{3\sin^2 w}\cos^3 w dw - 3\cos^4\theta + 7 + 8\cos^8\theta\right)\mathrm{e}^{3\sin^2\theta}\cos\theta,\\
s_{2,2}(\theta) = \; & \left(-2\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^5 w dw + \int_0^\theta \mathrm{e}^{\sin^2 w}\cos^3 w dw\right.\\
& \left.+ 2\left(\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^3 w dw\right)\cos^2\theta - 4\left(\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^5 w dw\right)\cos^2\theta\right)\mathrm{e}^{2\sin^2\theta}\sin\theta\cos\theta,
\end{aligned}$$

$$\begin{aligned}
s_{2,3}(\theta) = \; & -\frac{1}{6}\left(-12\sin\theta \mathrm{e}^{-3\sin^2\theta}\int_0^\theta \mathrm{e}^{3\sin^2 w}\cos^3 w dw - 9\cos^4\theta\right.\\
& -12\cos^4\theta\sin\theta\left(\int_0^\theta \mathrm{e}^{3\sin^2 w}\cos w dw\right)\mathrm{e}^{-3\sin^2\theta} + 6\cos^2\theta\sin\theta\left(\int_0^\theta \mathrm{e}^{3\sin^2 w}\cos w dw\right)\mathrm{e}^{-3\sin^2\theta}\\
& -10\cos^6\theta - 12\cos^2\theta\sin\theta \mathrm{e}^{-3\sin^2\theta}\int_0^\theta \mathrm{e}^{3\sin^2 w}\cos^3 w dw + 6\sin\theta\left(\int_0^\theta \mathrm{e}^{3\sin^2 w}\cos w dw\right)\mathrm{e}^{-3\sin^2\theta}\\
& \left.+8\cos^8\theta + 16\cos^2\theta + 24\cos^4\theta\sin\theta \mathrm{e}^{-3\sin^2\theta}\int_0^\theta \mathrm{e}^{3\sin^2 w}\cos^3 w dw - 5\right)\mathrm{e}^{3\sin^2\theta}\cos\theta,\\
s_{2,4}(\theta) = \; & -\left(-4\left(\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^5 w dw\right)\cos^2\theta + 3\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^3 w dw + 6\left(\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^3 w dw\right)\cos^2\theta\right.\\
& \left.-\int_0^\theta \mathrm{e}^{\sin^2 w}\cos w dw - 2\left(\int_0^\theta \mathrm{e}^{\sin^2 w}\cos w dw\right)\cos^2\theta - 2\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^5 w dw\right)\mathrm{e}^{2\sin^2\theta}\sin\theta\cos\theta,
\end{aligned}$$

$$\begin{aligned}
s_{2,5}(\theta) = \; & -\frac{1}{3}\left(6\cos^4\theta\int_0^\theta \mathrm{e}^{3\sin^2 w}\sin w dw + 4\,\mathrm{e}^{3\sin^2\theta}\cos^7\theta - 18\left(\int_0^\theta \mathrm{e}^{3\sin^2 w}\sin w\cos^2 w dw\right)\cos^2\theta\right.\\
& -6\,\mathrm{e}^{3\sin^2\theta}\cos^5\theta - 9\left(\int_0^\theta \mathrm{e}^{3\sin^2 w}\sin w dw\right)\cos^2\theta + 2\,\mathrm{e}^{3\sin^2\theta}\cos\theta + 3\int_0^\theta \mathrm{e}^{3\sin^2 w}\sin w dw\\
& \left.+ 12\cos^4\theta\int_0^\theta \mathrm{e}^{3\sin^2 w}\sin w\cos^2 w dw + 6\int_0^\theta \mathrm{e}^{3\sin^2 w}\sin w\cos^2 w dw\right)\cos^2\theta,
\end{aligned}$$

$$
\begin{aligned}
s_{2,6}(\theta) = \quad & \frac{1}{6}\left(-12\,\cos^2\theta\sin\theta \mathrm{e}^{-3\,\sin^2\theta}\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\cos^3 w dw + 1 - 2\,\cos^2\theta\right.\\
& -10\,\cos^6\theta - 12\,\cos^4\theta\sin\theta\left(\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\cos w dw\right)\mathrm{e}^{-3\,\sin^2\theta} + 3\,\cos^4\theta\\
& +24\,\cos^4\theta\sin\theta \mathrm{e}^{-3\,\sin^2\theta}\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\cos^3 w dw\\
& \left.+\,6\,\cos^2\theta\sin\theta\left(\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\cos w dw\right)\mathrm{e}^{-3\,\sin^2\theta} + 8\,\cos^8\theta\right)\mathrm{e}^{3\,\sin^2\theta}\cos\theta,
\end{aligned}
$$

$$
\begin{aligned}
s_{2,7}(\theta) = \quad & \left(2\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^5 w dw - 4\left(\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^5 w dw\right)\cos^2\theta\right.\\
& \left.-\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^3 w dw + 2\left(\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^3 w dw\right)\cos^2\theta\right)\mathrm{e}^{2\,\sin^2\theta}\sin\theta\cos\theta,
\end{aligned}
$$

$$
\begin{aligned}
s_{2,8}(\theta) = \quad & -\left(2\left(\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^3 w dw\right)\cos^2\theta + 2\left(\int_0^\theta \mathrm{e}^{\sin^2 w}\cos w dw\right)\cos^2\theta - \int_0^\theta \mathrm{e}^{\sin^2 w}\cos^3 w dw\right.\\
& \left.-4\left(\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^5 w dw\right)\cos^2\theta - \int_0^\theta \mathrm{e}^{\sin^2 w}\cos w dw + 2\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^5 w dw\right)\mathrm{e}^{2\,\sin^2\theta}\sin\theta\cos\theta,
\end{aligned}
$$

$$
\begin{aligned}
s_{2,9}(\theta) = \quad & \mathrm{e}^{2\,\sin^2\theta}\left(-I_2\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^2 w\sin w dw + 2\,I_1\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^2 w\sin w dw\right.\\
& -4\,I_1\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^4 w\sin w dw - 2\,I_3\,\cos^2\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^4 w\sin w dw\\
& +I_3\,\cos^2\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^2 w\sin w dw - 2\,I_3\,\cos^4\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^2 w\sin w dw\\
& \left.+4\,I_3\,\cos^4\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^4 w\sin w dw + 2\,I_2\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^4 w\sin w dw\right)\frac{1}{2\,I_1 - I_2},
\end{aligned}
$$

$$
\begin{aligned}
s_{2,10}(\theta) = \quad & -\frac{1}{3}\,\cos^2\theta\left(-6\left(\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\sin w dw\right)\cos^2\theta - 2\,\mathrm{e}^{3\,\sin^2\theta}\cos\theta - 3\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\sin w dw\right.\\
& -6\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\sin w\cos^2 w dw - 12\left(\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\sin w\cos^2 w dw\right)\cos^2\theta - 6\,\mathrm{e}^{3\,\sin^2\theta}\cos^3\theta\\
& \left.+8\,\mathrm{e}^{3\,\sin^2\theta}\cos^7\theta + 12\,\cos^4\theta\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\sin w dw + 24\,\cos^4\theta\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\sin w\cos^2 w dw\right),
\end{aligned}
$$

$$
\begin{aligned}
s_{2,11}(\theta) = \; & -\mathrm{e}^{2\,\sin^2\theta}\left(2\,I_1\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^2 w\sin w dw + 2\,I_3\,\cos^2\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^4 w\sin w dw\right.\\
& -I_2\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^2 w\sin w dw + I_3\,\cos^2\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^2 w\sin w dw\\
& -2\,I_3\,\cos^4\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^2 w\sin w dw - 4\,I_3\,\cos^4\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^4 w\sin w dw\\
& \left.-\,2\,I_2\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^4 w\sin w dw + 4\,I_1\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^4 w\sin w dw\right)\frac{1}{2\,I_1 - I_2},\\
s_{2,12}(\theta) = \; & -\left(\int_0^\theta \mathrm{e}^{\sin^2 w}\cos w dw - 2\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^5 w dw + \int_0^\theta \mathrm{e}^{\sin^2 w}\cos^3 w dw\right.\\
& +2\left(\int_0^\theta \mathrm{e}^{\sin^2 w}\cos w dw\right)\cos^2\theta + 2\left(\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^3 w dw\right)\cos^2\theta\\
& \left.-\,4\left(\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^5 w dw\right)\cos^2\theta\right)\mathrm{e}^{2\,\sin^2\theta}\cos\theta\sin\theta,\\
s_{2,13}(\theta) = \; & -\frac{1}{6}\left(-12\,\cos^4\theta\sin\theta\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\cos w dw - 6\,\sin\theta\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\cos w dw\right.\\
& +24\,\cos^4\theta\sin\theta\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\cos^3 w dw + 12\,\sin\theta\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\cos^3 w dw\\
& -36\,\cos^2\theta\sin\theta\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\cos^3 w dw - 22\,\mathrm{e}^{3\,\sin^2\theta}\cos^6\theta + \mathrm{e}^{3\,\sin^2\theta}\\
& -8\,\mathrm{e}^{3\,\sin^2\theta}\cos^2\theta + 8\,\mathrm{e}^{3\,\sin^2\theta}\cos^8\theta + 18\,\sin\theta\cos^2\theta\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\cos w dw\\
& \left.+\,21\,\mathrm{e}^{3\,\sin^2\theta}\cos^4\theta\right)\cos\theta,\\
s_{2,14}(\theta) = \; & -\left(-3\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^3 w dw - 2\left(\int_0^\theta \mathrm{e}^{\sin^2 w}\cos w dw\right)\cos^2\theta + 6\left(\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^3 w dw\right)\cos^2\theta\right.\\
& \left.+2\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^5 w dw + \int_0^\theta \mathrm{e}^{\sin^2 w}\cos w dw - 4\left(\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^5 w dw\right)\cos^2\theta\right)\mathrm{e}^{2\,\sin^2\theta}\cos\theta\sin\theta,\\
s_{2,15}(\theta) = \; & -2\,\mathrm{e}^{3\,\sin^2\theta}\cos^7\theta - \cos^4\theta\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\sin w dw - 2\,\cos^6\theta\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\sin w dw\\
& -2\,\mathrm{e}^{3\,\sin^2\theta}\cos^5\theta - 2\,\cos^4\theta\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\sin w\cos^2 w dw\\
& +\frac{10}{3}\,\mathrm{e}^{3\,\sin^2\theta}\cos^3\theta - 4\,\cos^6\theta\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\sin w\cos^2 w dw - \frac{4}{3}\,\cos^9\theta\mathrm{e}^{3\,\sin^2\theta}\\
& +2\,\mathrm{e}^{3\,\sin^2\theta}\cos\theta + \int_0^\theta \mathrm{e}^{3\,\sin^2 w}\sin w dw + 2\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\sin w\cos^2 w dw,
\end{aligned}
$$

$$
\begin{aligned}
s_{2,16}(\theta) = \; & -\mathrm{e}^{2\,\sin^2\theta}\left(-2\,I_2\int_0^\theta \mathrm{e}^{\sin^2 w}\sin^3 w\cos^2 w dw + 2\,I_3\,\cos^2\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\sin^3 w\cos^2 w dw\right.\\
& +2\,I_1\int_0^\theta \mathrm{e}^{\sin^2 w}\sin^3 w dw + 4\,I_1\int_0^\theta \mathrm{e}^{\sin^2 w}\sin^3 w\cos^2 w dw - 4\,I_3\,\cos^4\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\sin^3 w\cos^2 w dw\\
& \left.+I_3\,\cos^2\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\sin^3 w dw - I_2\int_0^\theta \mathrm{e}^{\sin^2 w}\sin^3 w dw - 2\,I_3\,\cos^4\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\sin^3 w dw\right)\frac{1}{2\,I_1 - I_2},
\end{aligned}
$$

$$
\begin{aligned}
s_{2,17}(\theta) = \; & \frac{1}{3}\left(-6\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\cos^3 w dw + 3\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\cos w dw + 2\,\mathrm{e}^{3\,\sin^2\theta}\cos^2\theta\sin\theta\right.\\
& +6\,\cos^4\theta\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\cos w dw + 4\,\mathrm{e}^{3\,\sin^2\theta}\cos^6\theta\sin\theta - 6\,\mathrm{e}^{3\,\sin^2\theta}\cos^4\theta\sin\theta\\
& \left.-9\,\cos^2\theta\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\cos w dw - 12\,\cos^4\theta\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\cos^3 w dw + 18\,\cos^2\theta\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\cos^3 w dw\right)\cos^2\theta,
\end{aligned}
$$

$$
\begin{aligned}
s_{2,18}(\theta) = \; & -\frac{1}{6}\left(8\,\mathrm{e}^{3\,\sin^2\theta}\cos^8\theta - 14\,\mathrm{e}^{3\,\sin^2\theta}\cos^6\theta - \mathrm{e}^{3\,\sin^2\theta} + 12\,\cos^5\theta\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\sin w dw\right.\\
& +24\,\cos^5\theta\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\sin w\cos^2 w dw + 4\,\mathrm{e}^{3\,\sin^2\theta}\cos^2\theta - 36\,\cos^3\theta\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\sin w\cos^2 w dw\\
& -18\,\cos^3\theta\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\sin w dw + 6\,\cos\theta\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\sin w dw\\
& \left.+\,12\,\cos\theta\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\sin w\cos^2 w dw + 3\,\mathrm{e}^{3\,\sin^2\theta}\cos^4\theta\right)\sin\theta,
\end{aligned}
$$

$$
\begin{aligned}
s_{2,19}(\theta) = \; & \left(2\left(\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^2 w\sin w dw\right)\cos^2\theta + \int_0^\theta \mathrm{e}^{\sin^2 w}\cos^2 w\sin w dw\right.\\
& \left.-\,2\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^4 w\sin w dw - 4\left(\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^4 w\sin w dw\right)\cos^2\theta\right)\mathrm{e}^{2\,\sin^2\theta}\cos\theta\sin\theta,
\end{aligned}
$$

$$
\begin{aligned}
s_{2,20}(\theta) = \; & -\left(4\left(\int_0^\theta \mathrm{e}^{\sin^2 w}\sin^3 w\cos^2 w dw\right)\cos^2\theta - 2\int_0^\theta \mathrm{e}^{\sin^2 w}\sin^3 w\cos^2 w dw\right.\\
& \left.-\int_0^\theta \mathrm{e}^{\sin^2 w}\sin^3 w dw + 2\left(\int_0^\theta \mathrm{e}^{\sin^2 w}\sin^3 w dw\right)\cos^2\theta\right)\mathrm{e}^{2\,\sin^2\theta}\cos\theta\sin\theta,
\end{aligned}
$$

$$
\begin{aligned}
s_{2,21}(\theta) = \; & -\left(2\left(\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^2 w\sin w dw\right)\cos^2\theta + 4\left(\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^4 w\sin w dw\right)\cos^2\theta\right. \\
& \left. - \int_0^\theta \mathrm{e}^{\sin^2 w}\cos^2 w\sin w dw - 2\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^4 w\sin w dw\right)\mathrm{e}^{2\sin^2\theta}\cos\theta\sin\theta
\end{aligned}
$$

$$
\begin{aligned}
s_{2,22}(\theta) = \; & \left(2\left(\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^2 w\sin w dw\right)\cos^2\theta - \int_0^\theta \mathrm{e}^{\sin^2 w}\cos^2 w\sin w dw\right. \\
& \left. +2\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^4 w\sin w dw - 4\left(\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^4 w\sin w dw\right)\cos^2\theta\right)\mathrm{e}^{2\sin^2\theta}\cos\theta\sin\theta,
\end{aligned}
$$

$$
\begin{aligned}
s_{2,23}(\theta) = \; & 2\,\mathrm{e}^{3\sin^2\theta}\cos^6\theta\sin\theta + \frac{4}{3}\,\mathrm{e}^{3\sin^2\theta}\cos^8\theta\sin\theta + 2\int_0^\theta \mathrm{e}^{3\sin^2 w}\cos^3 w dw + \frac{8}{3}\,\mathrm{e}^{3\sin^2\theta}\cos^4\theta\sin\theta \\
& -2\cos^4\theta\int_0^\theta \mathrm{e}^{3\sin^2 w}\cos^3 w dw - 2\,\mathrm{e}^{3\sin^2\theta}\cos^2\theta\sin\theta + 2\cos^6\theta\int_0^\theta \mathrm{e}^{3\sin^2 w}\cos w dw \\
& -4\cos^6\theta\int_0^\theta \mathrm{e}^{3\sin^2 w}\cos^3 w dw - \int_0^\theta \mathrm{e}^{3\sin^2 w}\cos w dw + \cos^4\theta\int_0^\theta \mathrm{e}^{3\sin^2 w}\cos w dw,
\end{aligned}
$$

$$
\begin{aligned}
s_{2,24}(\theta) = \; & \frac{1}{3}\left(6\int_0^\theta \mathrm{e}^{3\sin^2 w}\cos^3 w dw + 12\cos^4\theta\int_0^\theta \mathrm{e}^{3\sin^2 w}\cos w dw + 12\cos^2\theta\int_0^\theta \mathrm{e}^{3\sin^2 w}\cos^3 w dw\right. \\
& -3\int_0^\theta \mathrm{e}^{3\sin^2 w}\cos w dw + 8\,\mathrm{e}^{3\sin^2\theta}\cos^6\theta\sin\theta - 24\cos^4\theta\int_0^\theta \mathrm{e}^{3\sin^2 w}\cos^3 w dw \\
& \left. -6\cos^2\theta\int_0^\theta \mathrm{e}^{3\sin^2 w}\cos w dw - 2\,\mathrm{e}^{3\sin^2\theta}\cos^2\theta\sin\theta\right)\cos^2\theta,
\end{aligned}
$$

$$
\begin{aligned}
s_{2,25}(\theta) = \; & -\mathrm{e}^{2\sin^2\theta}\left(3\,I_3\cos^2\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^3 w dw + 2\,I_3\cos^4\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos w dw\right. \\
& +6\,I_1\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^3 w dw - 4\,I_1\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^5 w dw + 4\,I_3\cos^4\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^5 w dw \\
& +2\,I_2\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^5 w dw + I_2\int_0^\theta \mathrm{e}^{\sin^2 w}\cos w dw - 6\,I_3\cos^4\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^3 w dw \\
& -2\,I_3\cos^2\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^5 w dw - 2\,I_1\int_0^\theta \mathrm{e}^{\sin^2 w}\cos w dw \\
& \left. -3\,I_2\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^3 w dw - I_3\cos^2\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos w dw\right)\frac{1}{2\,I_1 - I_2},
\end{aligned}
$$

$$
\begin{aligned}
s_{2,26}(\theta) = \; & \mathrm{e}^{2\,\sin^2\theta}\left(-2\,I_3\,\cos^4\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^3 w dw + 4\,I_3\,\cos^4\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^5 w dw\right.\\
& -I_2\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^3 w dw - 2\,I_3\,\cos^2\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^5 w dw + 2\,I_2\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^5 w dw\\
& \left.+2\,I_1\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^3 w dw - 4\,I_1\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^5 w dw + I_3\,\cos^2\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^3 w dw\right)\frac{1}{2\,I_1 - I_2},
\end{aligned}
$$

$$
\begin{aligned}
s_{2,27}(\theta) = \; & \frac{1}{6}\left(-6\,\cos^3\theta\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\sin w dw + 12\,\cos^5\theta\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\sin w dw - 3\,\mathrm{e}^{3\,\sin^2\theta}\cos^4\theta\right.\\
& -2\,\mathrm{e}^{3\,\sin^2\theta}\cos^2\theta - 2\,\mathrm{e}^{3\,\sin^2\theta}\cos^6\theta - \mathrm{e}^{3\,\sin^2\theta} + 24\,\cos^5\theta\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\sin w\cos^2 w dw\\
& \left.-\,12\,\cos^3\theta\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\sin w\cos^2 w dw + 8\,\mathrm{e}^{3\,\sin^2\theta}\cos^8\theta\right)\sin\theta,
\end{aligned}
$$

$$
\begin{aligned}
s_{2,28}(\theta) = \; & -\frac{1}{6}\left(5\,\mathrm{e}^{3\,\sin^2\theta} + 24\,\cos^5\theta\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\sin w\cos^2 w dw\right.\\
& -12\,\cos^3\theta\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\sin w\cos^2 w dw - 12\,\cos\theta\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\sin w\cos^2 w dw\\
& -6\,\cos^3\theta\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\sin w dw - 15\,\mathrm{e}^{3\,\sin^2\theta}\cos^4\theta - 6\,\cos\theta\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\sin w dw\\
& +4\,\mathrm{e}^{3\,\sin^2\theta}\cos^2\theta + 8\,\mathrm{e}^{3\,\sin^2\theta}\cos^8\theta + 12\,\cos^5\theta\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\sin w dw\\
& \left.-2\,\mathrm{e}^{3\,\sin^2\theta}\cos^6\theta\right)\sin\theta,
\end{aligned}
$$

$$
\begin{aligned}
s_{2,29}(\theta) = \; & \frac{1}{6}\left(-14\,\mathrm{e}^{3\,\sin^2\theta}\cos^2\theta + 10\,\mathrm{e}^{3\,\sin^2\theta}\cos^6\theta + 12\,\cos^5\theta\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\sin w dw\right.\\
& +6\,\cos^3\theta\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\sin w dw + 12\,\cos^3\theta\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\sin w\cos^2 w dw + 8\,\mathrm{e}^{3\,\sin^2\theta}\cos^8\theta\\
& \left.+\,3\,\mathrm{e}^{3\,\sin^2\theta}\cos^4\theta - 7\,\mathrm{e}^{3\,\sin^2\theta} + 24\,\cos^5\theta\int_0^\theta \mathrm{e}^{3\,\sin^2 w}\sin w\cos^2 w dw\right)\sin\theta,
\end{aligned}
$$

$$
\begin{aligned}
s_{2,30}(\theta) = \; & -\mathrm{e}^{2\,\sin^2\theta}\left(-4\,I_1\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^5 w dw - 2\,I_3\,\cos^4\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos w dw\right.\\
& -2\,I_3\,\cos^2\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^5 w dw + 2\,I_2\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^5 w dw - 2\,I_3\,\cos^4\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^3 w dw\\
& +2\,I_1\int_0^\theta \mathrm{e}^{\sin^2 w}\cos w dw - I_2\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^3 w dw + I_3\,\cos^2\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos w dw\\
& +2\,I_1\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^3 w dw + I_3\,\cos^2\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^3 w dw\\
& \left.-\,I_2\int_0^\theta \mathrm{e}^{\sin^2 w}\cos w dw + 4\,I_3\,\cos^4\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^5 w dw\right)\frac{1}{2\,I_1 - I_2},
\end{aligned}
$$

$$
\begin{aligned}
s_{2,31}(\theta) = \; & -\left(2\int_0^\theta \mathrm{e}^{\sin^2 w}\sin^3 w\cos^2 w dw + \int_0^\theta \mathrm{e}^{\sin^2 w}\sin^3 w dw + 4\left(\int_0^\theta \mathrm{e}^{\sin^2 w}\sin^3 w\cos^2 w dw\right)\cos^2\theta\right. \\
& \left. +2\left(\int_0^\theta \mathrm{e}^{\sin^2 w}\sin^3 w dw\right)\cos^2\theta\right)\mathrm{e}^{2\,\sin^2\theta}\cos\theta\sin\theta,
\end{aligned}
$$

$$
\begin{aligned}
s_{2,32}(\theta) = \; & -\left(2\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^4 w\sin w dw + 4\left(\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^4 w\sin w dw\right)\cos^2\theta\right. \\
& \left. +\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^2 w\sin w dw + 2\left(\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^2 w\sin w dw\right)\cos^2\theta\right)\mathrm{e}^{2\,\sin^2\theta}\cos\theta\sin\theta.
\end{aligned}
$$

We also have

$$
\begin{aligned}
s_1(\theta) = \; & s_{1,1}(\theta)a_{03}c_{10} + s_{1,2}(\theta)a_{01}c_{03} + s_{1,3}(\theta)a_{03}c_{01} + s_{1,4}(\theta)a_{01}c_{30} + s_{1,5}(\theta)c_{10}c_{21} + s_{1,6}(\theta)a_{01}a_{12} \\
& +s_{1,7}(\theta)c_{01}c_{12} + s_{1,8}(\theta)c_{01}a_{11} + s_{1,9}(\theta)c_{03}c_{10} + s_{1,10}(\theta)a_{12}c_{10} + s_{1,11}(\theta)c_{01}c_{21} \\
& +s_{1,12}(\theta)c_{10}c_{12} + s_{1,13}(\theta)a_{21}c_{10} + s_{1,14}(\theta)a_{01}a_{21} + s_{1,15}(\theta)c_{10}c_{30} + s_{1,16}(\theta)a_{01}c_{21} \\
& +s_{1,17}(\theta)a_{01}a_{03} + s_{1,18}(\theta)a_{01}c_{12} + s_{1,19}(\theta)a_{12}c_{01} + s_{1,20}(\theta)c_{01}c_{03} + s_{1,21}(\theta)a_{21}c_{01},
\end{aligned}
$$

and $s_{1,i}(\theta)$ for $i = 1\cdots, 21$ are given in the following expressions:

$$
\begin{aligned}
s_{1,1}(\theta) = \; & -\frac{1}{12}\left(24\left(\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\sin w\cos w dw\right)\cos^4\theta - \mathrm{e}^{2\,\sin^2\theta} + 12\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\sin w\cos w dw\right. \\
& +4\,\mathrm{e}^{2\,\sin^2\theta}\cos^2\theta - 36\left(\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\sin w\cos w dw\right)\cos^2\theta - 72\left(\textstyle\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^3 w\sin w dw\right)\cos^2\theta \\
& +24\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^3 w\sin w dw + 8\,\mathrm{e}^{2\,\sin^2\theta}\cos^8\theta + 48\left(\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^3 w\sin w dw\right)\cos^4\theta \\
& \left. +3\,\mathrm{e}^{2\,\sin^2\theta}\cos^4\theta - 14\,\mathrm{e}^{2\,\sin^2\theta}\cos^6\theta\right)\cos\theta\sin\theta,
\end{aligned}
$$

$$
\begin{aligned}
s_{1,2}(\theta) = \; & -\frac{1}{3}\,\mathrm{e}^{2\,\sin^2\theta}\cos^6\theta + 2\,\cos^6\theta\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\sin w\cos w dw - \frac{2}{3}\,\mathrm{e}^{2\,\sin^2\theta}\cos^{10}\theta \\
& -2\left(\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^3 w\sin w dw\right)\cos^4\theta - \textstyle\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\sin w\cos w dw \\
& +\left(\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\sin w\cos w dw\right)\cos^4\theta + \frac{7}{3}\,\mathrm{e}^{2\,\sin^2\theta}\cos^4\theta - 4\,\cos^6\theta\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^3 w\sin w dw \\
& -\mathrm{e}^{2\,\sin^2\theta}\cos^2\theta - \frac{1}{3}\,\mathrm{e}^{2\,\sin^2\theta}\cos^8\theta + 2\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^3 w\sin w dw,
\end{aligned}
$$

$$
\begin{aligned}
s_{1,3}(\theta) = \; & \mathrm{e}^{2\,\sin^2\theta}(\cos\theta-1)(\cos\theta+1)\left(-8\,\cos^8\theta I_3+14\,\cos^6\theta I_3-7\,\cos^4\theta I_3+8\,\cos^4\theta I_1\right.\\
& -4\,\cos^4\theta I_2+24\,I_3\,\cos^3\theta\sin\theta\mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^2 w dw\\
& +48\,I_1\,\cos^3\theta\sin\theta\mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}dw-48\,I_3\,\cos^3\theta\sin\theta\mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^4 w dw\\
& -24\,I_2\,\cos^3\theta\sin\theta\mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}dw+\cos^2\theta I_3-10\,\cos^2\theta I_1+5\,\cos^2\theta I_2\\
& +12\,I_2\,\cos\theta\sin\theta\mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}dw-12\,I_3\,\cos\theta\sin\theta\mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^2 w dw\\
& -24\,I_1\,\cos\theta\sin\theta\mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}dw\\
& \left.+\,24\,I_3\,\cos\theta\sin\theta\mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^4 w dw-I_2+2\,I_1\right)\tfrac{1}{12(I_2-2\,I_1)},
\end{aligned}
$$

$$
\begin{aligned}
s_{1,4}(\theta) = \; & -\frac{1}{12}\left(24\,\cos^4\theta\mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\sin w\cos w dw-7+3\,\cos^4\theta\right.\\
& -8\,\cos^8\theta+14\,\cos^2\theta-24\,\cos^2\theta\mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^3 w\sin w dw\\
& -2\,\cos^6\theta+12\,\cos^2\theta\mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\sin w\cos w dw\\
& \left.-48\,\cos^4\theta\mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^3 w\sin w dw\right)\mathrm{e}^{2\,\sin^2\theta}\sin\theta\cos\theta,
\end{aligned}
$$

$$
\begin{aligned}
s_{1,5}(\theta) = \; & -\frac{1}{3}\left[-\mathrm{e}^{2\,\sin^2\theta}\cos^2\theta+12\left(\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\sin w\cos w dw\right)\cos^4\theta\right.\\
& +24\left(\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^3 w\sin w dw\right)\cos^4\theta-3\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\sin w\cos w dw\\
& -6\left(\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\sin w\cos w dw\right)\cos^2\theta-6\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^3 w\sin w dw\\
& -12\left(\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^3 w\sin w dw\right)\cos^2\theta+4\,\mathrm{e}^{2\,\sin^2\theta}\cos^8\theta\\
& \left.-\,3\,\mathrm{e}^{2\,\sin^2\theta}\cos^4\theta\right]\cos^2\theta,
\end{aligned}
$$

$$
\begin{aligned}
s_{1,6}(\theta) = \; & -\frac{1}{3}\left(12\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^3 w\sin w dw\cos^4\theta+9\left(\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\sin w\cos w dw\right)\cos^2\theta\right.\\
& +6\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^3 w\sin w dw-3\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\sin w\cos w dw+4\,\mathrm{e}^{2\,\sin^2\theta}\cos^4\theta\\
& -6\left(\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\sin w\cos w dw\right)\cos^4\theta-5\,\mathrm{e}^{2\,\sin^2\theta}\cos^6\theta+2\,\mathrm{e}^{2\,\sin^2\theta}\cos^8\theta\\
& \left.-18\left(\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^3 w\sin w dw\right)\cos^2\theta-\mathrm{e}^{2\,\sin^2\theta}\cos^2\theta\right)\cos^2\theta,
\end{aligned}
$$

$$
\begin{aligned}
s_{1,7}(\theta) = \quad & -\frac{1}{12}\,\mathrm{e}^{2\,\sin^2\theta}\left(12\,I_2\,\cos\theta\sin\theta\mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}dw\right.\\
& -12\,I_3\,\cos^3\theta\sin\theta\mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^2 w dw - 24\,I_1\,\cos\theta\sin\theta\mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}dw\\
& +12\,I_2\,\cos^3\theta\sin\theta\mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}dw + 24\,I_3\,\cos^3\theta\sin\theta\mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^4 w dw\\
& +24\,I_3\,\cos\theta\sin\theta\mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^4 w dw - 12\,I_3\,\cos\theta\sin\theta\mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^2 w dw\\
& -24\,I_1\,\cos^3\theta\sin\theta\mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}dw + 24\,I_3\,\cos^5\theta\sin\theta\mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\left(\cos^4 w\right)^2 dw\\
& +48\,I_1\,\cos^5\theta\sin\theta\mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}dw - 24\,I_2\,\cos^5\theta\sin\theta\mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}dw\\
& -48\,I_3\,\cos^5\theta\sin\theta\mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^4 w dw - 16\,\cos^4\theta I_3 + 9\,\cos^6\theta I_3 + 5\,\cos^2\theta I_3\\
& -12\,\cos^2\theta I_1 - 8\,I_3\,\cos^{10}\theta + 8\,\cos^6\theta I_1 - 4\,\cos\theta^6 I_2 - 5\,I_2 + 10\,I_1 + 6\,\cos^2\theta I_2\\
& \left.-6\,\cos^4\theta I_1 + 3\,\cos^4\theta I_2 + 10\,\cos^8\theta I_3\right)\frac{1}{2\,I_1 - I_2},
\end{aligned}
$$

$$
\begin{aligned}
s_{1,8}(\theta) = \quad & \frac{1}{12}\,\mathrm{e}^{2\,\sin\theta^2}\left(-4\,\cos^6\theta I_2 - 48\,I_3\,\cos^5\theta\sin\theta\mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^4 w dw\right.\\
& -3\,\cos^4\theta I_2 + 14\,\cos^4\theta I_3 - 24\,I_3\,\cos^3\theta\sin\theta\mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^4 w dw\\
& +3\,\cos^6\theta I_3 - 2\,\cos^8\theta I_3 + 24\,I_3\,\cos^5\theta\sin\theta\mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^2 w dw\\
& +6\,\cos^4\theta I_1 + 8\,\cos^6\theta I_1 + 7\,I_2 - 24\,I_2\,\cos^5\theta\sin\theta\mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}dw\\
& -12\,I_2\,\cos^3\theta\sin\theta\mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}dw + 48\,I_1\,\cos^5\theta\sin\theta\mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}dw - 8\,I_3\,\cos^{10}\theta\\
& -7\,\cos^2\theta I_3 + 12\,I_3\,\cos^3\theta\sin\theta\mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^2 w dw\\
& \left.+\,24\,I_1\,\cos^3\theta\sin\theta\mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}dw - 14\,I_1\right)\frac{1}{-I_2 + 2\,I_1},
\end{aligned}
$$

$$
\begin{aligned}
s_{1,9}(\theta) = \quad & -\left(\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\sin w\cos w dw\right)\cos^4\theta + \int_0^\theta \mathrm{e}^{2\,\sin^2 w}\sin w\cos w dw\\
& -\mathrm{e}^{2\,\sin^2\theta}\cos^8\theta - 2\,\cos^6\theta\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\sin w\cos w dw - \mathrm{e}^{2\,\sin^2\theta}\cos^6\theta\\
& +5/3\,\mathrm{e}^{2\,\sin^2\theta}\cos^4\theta + 2\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^3 w\sin w dw\\
& -4\,\cos^6\theta\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^3 w\sin w dw - \frac{2}{3}\,\mathrm{e}^{2\,\sin^2\theta}\cos^{10}\theta\\
& +\mathrm{e}^{2\,\sin^2\theta}\cos^2\theta - 2\left(\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^3 w\sin w dw\right)\cos^4\theta,
\end{aligned}
$$

$$
\begin{aligned}
s_{1,10}(\theta) = \quad & -\frac{1}{3}\left(\mathrm{e}^{2\,\sin\theta^2}\cos^2\theta + 12\left(\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^3 w\sin w dw\right)\cos^4\theta - 3\,\mathrm{e}^{2\,\sin^2\theta}\cos^6\theta\right.\\
& -9\left(\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\sin w\cos w dw\right)\cos^2\theta + 6\left(\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\sin w\cos w dw\right)\cos^4\theta\\
& +6\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^3 w\sin w dw - 18\left(\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^3 w\sin w dw\right)\cos^2\theta\\
& \left.+3\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\sin w\cos w dw + 2\,\mathrm{e}^{2\,\sin^2\theta}\cos^8\theta\right)\cos^2\theta,
\end{aligned}
$$

$$
\begin{aligned}
s_{1,11}(\theta) = \; & -\frac{1}{3}\,\mathrm{e}^{2\,\sin\theta^2}\cos^2\theta\left(-6\,I_1\,\mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}dw + 4\,\cos^7\theta\sin\theta I_3\right.\\
& -4\,\cos^3\theta\sin\theta I_1 + 6\,I_2\,\cos^2\theta\mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}dw\\
& -12\,I_1\,\cos^2\theta\mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}dw - 3\,I_3\,\mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^2 w dw\\
& +2\,\cos^3\theta\sin\theta I_2 + 24\,I_1\,\cos^4\theta\mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}dw + 12\,I_3\,\cos^2\theta\mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^4 w dw\\
& +12\,I_3\,\cos^4\theta\mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^2 w dw - 2\,\cos\theta\sin\theta I_1\\
& -12\,I_2\,\cos^4\theta\mathrm{e}^{-2\,\sin\theta^2}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}dw + \cos\theta\sin\theta I_2\\
& +6\,I_3\,\mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^4 w dw\\
& -24\,I_3\,\cos^4\theta\mathrm{e}^{-2\,\sin\theta^2}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^4 w dw + 3\,I_2\,\mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}dw\\
& \left.-\cos^3\theta\sin\theta I_3 - 6\,I_3\,\cos^2\theta\mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^2 w dw\right)\frac{1}{2\,I_1 - I_2},
\end{aligned}
$$

$$
\begin{aligned}
s_{1,12}(\theta) = \; & -\frac{1}{12}\left(-12\,\mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\sin w\cos w dw - 15\,\cos^4\theta - 2\,\cos^6\theta\right.\\
& +24\,\cos^4\theta\mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\sin w\cos w dw - 24\,\cos^2\theta\mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^3 w\sin w dw\\
& -24\,\mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^3 w\sin w dw + 8\,\cos^8\theta + 4\,\cos^2\theta\\
& +48\,\cos^4\theta\mathrm{e}^{-2\,\sin\theta^2}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^3 w\sin w dw\\
& \left.-12\,\cos^2\theta\mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\sin w\cos w dw + 5\right)\mathrm{e}^{2\,\sin^2\theta}\cos\theta\sin\theta,
\end{aligned}
$$

$$
\begin{aligned}
s_{1,13}(\theta) = \; & \frac{1}{12}\left(-12\,\cos^2\theta\mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\sin w\cos w dw\right.\\
& +24\,\cos^4\theta\mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\sin w\cos w dw + 8\,\cos^8\theta - 3\,\cos^4\theta\\
& -24\,\cos^2\theta\mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^3 w\sin w dw + 48\,\cos^4\theta\mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^3 w\sin w dw\\
& \left.-1 - 2\,\cos^2\theta - 2\,\cos^6\theta\right)\mathrm{e}^{2\,\sin^2\theta}\cos\theta\sin\theta,
\end{aligned}
$$

$$
\begin{aligned}
s_{1,14}(\theta) = \; & \frac{1}{12}\left(1 + 48\,\cos^4\theta\mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^3 w\sin w dw + 8\,\cos^8\theta\right.\\
& -24\,\cos^2\theta\mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^3 w\sin w dw - 10\,\cos^6\theta\\
& -24\,\cos\theta^4\mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\sin w\cos w dw - 2\,\cos^2\theta\\
& \left.+12\,\cos^2\theta\mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\sin w\cos w dw + 3\,\cos^4\theta\right)\mathrm{e}^{2\,\sin^2\theta}\cos\theta\sin\theta,
\end{aligned}
$$

$$
\begin{aligned}
s_{1,15}(\theta) = \quad & \frac{1}{12}\left(24\,\cos^2\theta \mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^3 w\sin w dw + 10\,\cos^6\theta\right.\\
& +24\,\cos^4\theta \mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\sin w\cos w dw\\
& +48\,\cos^4\theta \mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^3 w\sin w dw\\
& +3\,\cos^4\theta + 12\,\cos^2\theta \mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\sin w\cos w dw + 8\,\cos^8\theta\\
& \left.-14\,\cos^2\theta - 7\right)\mathrm{e}^{2\,\sin^2\theta}\cos\theta\sin\theta,
\end{aligned}
$$

$$
\begin{aligned}
s_{1,16}(\theta) = \quad & -\frac{1}{3}\left(-6\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^3 w\sin w dw - 12\left(\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\sin w\cos w dw\right)\cos^4\theta\right.\\
& +\mathrm{e}^{2\,\sin^2\theta}\cos^2\theta + 4\,\mathrm{e}^{2\,\sin^2\theta}\cos^8\theta - 12\left(\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^3 w\sin w dw\right)\cos^2\theta\\
& +24\left(\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^3 w\sin w dw\right)\cos^4\theta - 4\,\mathrm{e}^{2\,\sin^2\theta}\cos^6\theta\\
& +6\left(\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\sin w\cos w dw\right)\cos^2\theta - \mathrm{e}^{2\,\sin^2\theta}\cos^4\theta\\
& \left.+3\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\sin w\cos w dw\right)\cos^2\theta,
\end{aligned}
$$

$$
\begin{aligned}
s_{1,17}(\theta) = \quad & -\frac{1}{12}\left(48\,\cos^4\theta \mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^3 w\sin w dw\right.\\
& -12\,\mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\sin w\cos w dw - 24\,\cos^4\theta \mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\sin w\cos w dw\\
& +36\,\cos^2\theta \mathrm{e}^{-2\,\sin\theta^2}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\sin w\cos w dw + 8\,\cos^8\theta + 1 + 21\,\cos^4\theta\\
& +24\,\mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^3 w\sin w dw - 72\,\cos^2\theta \mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^3 w\sin w dw - 8\,\cos^2\theta\\
& \left.-22\,\cos^6\theta\right)\mathrm{e}^{2\,\sin\theta^2}\cos\theta\sin\theta,
\end{aligned}
$$

$$
\begin{aligned}
s_{1,18}(\theta) = \quad & -\frac{1}{12}\left(-24\,\cos^4\theta \mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\sin w\cos w dw\right.\\
& -24\,\mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^3 w\sin w dw + 16\,\cos^2\theta - 5\\
& +12\,\cos^2\theta \mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\sin w\cos w dw\\
& -9\,\cos^4\theta - 24\,\cos^2\theta \mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^3 w\sin w dw - 10\,\cos^6\theta\\
& +12\,\mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\sin w\cos w dw + 8\,\cos^8\theta\\
& \left.+48\,\cos^4\theta \mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^3 w\sin w dw\right)\mathrm{e}^{2\,\sin^2\theta}\cos\theta\sin\theta,
\end{aligned}
$$

$$
\begin{aligned}
s_{1,19}(\theta) = \; & -\frac{1}{3}\,\mathrm{e}^{2\,\sin\theta^2}\cos^2\theta\left(2\,\cos\theta\sin\theta I_1 - 18\,I_1\,\cos^2\theta \mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}dw\right.\\
& -\cos\theta\sin\theta I_2 - 3\,\cos^5\theta\sin\theta I_3 + \cos^3\theta\sin\theta I_2\\
& +9\,I_2\,\cos^2\theta \mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}dw + 18\,I_3\,\cos^2\theta \mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^4 w dw\\
& +\cos^3\theta\sin\theta I_3 - 6\,I_2\,\cos^4\theta \mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}dw\\
& +6\,I_3\,\cos^4\theta \mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^2 w dw + 6\,I_1\,\mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}dw\\
& +2\,\cos\theta^7\sin\theta I_3 - 3\,I_2\,\mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}dw - 9\,I_3\,\cos^2\theta \mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^2 w dw\\
& -12\,I_3\,\cos^4\theta \mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^4 w dw + 12\,I_1\,\cos^4\theta \mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}dw\\
& \left.-2\,\cos^3\theta\sin\theta I_1 - 6\,I_3\,\mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^4 w dw + 3\,I_3\,\mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^2 w dw\right)\frac{1}{2\,I_1 - I_2},
\end{aligned}
$$

$$
\begin{aligned}
s_{1,20}(\theta) = \; & -\frac{1}{3}\,\mathrm{e}^{2\,\sin^2\theta}\left(-6\,I_3\,\cos^4\theta \mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^4 w dw\right.\\
& +2\,\cos^3\theta\sin\theta I_2 + 12\,I_1\,\cos^6\theta \mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}dw\\
& -6\,I_2\,\cos^6\theta \mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}dw - 3\,I_2\,\cos^4\theta \mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}dw\\
& -3\,\cos^3\theta\sin\theta I_3 - 12\,I_3\,\cos^6\theta \mathrm{e}^{-2\,\sin\theta^2}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^4 w dw\\
& +6\,I_1\,\cos^4\theta \mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}dw - 6\,I_1\,\mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}dw + \cos^5\theta\sin\theta I_2\\
& +4\,\cos^5\theta\sin\theta I_3 + 3\,\cos\theta\sin\theta I_2 + 3\,\cos^7\theta\sin\theta I_3\\
& -3\,I_3\,\mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^2 w dw + 3\,I_3\,\cos^4\theta \mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^2 w dw\\
& +3\,I_2\,\mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}dw - 6\,\cos\theta\sin\theta I_1 - 2\,\cos^5\theta\sin\theta I_1\\
& +6\,I_3\,\mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^4 w dw - 4\,\cos^3\theta\sin\theta I_1 + 2\,I_3\,\cos^9\theta\sin\theta\\
& \left.+6\,I_3\,\cos^6\theta \mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^2 w dw\right)\frac{1}{2\,I_1 - I_2},
\end{aligned}
$$

$$
\begin{aligned}
s_{1,21}(\theta) = \; & \frac{1}{12}\,\mathrm{e}^{2\,\sin\theta^2}\left(2\,\cos^4\theta I_3 - 48\,I_3\,\cos^5\theta\sin\theta \mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^4 w dw\right.\\
& -3\,\cos^6\theta I_3 - 4\,\cos^6\theta I_2 + I_2 - 12\,I_3\,\cos^3\theta\sin\theta \mathrm{e}^{-2\,\sin\theta^2}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^2 w dw\\
& -6\,\cos^4\theta I_1 - 8\,I_3\,\cos^{10}\theta - 2\,I_1 + 24\,I_3\,\cos^3\theta\sin\theta \mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^4 w dw\\
& -24\,I_2\,\cos^5\theta\sin\theta \mathrm{e}^{-2\,\sin\theta^2}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}dw + 12\,I_2\,\cos^3\theta\sin\theta \mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}dw\\
& -24\,I_1\,\cos^3\theta\sin\theta \mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}dw + 10\,\cos^8\theta I_3\\
& +8\,\cos^6\theta I_1 - \cos^2\theta I_3 + 24\,I_3\,\cos^5\theta\sin\theta \mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}\cos^2 w dw\\
& \left.+3\,\cos^4\theta I_2 + 48\,I_1\,\cos^5\theta\sin\theta \mathrm{e}^{-2\,\sin^2\theta}\int_0^\theta \mathrm{e}^{2\,\sin^2 w}dw\right)\frac{1}{2\,I_1 - I_2}.
\end{aligned}
$$

Now we present the expression of $s_0(\theta)$.

$$\begin{aligned} s_0(\theta) = \; & s_{0,1}(\theta)a_{12}c_{11} + s_{0,2}(\theta)a_{20}c_{03} + s_{0,3}(\theta)a_{20}c_{21} + s_{0,4}(\theta)a_{21}c_{11} + s_{0,5}(\theta)a_{21}c_{02} + s_{0,6}(\theta)a_{21}c_{20} \\ & + s_{0,7}(\theta)c_{02}c_{30} + s_{0,8}(\theta)a_{02}a_{12} + s_{0,9}(\theta)a_{02}c_{03} + s_{0,10}(\theta)a_{02}c_{21} + s_{0,11}(\theta)a_{03}a_{11} + s_{0,12}(\theta)a_{03}c_{02} \\ & + s_{0,13}(\theta)a_{03}c_{20} + s_{0,14}(\theta)a_{11}a_{21} + s_{0,15}(\theta)a_{11}c_{12} + s_{0,16}(\theta)a_{11}c_{30} + s_{0,17}(\theta)a_{12}a_{20} \\ & + s_{0,18}(\theta)a_{11}a_{12} + s_{0,19}(\theta)a_{03}a_{20} + s_{0,20}(\theta)a_{02}a_{21} + s_{0,21}(\theta)a_{11}c_{21} + s_{0,22}(\theta)c_{20}c_{30} \\ & + s_{0,23}(\theta)c_{11}c_{03} + s_{0,24}(\theta)c_{02}c_{03} + s_{0,25}(\theta)c_{11}c_{21} + s_{0,26}(\theta)c_{12}c_{20} + s_{0,27}(\theta)c_{02}c_{12} + s_{0,28}(\theta)a_{02}c_{12} \\ & + s_{0,29}a_{02}c_{30} + s_{0,30}(\theta)a_{02}a_{03} + s_{0,31}(\theta)a_{20}a_{21} + s_{0,32}(\theta)c_{11}c_{30} + s_{0,33}(\theta)c_{20}c_{21} + s_{0,34}(\theta)c_{02}c_{21} \\ & + s_{0,35}(\theta)c_{03}c_{20} + s_{0,36}(\theta)c_{11}c_{12} + s_{0,37}(\theta)a_{20}c_{30} + s_{0,38}(\theta)a_{12}c_{20} + s_{0,39}(\theta)a_{20}c_{12} \\ & + s_{0,40}(\theta)a_{11}c_{03} + s_{0,41}(\theta)a_{12}c_{02} + s_{0,42}(\theta)a_{03}c_{11}. \end{aligned}$$

and $s_{0,i}(\theta)$ for $i = 1 \cdots, 42$ are the following:

$$\begin{aligned} s_{0,1}(\theta) = \; & -\cos^2\theta \left(2\,\cos^4\theta \int_0^\theta e^{\sin^2 w}\cos w dw + \int_0^\theta e^{\sin^2 w}\cos w dw - 3\,\cos^2\theta \int_0^\theta e^{\sin^2 w}\cos w dw \right. \\ & -4\,\cos^4\theta \int_0^\theta e^{\sin^2 w}\cos^5 w dw - 2\int_0^\theta e^{\sin^2 w}\cos^5 w dw + 6\,\cos^2\theta \int_0^\theta e^{\sin^2 w}\cos^5 w dw \\ & \left. +2\,\cos^4\theta \int_0^\theta e^{\sin^2 w}\cos^3 w dw + \int_0^\theta e^{\sin^2 w}\cos^3 w dw - 3\,\cos^2\theta \int_0^\theta e^{\sin^2 w}\cos^3 w dw \right), \end{aligned}$$

$$\begin{aligned} s_{0,2}(\theta) = \; & -4\,\cos^6\theta \int_0^\theta e^{\sin^2 w}\cos^5 w dw + 2\int_0^\theta e^{\sin^2 w}\cos^5 w dw - 2\,\cos^4\theta \int_0^\theta e^{\sin^2 w}\cos^5 w dw \\ & +2\,\cos^6\theta \int_0^\theta e^{\sin^2 w}\cos^3 w dw - \int_0^\theta e^{\sin^2 w}\cos^3 w dw + \cos^4\theta \int_0^\theta e^{\sin^2 w}\cos^3 w dw, \end{aligned}$$

$$\begin{aligned} s_{0,3}(\theta) = \; & \cos^2\theta \left(2\int_0^\theta e^{\sin^2 w}\cos^5 w dw + 4\,\cos^2\theta \int_0^\theta e^{\sin^2 w}\cos^5 w dw - 8\,\cos^4\theta \int_0^\theta e^{\sin^2 w}\cos^5 w dw \right. \\ & \left. -\int_0^\theta e^{\sin^2 w}\cos^3 w dw - 2\,\cos^2\theta \int_0^\theta e^{\sin^2 w}\cos^3 w dw + 4\,\cos^4\theta \int_0^\theta e^{\sin^2 w}\cos^3 w dw \right), \end{aligned}$$

$$\begin{aligned} s_{0,4}(\theta) = \; & \cos^3\theta\sin\theta \left(2\,\cos^2\theta \int_0^\theta e^{\sin^2 w}\cos w dw - \int_0^\theta e^{\sin^2 w}\cos w dw - 4\,\cos^2\theta \int_0^\theta e^{\sin^2 w}\cos^5 w dw \right. \\ & \left. +2\int_0^\theta e^{\sin^2 w}\cos^5 w dw + 2\,\cos^2\theta \int_0^\theta e^{\sin^2 w}\cos^3 w dw - \int_0^\theta e^{\sin^2 w}\cos^3 w dw \right), \end{aligned}$$

$$\begin{aligned} s_{0,5}(\theta) = \; & \cos^3\theta\sin\theta \left(2\,\cos^2\theta \int_0^\theta e^{\sin^2 w}\sin^3 w dw - \int_0^\theta e^{\sin^2 w}\sin^3 w dw \right. \\ & \left. +4\,\cos^2\theta \int_0^\theta e^{\sin^2 w}\sin^3 w\cos^2 w dw - 2\int_0^\theta e^{\sin^2 w}\sin^3 w\cos^2 w dw \right), \end{aligned}$$

$$\begin{aligned} s_{0,6}(\theta) = \; & \cos^3\theta\sin\theta \left(2\,\cos^2\theta \int_0^\theta e^{\sin^2 w}\cos^2 w\sin w dw - \int_0^\theta e^{\sin^2 w}\cos^2 w\sin w dw \right. \\ & \left. +4\,\cos^2\theta \int_0^\theta e^{\sin^2 w}\cos^4 w\sin w dw - 2\int_0^\theta e^{\sin^2 w}\cos^4 w\sin w dw \right), \end{aligned}$$

$$
\begin{aligned}
s_{0,7}(\theta) = \quad & \cos^3\theta\sin\theta\left(\int_0^\theta \mathrm{e}^{\sin^2 w}\sin^3 w dw + 2\,\cos^2\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\sin^3 w dw\right.\\
& \left.+2\int_0^\theta \mathrm{e}^{\sin^2 w}\sin^3 w\cos^2 w dw + 4\,\cos^2\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\sin^3 w\cos^2 w dw\right),\\
s_{0,8}(\theta) = \quad & -\cos^2\theta\left(6\,\cos^4\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^3 w dw + 3\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^3 w dw - 9\,\cos^2\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^3 w dw\right.\\
& -4\,\cos^4\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^5 w dw - 2\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^5 w dw + 6\,\cos^2\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^5 w dw\\
& \left.-2\,\cos^4\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos w dw - \int_0^\theta \mathrm{e}^{\sin^2 w}\cos w dw + 3\,\cos^2\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos w dw\right),\\
s_{0,9}(\theta) = \quad & -6\,\cos^6\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^3 w dw + 3\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^3 w dw - 3\,\cos^4\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^3 w dw\\
& +4\,\cos^6\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^5 w dw - 2\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^5 w dw + 2\,\cos^4\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^5 w dw\\
& +2\,\cos^6\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos w dw - \int_0^\theta \mathrm{e}^{\sin^2 w}\cos w dw + \cos^4\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos w dw,\\
s_{0,10}(\theta) = \quad & -\cos^2\theta\left(-3\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^3 w dw - 6\,\cos^2\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^3 w dw + 12\,\cos^4\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^3 w dw\right.\\
& +2\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^5 w dw + 4\,\cos^2\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^5 w dw - 8\,\cos^4\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^5 w dw\\
& \left.+\int_0^\theta \mathrm{e}^{\sin^2 w}\cos w dw + 2\,\cos^2\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos w dw - 4\,\cos^4\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos w dw\right),\\
s_{0,11}(\theta) = \quad & \cos\theta\sin\theta\left(2\,\cos^4\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^2 w\sin w dw + \int_0^\theta \mathrm{e}^{\sin^2 w}\cos^2 w\sin w dw\right.\\
& -3\,\cos^2\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^2 w\sin w dw - 4\,\cos^4\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^4 w\sin w dw\\
& \left.-2\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^4 w\sin w dw + 6\,\cos^2\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^4 w\sin w dw\right),\\
s_{0,12}(\theta) = \quad & -\cos\theta\sin\theta\left(2\,\cos^4\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\sin^3 w dw + \int_0^\theta \mathrm{e}^{\sin^2 w}\sin^3 w dw\right.\\
& -3\,\cos^2\theta\int_0^\theta \mathrm{e}^{\sin w^2}\sin^3 w dw + 4\,\cos^4\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\sin^3 w\cos^2 w dw\\
& \left.+2\int_0^\theta \mathrm{e}^{\sin^2 w}\sin^3 w\cos^2 w dw - 6\,\cos^2\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\sin^3 w\cos^2 w dw\right),
\end{aligned}
$$

$$
\begin{aligned}
s_{0,13}(\theta) = \; & -\cos\theta\sin\theta\left(2\,\cos^4\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^2 w\sin w dw + \int_0^\theta \mathrm{e}^{\sin^2 w}\cos^2 w\sin w dw\right.\\
& -3\,\cos^2\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^2 w\sin w dw + 4\,\cos^4\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^4 w\sin w dw\\
& \left.+2\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^4 w\sin w dw - 6\,\cos^2\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^4 w\sin w dw\right),\\
s_{0,14}(\theta) = \; & -\cos^3\theta\sin\theta\left(2\,\cos^2\theta\int_0^\theta \mathrm{e}^{\sin w^2}\cos^2 w\sin w dw - \int_0^\theta \mathrm{e}^{\sin^2 w}\cos^2 w\sin w dw\right.\\
& \left.-4\,\cos^2\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^4 w\sin w dw + 2\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^4 w\sin w dw\right),
\end{aligned}
$$

$$
\begin{aligned}
s_{0,15}(\theta) = \; & \cos\theta\sin\theta\left(-\cos^2\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^2 w\sin w dw - \int_0^\theta \mathrm{e}^{\sin^2 w}\cos^2 w\sin w dw\right.\\
& +2\,\cos^4\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^2 w\sin w dw + 2\,\cos^2\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^4 w\sin w dw\\
& \left.+2\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^4 w\sin w dw - 4\,\cos^4\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^4 w\sin w dw\right),\\
s_{0,16}(\theta) = \; & -\cos^3\theta\sin\theta\left(\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^2 w\sin w dw + 2\,\cos^2\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^2 w\sin w dw\right.\\
& \left.-2\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^4 w\sin w dw - 4\,\cos^2\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^4 w\sin w dw\right),
\end{aligned}
$$

$$
\begin{aligned}
s_{0,17}(\theta) = \; & \cos^2\theta\left(-4\,\cos^4\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^5 w dw - 2\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^5 w dw\right.\\
& +6\,\cos^2\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^5 w dw + 2\,\cos^4\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^3 w dw + \int_0^\theta \mathrm{e}^{\sin^2 w}\cos^3 w dw\\
& \left.-3\,\cos^2\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^3 w dw\right),\\
s_{0,18}(\theta) = \; & \cos^2\theta\left(2\,\cos^4\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^2 w\sin w dw\,,\right.\\
& +\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^2 w\sin w dw - 3\,\cos^2\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^2 w\sin w dw\\
& -4\,\cos^4\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^4 w\sin w dw - 2\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^4 w\sin w dw\\
& \left.+6\,\cos^2\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^4 w\sin w dw\right),
\end{aligned}
$$

$$
\begin{aligned}
s_{0,19}(\theta) = \quad & \cos\theta\sin\theta\left(-4\,\cos^4\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^5 w dw - 2\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^5 w dw\right.\\
& +6\,\cos^2\theta\int_0^\theta \mathrm{e}^{\sin w^2}\cos^5 w dw + 2\,\cos^4\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^3 w dw + \int_0^\theta \mathrm{e}^{\sin^2 w}\cos^3 w dw\\
& \left.-3\,\cos^2\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^3 w dw\right),
\end{aligned}
$$

$$
\begin{aligned}
s_{0,20}(\theta) = \quad & \cos^3\theta\sin\theta\left(6\,\cos^2\theta\int_0^\theta \mathrm{e}^{\sin w^2}\cos^3 w dw\right.\\
& -3\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^3 w dw - 4\,\cos^2\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^5 w dw\\
& \left.+2\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^5 w dw - 2\,\cos^2\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos w dw + \int_0^\theta \mathrm{e}^{\sin^2 w}\cos w dw\right),
\end{aligned}
$$

$$
\begin{aligned}
s_{0,21}(\theta) = \quad & \cos^2\theta\left(-\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^2 w\sin w dw - 2\,\cos^2\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^2 w\sin w dw\right.\\
& +4\,\cos^4\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^2 w\sin w dw + 2\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^4 w\sin w dw\\
& \left.+4\,\cos^2\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^4 w\sin w dw - 8\,\cos^4\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^4 w\sin w dw\right),
\end{aligned}
$$

$$
\begin{aligned}
s_{0,22}(\theta) = \quad & \cos^3\theta\sin\theta\left(\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^2 w\sin w dw + 2\,\cos^2\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^2 w\sin w dw\right.\\
& \left.+2\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^4 w\sin w dw + 4\,\cos^2\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^4 w\sin w dw\right),
\end{aligned}
$$

$$
\begin{aligned}
s_{0,23}(\theta) = \quad & -2\,\cos^6\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos w dw + \int_0^\theta \mathrm{e}^{\sin^2 w}\cos w dw - \cos^4\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos w dw\\
& +4\,\cos^6\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^5 w dw - 2\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^5 w dw + 2\,\cos^4\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^5 w dw\\
& -2\,\cos^6\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^3 w dw + \int_0^\theta \mathrm{e}^{\sin^2 w}\cos^3 w dw - \cos\theta^4\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^3 w dw,
\end{aligned}
$$

$$
\begin{aligned}
s_{0,24(\theta)} = \quad & -2\left(\int_0^\theta \mathrm{e}^{\sin^2 w}\sin^3 w dw\right)\cos^6\theta + \int_0^\theta \mathrm{e}^{\sin^2 w}\sin^3 w dw - \cos\theta^4\int_0^\theta \mathrm{e}^{\sin^2 w}\sin^3 w dw\\
& -4\left(\int_0^\theta \mathrm{e}^{\sin^2 w}\sin^3 w\cos^2 w dw\right)\cos^6\theta + 2\int_0^\theta \mathrm{e}^{\sin w^2}\sin^3 w\cos^2 w dw\\
& -2\,\cos^4\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\sin^3 w\cos^2 w dw,
\end{aligned}
$$

$$
\begin{aligned}
s_{0,25}(\theta) = \; & -\cos^2\theta\left(-\int_0^\theta \mathrm{e}^{\sin^2 w}\cos w dw - 2\,\cos\theta^2\int_0^\theta \mathrm{e}^{\sin w^2}\cos w dw + 4\,\cos^4\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos w dw\right.\\
& +2\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^5 w dw + 4\,\cos^2\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^5 w dw - 8\,\cos^4\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^5 w dw\\
& \left.-\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^3 w dw - 2\,\cos^2\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^3 w dw + 4\,\cos^4\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^3 w dw\right),
\end{aligned}
$$

$$
\begin{aligned}
s_{0,26}(\theta) = \; & -\cos\theta\sin\theta\left(-\cos^2\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^2 w\sin w dw - \int_0^\theta \mathrm{e}^{\sin^2 w}\cos^2 w\sin w dw\right.\\
& +2\,\cos^4\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^2 w\sin w dw - 2\,\cos^2\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^4 w\sin w dw - 2\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^4 w\sin w dw\\
& \left.+4\,\cos^4\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^4 w\sin w dw\right),
\end{aligned}
$$

$$
\begin{aligned}
s_{0,27}(\theta) = \; & -\cos\theta\sin\theta\left(-\cos^2\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\sin^3 w dw\right) - \int_0^\theta \mathrm{e}^{\sin^2 w}\sin^3 w dw\\
& +2\,\cos^4\theta\int_0^\theta \mathrm{e}^{\sin w^2}\sin^3 w dw - 2\,\cos^2\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\sin^3 w\cos^2 w dw - 2\int_0^\theta \mathrm{e}^{\sin^2 w}\sin^3 w\cos^2 w dw\\
& \left.+4\,\cos^4\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\sin^3 w\cos^2 w dw\right),
\end{aligned}
$$

$$
\begin{aligned}
s_{0,28}(\theta) = \; & -\cos\theta\sin\theta\left(-3\,\cos^2\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^3 w dw - 3\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^3 w dw\right.\\
& +6\,\cos^4\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^3 w dw + 2\,\cos^2\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^5 w dw\\
& +2\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^5 w dw - 4\,\cos^4\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^5 w dw + \cos^2\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos w dw\\
& \left.+\int_0^\theta \mathrm{e}^{\sin^2 w}\cos w dw - 2\,\cos^4\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos w dw\right),
\end{aligned}
$$

$$
\begin{aligned}
s_{0,29}(\theta) = \; & \cos^3\theta\sin\theta\left(3\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^3 w dw + 6\,\cos^2\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^3 w dw - 2\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^5 w dw\right.\\
& \left.-4\,\cos^2\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^5 w dw - \int_0^\theta \mathrm{e}^{\sin w^2}\cos w dw - 2\,\cos^2\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos w dw\right),
\end{aligned}
$$

$$
\begin{aligned}
s_{0,30}(\theta) = \; & -\cos\theta\sin\theta\left(6\,\cos^4\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^3 w dw + 3\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^3 w dw\right.\\
& -9\,\cos^2\theta\int_0^\theta \mathrm{e}^{\sin w^2}\cos^3 w dw - 4\,\cos^4\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^5 w dw - 2\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^5 w dw\\
& +6\,\cos^2\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^5 w dw - 2\,\cos^4\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos w dw - \int_0^\theta \mathrm{e}^{\sin^2 w}\cos w dw\\
& \left.+3\,\cos^2\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos w dw\right),\\
s_{0,31}(\theta) = \; & -\cos^3\theta\sin\theta\left(-4\,\cos^2\theta\int_0^\theta \mathrm{e}^{\sin w^2}\cos^5 w dw + 2\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^5 w dw\right.\\
& \left.+2\,\cos^2\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^3 w dw - \int_0^\theta \mathrm{e}^{\sin^2 w}\cos^3 w dw\right),
\end{aligned}
$$

$$
\begin{aligned}
s_{0,32}(\theta) = \; & \cos^3\theta\sin\theta\left(\int_0^\theta \mathrm{e}^{\sin^2 w}\cos w dw + 2\,\cos^2\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos w dw - 2\int_0^\theta \mathrm{e}^{\sin w^2}\cos^5 w dw\right.\\
& \left.-4\,\cos^2\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^5 w dw + \int_0^\theta \mathrm{e}^{\sin^2 w}\cos^3 w dw + 2\,\cos^2\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^3 w dw\right),\\
s_{0,33}(\theta) = \; & -\cos^2\theta\left(-\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^2 w\sin w dw - 2\,\cos^2\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^2 w\sin w dw\right.\\
& +4\,\cos^4\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^2 w\sin w dw - 2\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^4 w\sin w dw\\
& \left.-4\,\cos^2\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^4 w\sin w dw + 8\,\cos^4\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^4 w\sin w dw\right),
\end{aligned}
$$

$$
\begin{aligned}
s_{0,34}(\theta) = \; & -\cos^2\theta\left(-\int_0^\theta \mathrm{e}^{\sin^2 w}\sin^3 w dw - 2\,\cos^2\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\sin^3 w dw\right.\\
& +4\,\cos^4\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\sin^3 w dw - 2\int_0^\theta \mathrm{e}^{\sin^2 w}\sin^3 w\cos^2 w dw\\
& \left.-4\,\cos^2\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\sin^3 w\cos^2 w dw + 8\,\cos^4\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\sin^3 w\cos^2 w dw\right),\\
s_{0,35}(\theta) = \; & -2\,\cos^6\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^2 w\sin w dw + \int_0^\theta \mathrm{e}^{\sin^2 w}\cos^2 w\sin w dw\\
& -\cos^4\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^2 w\sin w dw - 4\,\cos^6\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^4 w\sin w dw\\
& +2\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^4 w\sin w dw - 2\,\cos^4\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^4 w\sin w dw,
\end{aligned}
$$

$$
\begin{aligned}
s_{0,36}(\theta) = \; & -\cos\theta\sin\theta\left(-\cos^2\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos w dw - \int_0^\theta \mathrm{e}^{\sin w^2}\cos w dw\right.\\
& +2\,\cos^4\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos w dw + 2\,\cos^2\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^5 w dw + 2\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^5 w dw\\
& -4\,\cos^4\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^5 w dw - \cos^2\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^3 w dw - \int_0^\theta \mathrm{e}^{\sin w^2}\cos^3 w dw\\
& \left.+2\,\cos^4\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^3 w dw\right),\\
s_{0,37}(\theta) = \; & -\cos^3\theta\sin\theta\left(-2\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^5 w dw - 4\,\cos^2\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^5 w dw\right.\\
& \left.+\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^3 w dw + 2\,\cos^2\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^3 w dw\right),\\
s_{0,38}(\theta) = \; & -\cos^2\theta\left(2\,\cos^4\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^2 w\sin w dw + \int_0^\theta \mathrm{e}^{\sin^2 w}\cos^2 w\sin w dw\right.\\
& -3\,\cos^2\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^2 w\sin w dw + 4\,\cos^4\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^4 w\sin w dw\\
& \left.+2\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^4 w\sin w dw - 6\,\cos^2\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^4 w\sin w dw\right),\\
s_{0,39}(\theta) = \; & \cos\theta\sin\theta\left(2\,\cos^2\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^5 w dw + 2\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^5 w dw - 4\,\cos^4\theta\int_0^\theta \mathrm{e}^{\sin w^2}\cos^5 w dw\right.\\
& \left.-\cos^2\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^3 w dw - \int_0^\theta \mathrm{e}^{\sin^2 w}\cos^3 w dw + 2\,\cos^4\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^3 w dw\right),\\
s_{0,40}(\theta) = \; & 2\,\cos^6\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^2 w\sin w dw - \int_0^\theta \mathrm{e}^{\sin^2 w}\cos^2 w\sin w dw + \cos^4\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^2 w\sin w dw\\
& -4\,\cos^6\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^4 w\sin w dw + 2\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^4 w\sin w dw - 2\,\cos^4\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^4 w\sin w dw,\\
s_{0,41}(\theta) = \; & -\cos^2\theta\left(2\,\cos^4\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\sin^3 w dw + \int_0^\theta \mathrm{e}^{\sin^2 w}\sin^3 w dw - 3\,\cos^2\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\sin^3 w dw\right.\\
& \left.+4\,\cos^4\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\sin^3 w\cos^2 w dw + 2\int_0^\theta \mathrm{e}^{\sin^2 w}\sin^3 w\cos^2 w dw - 6\,\cos^2\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\sin^3 w\cos^2 w dw\right),\\
s_{0,42}(\theta) = \; & -\cos\theta\sin\theta\left(2\,\cos^4\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos w dw + \int_0^\theta \mathrm{e}^{\sin w^2}\cos w dw - 3\,\cos^2\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos w dw\right.\\
& -4\,\cos^4\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^5 w dw - 2\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^5 w dw + 6\,\cos^2\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^5 w dw\\
& \left.+2\,\cos^4\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^3 w dw + \int_0^\theta \mathrm{e}^{\sin^2 w}\cos^3 w dw - 3\,\cos^2\theta\int_0^\theta \mathrm{e}^{\sin^2 w}\cos^3 w dw\right).
\end{aligned}
$$

Now we have

$$\begin{aligned}\tilde{s}_1(\theta) = \quad & \tilde{s}_{1,1}(\theta)c_{03}c_{12} + \tilde{s}_{1,2}(\theta)c_{03}c_{30} + \tilde{s}_{1,3}(\theta)a_{03}c_{03} + \tilde{s}_{1,4}(\theta)a_{21}c_{03} + \tilde{s}_{1,5}(\theta)c_{30}c_{12} + \tilde{s}_{1,6}(\theta)c_{12}a_{21} \\ & + \tilde{s}_{1,7}(\theta)c_{30}a_{21} + \tilde{s}_{1,8}(\theta)a_{03}a_{21} + \tilde{s}_{1,9}(\theta)a_{03}c_{30} + \tilde{s}_{1,10}(\theta)a_{03}c_{12} + \tilde{s}_{1,11}(\theta)a_{12}c_{03} + \tilde{s}_{1,12}(\theta)a_{12}c_{21} \\ & + \tilde{s}_{1,13}(\theta)c_{03}c_{21} + \tilde{s}_{1,14}(\theta)a_{21}c_{21} + \tilde{s}_{1,15}(\theta)a_{21}a_{12} + \tilde{s}_{1,16}(\theta)c_{12}a_{12} + \tilde{s}_{1,17}(\theta)a_{03}c_{21} \\ & + \tilde{s}_{1,18}(\theta)a_{03}a_{12} + \tilde{s}_{1,19}(\theta)c_{30}c_{21} + \tilde{s}_{1,20}(\theta)c_{30}a_{12} + \tilde{s}_{1,21}(\theta)c_{12}c_{21} + \tilde{s}_{1,22}(\theta)a_{12}^2 \\ & + \tilde{s}_{1,23}(\theta)c_{21}^2 + \tilde{s}_{1,24}(\theta)c_{30}^2 + \tilde{s}_{1,25}(\theta)a_{03}^2 + \tilde{s}_{1,26}(\theta)c_{03}^2 + \tilde{s}_{1,27}(\theta)a_{21}^2 + \tilde{s}_{1,28}(\theta)c_{12}^2,\end{aligned}$$

and $\tilde{s}_{1,i}(\theta)$ for $i = 1 \cdots, 28$ satisfying the following expressions.

$$\begin{aligned}
\tilde{s}_{1,1}(\theta) = \quad & -\frac{1}{12}\left(16\cos^8\theta + 34\cos^6\theta + 37\cos^4\theta + 8\cos^2\theta - 5\right)\left(\cos^2\theta - 1\right)^2, \\
\tilde{s}_{1,2}(\theta) = \quad & \frac{1}{12}\left(\cos^2\theta - 1\right)\left(16\cos^{10}\theta + 38\cos^8\theta + 53\cos^6\theta + 15\cos^4\theta - 7\cos^2\theta - 7\right), \\
\tilde{s}_{1,3}(\theta) = \quad & -\frac{1}{12}\left(16\cos^8\theta + 14\cos^6\theta + 15\cos^4\theta - 16\cos^2\theta + 1\right)\left(\cos^2\theta - 1\right)^2, \\
\tilde{s}_{1,4}(\theta) = \quad & \frac{1}{12}\left(\cos^2\theta - 1\right)\left(16\cos^{10}\theta + 18\cos^8\theta + 19\cos^6\theta - 15\cos^4\theta - \cos^2\theta - 1\right), \\
\tilde{s}_{1,5}(\theta) = \quad & \frac{1}{12}\cos\theta\sin^5\theta\left(2\cos^2\theta + 1\right)\left(8\cos^4\theta + 12\cos^2\theta + 7\right), \\
\tilde{s}_{1,6}(\theta) = \quad & \frac{1}{12}\cos\theta\sin^5\theta\left(16\cos^6\theta + 12\cos^4\theta - 2\cos^2\theta + 1\right), \\
\tilde{s}_{1,7}(\theta) = \quad & \frac{1}{6}\cos^3\theta\sin^3\theta\left(8\cos^6\theta + 8\cos^4\theta + 5\cos^2\theta - 3\right), \\
\tilde{s}_{1,8}(\theta) = \quad & \frac{1}{12}\cos\theta\sin^5\theta\left(-1 + 2\cos^2\theta\right)\left(8\cos^4\theta + 1\right), \\
\tilde{s}_{1,9}(\theta) = \quad & \frac{1}{12}\cos\theta\sin^5\theta\left(16\cos^6\theta + 12\cos^4\theta + 6\cos^2\theta - 7\right), \\
\tilde{s}_{1,10}(\theta) = \quad & \frac{1}{6}\cos\theta\sin^7\theta\left(8\cos^4\theta + 4\cos^2\theta - 3\right), \\
\tilde{s}_{1,11}(\theta) = \quad & -\frac{4}{3}\cos^3\theta\sin^3\theta\left(\cos^6\theta + \cos^4\theta + \cos^2\theta - 1\right), \\
\tilde{s}_{1,12}(\theta) = \quad & -\frac{2}{3}\cos^5\theta\sin^3\theta\left(4\cos^4\theta - \cos^2\theta - 1\right), \\
\tilde{s}_{1,13}(\theta) = \quad & \frac{2}{3}\cos^3\theta\sin\theta\left(-5\cos^2\theta - 2 + 5\cos^6\theta + 4\cos^4\theta + 4\cos^8\theta\right),
\end{aligned}$$

$$\tilde{s}_{1,14}(\theta) = -\frac{1}{12}\sin^2\theta\cos^2\theta\left(32\cos^8\theta - 4\cos^6\theta - 6\cos^4\theta - 3\cos^2\theta - 1\right),$$

$$\tilde{s}_{1,15}(\theta) = \frac{1}{12}\sin^4\theta\cos^2\theta\left(-1 + 2\cos^2\theta\right)\left(8\cos^4\theta + \cos^2\theta + 1\right),$$

$$\tilde{s}_{1,16}(\theta) = \frac{1}{12}\sin^6\theta\cos^2\theta\left(16\cos^4\theta + 10\cos^2\theta - 5\right),$$

$$\tilde{s}_{1,17}(\theta) = -\frac{1}{12}\sin^4\theta\cos^2\theta\left(32\cos^6\theta - 12\cos^4\theta - 6\cos^2\theta + 1\right),$$

$$\tilde{s}_{1,18}(\theta) = \frac{1}{12}\sin^6\theta\cos^2\theta\left(8\cos^2\theta - 1\right)\left(-1 + 2\cos^2\theta\right),$$

$$\tilde{s}_{1,19}(\theta) = -\frac{1}{12}\sin^2\theta\cos^2\theta\left(32\cos^8\theta + 36\cos^6\theta + 14\cos^4\theta - 21\cos^2\theta - 7\right),$$

$$\tilde{s}_{1,20}(\theta) = \frac{1}{12}\sin^4\theta\cos^2\theta\left(16\cos^6\theta + 14\cos^4\theta + 7\cos^2\theta - 7\right),$$

$$\tilde{s}_{1,21}(\theta) = -\frac{1}{12}\sin^4\theta\cos^2\theta\left(32\cos^6\theta + 28\cos^4\theta - 10\cos^2\theta - 5\right),$$

$$\tilde{s}_{1,22}(\theta) = \frac{1}{3}\cos^5\theta\sin^5\theta\left(-1 + 2\cos^2\theta\right),$$

$$\tilde{s}_{1,23}(\theta) = \frac{1}{3}\cos^5\theta\sin\theta\left(2\cos^2\theta + 1\right)\left(4\cos^4\theta - 1 - 2\cos^2\theta\right),$$

$$\tilde{s}_{1,24}(\theta) = \frac{1}{12}\cos^3\theta\sin^3\theta\left(2\cos^2\theta + 1\right)\left(4\cos^4\theta + 7\cos^2\theta + 7\right),$$

$$\tilde{s}_{1,25}(\theta) = \frac{1}{12}\cos\theta\sin^7\theta\left(2\cos\theta + 1\right)\left(2\cos\theta - 1\right)\left(-1 + 2\cos^2\theta\right),$$

$$\tilde{s}_{1,26}(\theta) = \frac{1}{3}\cos\theta\sin\theta\left(\cos^4\theta + 2\cos^2\theta + 3\right)\left(2\cos^6\theta - 1 + \cos^4\theta\right),$$

$$\tilde{s}_{1,27}(\theta) = \frac{1}{12}\cos^3\theta\sin^3\theta\left(-1 + 2\cos^2\theta\right)\left(4\cos^4\theta + \cos^2\theta + 1\right),$$

$$\tilde{s}_{1,28}(\theta) = \frac{1}{12}\cos\theta\sin^7\theta\left(4\cos^2\theta + 5\right)\left(2\cos^2\theta + 1\right).$$

[1] Departament de Matemàtiques, Universitat Autònoma de Barcelona, Edifici C, 08193 Bellaterra, Barcelona, Catalonia, Spain

E-mail address: jllibre@mat.uab.cat

[2] Departament de Matemàtica Aplicada I, Universitat Politècnica de Catalunya, (EPSEB), Av. Doctor Marañón, 44–50, 08028 Barcelona, Spain

E-mail address: chara.pantazi@upc.edu